VOLUME 81 • AUTHOR INDEX

Aantaa R *see* Taittonen MT **140**
Abdelhalim Z *see* Beaussier M **251**
Abouleish EI *see* McAtamney D **827**
Abrahams M *see* Engdahl O **957**
Adejumo SWA, Byrne AJ, Jones JG, Sellen A and **Heneghan CPH** A case made for automated anaesthetic record keeping?: *correspondence*, **482**
Agrö F, Brimacombe J, Verghese C, Carassiti M and **Cataldo R** Laryngeal mask airway and incidence of gastro-oesophageal reflux in paralysed patients undergoing ventilation for elective orthopaedic surgery **537**
Ahlner J *see* Engdahl O **957**
Ahmed A *see* Girling KJ **285P**
Ahmed AB *see* Hardman JG **327**
Aitkenhead AR *see* Hardman JG **327**
Akhtar T *see* Izquierdo-Martin A **823P**
Aldegheri G *see* Casati A **355**
Aldegheri X *see* Casati A **1001**
Alexander R, Hill R, Lipham WJ, Weatherwax KJ and **El-Moalem HE** Remifentanil prevents an increase in intraocular pressure after succinylcholine and tracheal intubation **606**
Alexander-Williams JM and **Rowbotham DJ** Novel routes of opioid administration **3**
Alexander-Williams JM and **Spiers P** Impact of opening a high dependency unit on the relative cost of living on intensive care: *abstract*, **804P**
Allan LG *see* McGregor RR **785**
Allen MJ *see* Hickey C **650P**
Allen TH and **Steven IM** Prolonged endotracheal intubation in infants and children: *citation classic*, **474**
Allison J *see* Dodds C **449**
Allison SP Commentary **271**
Allison SP, Tomlin PJ and **Chamberlain MJ** Some effects of anaesthesia and surgery on carbohydrate and fat metabolism: *citation classic*, **273**
Allman KG, Stoddart AP and **Young JD** Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**; Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
Alston RP *see* Souter MJ **239**
Ambrose C, Buggy D, Farragher R, Troy A, McNulty C and **Carey M** Pre-emptive glycopyrrolate and bradycardia during elective gynaecological laparoscopy: *abstract*, **287P**
Ames W and **Venn P** Complication of the transtracheal catheter: *correspondence*, **825**
Andersen APD, Sörensen J, Bengtsson M and **Sjöberg F** Extradural catheterization: *correspondence*, **298**
Anderson L *see* Tan TK **807P**; **814P**
Andrejowski JC *see* Claydon PJ **636P**
Andrews CJH *see* Sneyd JR **361**
Andrews PJ *see* Macmillan CSA **819P**
Andrews PJD *see* Macmillan CSA **810P**; **818P**; **819P**; Souter MJ **239**
Angel A and **Arnott RH** The effects of glycinergic block on sensory transmission and on the action of halothane in the urethane anaesthetized rat: *abstract*, **632P**
Angel A, Linkens DA and **Ting CH** "On line" monitoring of cerebral evoked responses: *abstract*, **640P**
Angel A and **Wolstenholme SC** Steady state halothane anaesthesia oscillates between two states of electrocortical arousal: *abstract*, **633P**; The effect of nitrous oxide on transmission in the dorsal column pathway in the urethane anaesthetized rat: *abstract*, **634P**
Annila P *see* Viitanen H **960**
Aoyama Y *see* Morisaki H **111**
Appadu BL *see* Cembala TM **641P**; Sherwin JD, **292P**
Arabadzhiev G *see* Hirst RA **98**
Archer S *see* Navapurkar VU **881**
Arendt-Nielsen L *see* Petersen-Felix S **742**
Armand S, Langlade A, Boutros A, Lobjoit K, Monrigal C, Ramboatiana R, Rauss A and **Bonnet F** Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**
Armitage PA *see* Macmillan CSA **819P**
Armstrong C *see* Sheridan M **648P**
Armstrong MA *see* Gormley SMC **639P**
Armstrong TSH *see* Mitchell JB **482**
Arné J *see* Lang SA **655**
Arnott RH *see* Angel A **632P**
Arrowsmith J *see* Liddle AM **974**
Asai T *see* Voyagis GS **656**
Asbury AJ *see* Brown S **289P**
Aubier M *see* Bazin JE **430**
Austin D Change of nasogastric tube via Seldinger technique: *correspondence*, **107**

Bacon PJ *see* Blunt MC **646P**
Badgwell JM, (*editor*) *Clinical Pediatric Anesthesia*: *book review*, **301**
Baer G *see* Viitanen H **960**
Bahk J-H, Jung C-W and **Kim S-D** A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *correspondence*, **103**
Bailey PM *see* Porter H **996**
Bailin MT *see* Hurford WE **301**
Baker CE, Kelly GD and **Perkins GD** Perioperative care of a Jehovah's Witness with a leaking abdominal aortic aneurysm **256**
Baker S *see* O'Dea J **809P**
Bakh J-H, Jung C-W and **Kim S-D** A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *erratum*, **828**
Baldissera I *see* Schlager A **529**
Ball A *see* Wakeling HG **979**
Ballas SK *Sickle Cell Pain. Progress in Pain Research and Management, Vol. 11*: *book review*, **830**
Bannister J *see* Burke D **631P**
Bao Y *see* Hurst R **647P**; **817P**
Bao Y-P, Williamson G, Tew D, Plumb GW, Lambert N, Jones JG and **Menon DK** Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance **584**
Baraka A Hazards of carbon dioxide insufflation during thoracoscopy: *correspondence*, **100**
Barash PG *Interactive Anesthesia Library on CD-ROM version 2.0*: *book review*, **832**
Barash PG, Cullen BF and **Stoelting RK,** (*editors*) *Clinical Anesthesia*, 3rd Edn: *book review*, **833**
Barash PG, Cullen BF and **Stoetling RK** *Handbook of Clinical Anesthesia*, 3rd Edn: *book review*, **830**
Barker JP *see* Chow AE **102**
Barker T *see* Yalamarthi S **643P**
Baron J-F Haemoglobin therapy in clinical practice: use and characteristics of DCLHb: *supplement*, **34**
Barthel H *see* Preckel B **905**
Barvais L *see* Ickx B **854**
Basson C *see* Young PJ **823P**
Batchelor AM *see* Chishti A **643P**
Baudouin SV *see* Chishti A **643P**
Bazin JE, Dureuil B, Danialou G, Vicaut E, Aubier M, Desmonts J-M and **Boczkowski J** Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
Beams DM, Sasse FJ, Webster JG and **Radwin RG** Model for the administration of low-flow anaesthesia **161**
Beaussier M, Deriaz H, De Traverse A, Abdelhalim Z and **Lienhart A** Duration of the pharmacodynamic interaction between pancuronium and mivacurium **251**
Beaussier M *see* Jayr C **887**
Bedforth NM *see* Girling KJ **285P**; Hardman JG **327**
Belch J *see* Burke D **631P**
Bélisle S *see* Hardy J-F **38**
Bellamy M *see* Dresner M **384**
Bellamy MC, Mullane D and **O'Beirne HA** Is tranexamic acid as effective as α2 antiplasmin at correcting coagulopathy in liver transplantation?: *abstract*, **282P**
Bellamy MC *see* Davey-Quinn A **279P**; Davey-quinn A, **640P**; Gedney JA, **279P**; Koelzow H, **291P**; Patteril MV, **817P**
Bellingan G, Manji M, Cooksley H and **Rosser D** Nitric oxide synthase inhibition prevents endotoxin impairing hepatocyte mitochondrial function: *abstract*, **644P**
Bellingan G *see* Marshall R **818P**
Ben-Eliyahu S *see* Page GG **216**
Bengtsson M *see* Andersen APD **298**
Bennett MJ, Hole DG and **Evans RD** Effect of endotoxin on mechanical function and triacylglycerol metabolism in rat myocardium: *abstract*, **287P**
Benson JP *see* Hume DD **806P**
Benzing A *see* Farmery AD **990**
Berg E *see* Väisänen O **893**

VOLUME 81 • AUTHOR INDEX

Aantaa R *see* Taittonen MT **140**
Abdelhalim Z *see* Beaussier M **251**
Abouleish EI *see* McAtamney D **827**
Abrahams M *see* Engdahl O **957**
Adejumo SWA, Byrne AJ, Jones JG, Sellen A and **Heneghan CPH** A case made for automated anaesthetic record keeping?: *correspondence*, **482**
Agrö F, Brimacombe J, Verghese C, Carassiti M and **Cataldo R** Laryngeal mask airway and incidence of gastro-oesophageal reflux in paralysed patients undergoing ventilation for elective orthopaedic surgery **537**
Ahlner J *see* Engdahl O **957**
Ahmed A *see* Girling KJ **285P**
Ahmed AB *see* Hardman JG **327**
Aitkenhead AR *see* Hardman JG **327**
Akhtar T *see* Izquierdo-Martin A **823P**
Aldegheri G *see* Casati A **355**
Aldegheri X *see* Casati A **1001**
Alexander R, Hill R, Lipham WJ, Weatherwax KJ and **El-Moalem HE** Remifentanil prevents an increase in intraocular pressure after succinylcholine and tracheal intubation **606**
Alexander-Williams JM and **Rowbotham DJ** Novel routes of opioid administration **3**
Alexander-Williams JM and **Spiers P** Impact of opening a high dependency unit on the relative cost of living on intensive care: *abstract*, **804P**
Allan LG *see* McGregor RR **785**
Allen MJ *see* Hickey C **650P**
Allen TH and **Steven IM** Prolonged endotracheal intubation in infants and children: *citation classic*, **474**
Allison J *see* Dodds C **449**
Allison SP Commentary **271**
Allison SP, Tomlin PJ and **Chamberlain MJ** Some effects of anaesthesia and surgery on carbohydrate and fat metabolism: *citation classic*, **273**
Allman KG, Stoddart AP and **Young JD** Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**; Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
Alston RP *see* Souter MJ **239**
Ambrose C, Buggy D, Farragher R, Troy A, McNulty C and **Carey M** Pre-emptive glycopyrrolate and bradycardia during elective gynaecological laparoscopy: *abstract*, **287P**
Ames W and **Venn P** Complication of the transtracheal catheter: *correspondence*, **825**
Andersen APD, Sörensen J, Bengtsson M and **Sjöberg F** Extradural catheterization: *correspondence*, **298**
Anderson L *see* Tan TK **807P**; **814P**
Andrejowski JC *see* Claydon PJ **636P**
Andrews CJH *see* Sneyd JR **361**
Andrews PJ *see* Macmillan CSA **819P**
Andrews PJD *see* Macmillan CSA **810P**; **818P**; **819P**; Souter MJ **239**
Angel A and **Arnott RH** The effects of glycinergic block on sensory transmission and on the action of halothane in the urethane anaesthetized rat: *abstract*, **632P**
Angel A, Linkens DA and **Ting CH** "On line" monitoring of cerebral evoked responses: *abstract*, **640P**
Angel A and **Wolstenholme SC** Steady state halothane anaesthesia oscillates between two states of electrocortical arousal: *abstract*, **633P**; The effect of nitrous oxide on transmission in the dorsal column pathway in the urethane anaesthetized rat: *abstract*, **634P**
Annila P *see* Viitanen H **960**
Aoyama Y *see* Morisaki H **111**
Appadu BL *see* Cembala TM **641P**; Sherwin JD, **292P**
Arabadzhiev G *see* Hirst RA **98**
Archer S *see* Navapurkar VU **881**
Arendt-Nielsen L *see* Petersen-Felix S **742**
Armand S, Langlade A, Boutros A, Lobjoit K, Monrigal C, Ramboatiana R, Rauss A and **Bonnet F** Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**
Armitage PA *see* Macmillan CSA **819P**
Armstrong C *see* Sheridan M **648P**
Armstrong MA *see* Gormley SMC **639P**
Armstrong TSH *see* Mitchell JB **482**
Arné J *see* Lang SA **655**
Arnott RH *see* Angel A **632P**
Arrowsmith J *see* Liddle AM **974**
Asai T *see* Voyagis GS **656**
Asbury AJ *see* Brown S **289P**
Aubier M *see* Bazin JE **430**
Austin D Change of nasogastric tube via Seldinger technique: *correspondence*, **107**

Bacon PJ *see* Blunt MC **646P**
Badgwell JM, (*editor*) *Clinical Pediatric Anesthesia*: *book review*, **301**
Baer G *see* Viitanen H **960**
Bahk J-H, Jung C-W and **Kim S-D** A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *correspondence*, **103**
Bailey PM *see* Porter H **996**
Bailin MT *see* Hurford WE **301**
Baker CE, Kelly GD and **Perkins GD** Perioperative care of a Jehovah's Witness with a leaking abdominal aortic aneurysm **256**
Baker S *see* O'Dea J **809P**
Bakh J-H, Jung C-W and **Kim S-D** A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *erratum*, **828**
Baldissera I *see* Schlager A **529**
Ball A *see* Wakeling HG **979**
Ballas SK *Sickle Cell Pain. Progress in Pain Research and Management, Vol. 11*: *book review*, **830**
Bannister J *see* Burke D **631P**
Bao Y *see* Hurst R **647P**; **817P**
Bao Y-P, Williamson G, Tew D, Plumb GW, Lambert N, Jones JG and **Menon DK** Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance **584**
Baraka A Hazards of carbon dioxide insufflation during thoracoscopy: *correspondence*, **100**
Barash PG *Interactive Anesthesia Library on CD-ROM version 2.0*: *book review*, **832**
Barash PG, Cullen BF and **Stoelting RK,** (*editors*) *Clinical Anesthesia*, 3rd Edn: *book review*, **833**
Barash PG, Cullen BF and **Stoetling RK** *Handbook of Clinical Anesthesia*, 3rd Edn: *book review*, **830**
Barker JP *see* Chow AE **102**
Barker T *see* Yalamarthi S **643P**
Baron J-F Haemoglobin therapy in clinical practice: use and characteristics of DCLHb: *supplement*, **34**
Barthel H *see* Preckel B **905**
Barvais L *see* Ickx B **854**
Basson C *see* Young PJ **823P**
Batchelor AM *see* Chishti A **643P**
Baudouin SV *see* Chishti A **643P**
Bazin JE, Dureuil B, Danialou G, Vicaut E, Aubier M, Desmonts J-M and **Boczkowski J** Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
Beams DM, Sasse FJ, Webster JG and **Radwin RG** Model for the administration of low-flow anaesthesia **161**
Beaussier M, Deriaz H, De Traverse A, Abdelhalim Z and **Lienhart A** Duration of the pharmacodynamic interaction between pancuronium and mivacurium **251**
Beaussier M *see* Jayr C **887**
Bedforth NM *see* Girling KJ **285P**; Hardman JG **327**
Belch J *see* Burke D **631P**
Bélisle S *see* Hardy J-F **38**
Bellamy M *see* Dresner M **384**
Bellamy MC, Mullane D and **O'Beirne HA** Is tranexamic acid as effective as α2 antiplasmin at correcting coagulopathy in liver transplantation?: *abstract*, **282P**
Bellamy MC *see* Davey-Quinn A **279P**; Davey-quinn A, **640P**; Gedney JA, **279P**; Koelzow H, **291P**; Patteril MV, **817P**
Bellingan G, Manji M, Cooksley H and **Rosser D** Nitric oxide synthase inhibition prevents endotoxin impairing hepatocyte mitochondrial function: *abstract*, **644P**
Bellingan G *see* Marshall R **818P**
Ben-Eliyahu S *see* Page GG **216**
Bengtsson M *see* Andersen APD **298**
Bennett MJ, Hole DG and **Evans RD** Effect of endotoxin on mechanical function and triacylglycerol metabolism in rat myocardium: *abstract*, **287P**
Benson JP *see* Hume DD **806P**
Benzing A *see* Farmery AD **990**
Berg E *see* Väisänen O **893**

Bergman WA *The Genesis of Surgical Anesthesia*: *book review*, 302
Berry AM *see* Brimacombe JR 488
Berry PD, Thomas SD, Mahon SP, Jackson M, Fox MA, Fabri B, Weir WI and **Russell GN** Myocardial ischaemia after coronary artery bypass grafting: early *vs* late extubation: *erratum*, 111
Berry PD *see* Tupper-Carey DA 105
Berti M *see* Casati A 355; 1001
Bertin-Maghit M *see* Gueugniaud P-Y 844
Biasca N *see* Borgeat A 603
Biesma DH *see* van Iperen CE 2
Bill KM *see* McCourt KC 282P; 661
Bingham HL *see* Lobato EB 782
Binning A *see* Duguid J 805P; Storey N, 651P
Binning AR *see* Tan TK 807P; 814P
Björnsson A *see* Engdahl O 957
Black IH *see* Morrow MJ 619
Blanot S *see* Orliaguet GA 696
Blues CM and **Pomfrett CJD** Respiratory sinus arrhythmia and clinical signs of anaesthesia in children 333
Blunt MC, Chrispin PS, Bacon PJ, Nowicki RWA, Menon DK and **Ridley SA** Changes in plasma antioxidant potential in aortic aneurysm surgery: *abstract*, 646P
Blunt MC, Nicholson JP, Perris T and **Park GR** Serum albumin and colloid osmotic pressure in survivors and non-survivors of critical illness: *abstract*, 646P
Blunt MC, Viira DJ, Brown N and **Gunning KE** Implications of methicillin-resistant *Staphylococcus aureus* in a general intensive care unit: *abstract*, 648P
Board P *see* Thwaites AJ 103
Boczkowski J *see* Bazin JE 430
Bodenham A *see* Hatfield A 821P; 821P
Boira B *see* Higgins D 807P
Bond SM *see* Moores C 285P
Bonnet F *see* Armand S 126; Gentili M 970
Booth MG *see* Curran ET 816P
Borgeat A, Tewes E, Biasca N and **Gerber C** Patient-controlled interscalene analgesia with ropivacaine after major shoulder surgery: PCIA *vs* PCA 603
Borgeat A *see* Ruetsch YA 484
Bornscheuer A *see* Leuwer M 290P
Borrometi F *see* Ivani G 247
Borsook D, (*editor*) *Progress in Pain Research and Management, Vol. 9, Molecular Neurobiology of Pain*: *book review*, 831
Bosman YK *see* Edge KR 654
Bossaert L *see* Deakin CD 657
Bouchard C *see* Gueugniaud P-Y 844
Boutros A *see* Armand S 126
Bower S *see* Thompson JP 152
Bowler I *see* McAtamney D 827
Boyett MR *see* O'Beirne H 286P
Bradbury N *see* Fielden JM 650P
Brain AIJ *see* Brimacombe JR 488
Brayshaw S *see* Higgins DJ 995
Brazzi L and **Gattinoni L** Does optimizing oxygen transport improve outcome in intensive care patients?: *supplement*, 46
Brennum J *see* Ilkjær S 707
Bridenbaugh PO *see* Cousins MJ 489
Brimacombe J *see* Agrö F 537; Coorey A 398
Brimacombe JR, Brain AIJ and **Berry AM,** (*editors*) *The Laryngeal Mask Airway: A Review and Practical Guide*: *book review*, 488
Brimacombe JR *see* Keller C 186
Brooks H *see* Elton CD 98
Brown BR Jr *see* Prys-Roberts C 109
Brown N *see* Blunt MC 648P
Brown S, Hawksworth C and **Asbury AJ** Postural stability and day surgery anaesthesia: *abstract*, 289P
Browne I *see* Duggan M 468
Brydon C *see* Neill H 634P
Buckley PM *see* O'Boyle CJ 816P
Buerkle H and **Yaksh TL** Pharmacological evidence for different alpha$_2$-adrenergic receptor sites mediating analgesia and sedation in the rat 208
Buerkle H *see* Hudspith M 294
Buggy D *see* Ambrose C 287P; de Visme V, 483
Buhre W *see* Mielck F 155
Burchett K *see* Ridley S 807P
Burke D, MacKenzie M, Newton D, Khan F, McLeod G, Belch J and **Bannister J** A comparison of vasoactivity between levobupivacaine and bupivacaine: *abstract*, 631P
Burns A *see* Ridley S 807P
Butterworth J, Ririe DG, Thompson RB, Walker FO, Jackson D and **James RL** Differential onset of median nerve block: randomized, double-blind comparison of mepivacaine and bupivacaine in healthy volunteers 515
Byrne AJ *see* Adejumo SWA 482
Byttebier G *see* Ickx B 854

Cagney B *see* Hall AP 97
Cailmail S *see* Kirstetter P 968
Calamandrei M *see* Ivani G 247
Calder MV *see* Merry AF 875
Calevo Maria G *see* Ivani G 247
Campbell WI, Kendrick RW and **Fee JPH** Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery 727
Campbell WI *see* McConaghy PM 731
Cannon J *see* Macmillan CSA 818P; 819P
Capogna G *see* Nunns D 102
Cappelleri G *see* Casati A 355; 1001
Carabine U *see* McAtamney D 827
Carassiti M *see* Agrö F 537
Carey M *see* Ambrose C 287P
Carli PA *see* Orliaguet GA 696
Carmichael RL, Galley HF and **Webster NR** Antioxidant potential of intravenous anaesthetic and analgesic agents: *abstract*, 284P
Carr AC, Stone PA, Serpell MG, Joel SP and **Tinker L** Patient controlled morphine analgesia (PCA morphine) in cadaveric renal transplant recipients: does morphine-6-glucuronide accumulate?: *abstract*, 630P
Carrier M *see* Hardy J-F 38
Carson D *see* Gardiner Q 401
Carson JL *see* Chen AY 20
Cartier R *see* Hardy J-F 38
Casati A, Fanelli G, Cappelleri G, Leoni A, Berti M, Aldegheri G and **Torri G** Does speed of intrathecal injection affect the distribution of 0.5% hyberbaric bupivacaine? 355
Casati A, Fanelli G, Cappelleri G, Leoni A, Berti M, Aldegheri X and **Torri G** Does speed of intrathecal injection affect the distribution of 0.5% hyperbaric bupivacaine: *erratum*, 1001
Casey W *see* Eltringham R 489
Cataldo R *see* Agrö F 537
Cavill G, Simpson EJ and **Mahajan RP** Factors affecting assessment of cerebral autoregulation using the transient hyperaemic response test 317
Cembala TM, Appadu BL and **Lambert DG** Effect of steroidal neuromuscular blocking drugs on norepinephrine uptake in SH-SY5Y cells: *abstract*, 641P
Cembala TM *see* Sherwin JD 292P
Chamberlain MJ *see* Allison SP 273
Chambers R *see* Marshall R 818P
Chan CK *see* Nietgen GW 569
Chan YW, Kong CF, Kong CS, Hwang NC and **Ip-Yam PC** The intubating laryngeal mask airway (ILMA): initial experience in Singapore 610
Chang RWS *see* Stuart H 810P
Charron B *see* Orliaguet GA 696
Charters P, Groom P, Rodrigues A and **Gillies D** An updated two dimensional model for anatomical/blade interaction in tracheal intubation: *abstract*, 638P
Charters P *see* Groom P 288P; 288P; Hawkins M, 639P
Chau Huu P *see* Gentili M 970
Checketts MR, Wildsmith JAW and **Nimmo MJ** Magnetic resonance imaging of the vertebral canal before and after central nerve block: is there any subclinical bleeding?: *abstract*, 635P
Checketts MR *see* McAtamney D 827
Chen AY and **Carson JL** Perioperative management of anaemia: *supplement*, 20
Chishti A, Batchelor AM, Cook S, Gascoigne AD and **Baudouin SV** Changes in nocturnal oxygen saturation and ventilatory patterns in patients who have undergone prolonged mechanical ventilation: *abstract*, 643P
Chow AE, Barker JP and **Harper CM** Treatment of postoperative nausea and vomiting by acupressure: *correspondence*, 102
Chrispin PS *see* Blunt MC 646P
Christensen JH *see* Nikolajsen L 486
Church J, Splinter WM and **Rhine EJ** Morbidity after day-case tonsillectomy in children: *correspondence*, 295
Clarke PM and **Kozeis N** A complication of peribulbar block in a patient with exophthalmos 615
Clay R *see* Watt JWH 296
Claydon PJ, Mason DG, Andrejowski JC and **Edwards ND** Development of a self learning fuzzy controller for mivacurium induced neuromuscular block: *abstract*, 636P
Clewlow F *see* Polhill SL 902
Coakley JH, Sumner A and **Ferguson CN** Outcome of mechanical ventilation for exacerbations of chronic airflow limitation: *abstract*, 647P

Coakley JH *see* O'Leary MJ **647P**; Yarwood GD, **646P**
Cockshott ID *see* Ickx B **854**
Coetzee JF and **van Loggerenberg H** Tramadol or morphine administered during operation: a study of immediate postoperative effects after abdominal hysterectomy **737**
Coirault C *see* Langeron O **553**
Coley S *see* Shah J **641P**
Collett B-J Opioid tolerance: the clinical perspective **58**
Colombel JF *see* Guidat A **94**
Columb M *see* Lyons G **899**
Columb MO *see* Lyons G **280P**
Colvin LA The effect of conduction block on spinal ir-galanin release in the neuropathic rat: *abstract*, **633P**
Colvin LA and **Duggan AW** Primary afferent-evoked release of immunoreactive galanin in the spinal cord of the neuropathic rat **436**
Colvin P *see* Dunnill R **999**
Comfere T *see* Preckel B **905**
Conacher ID Dynamic hyperinflation—the anaesthetist applying a tourniquet to the right heart: *editorial*, **116**
Conacher ID *see* Mcmahon CC **262**
Conley EC *see* O'Beirne H **286P**
Connolly F *see* McAtamney D **827**
Constant I *see* Guglielminotti J **692**
Cook S *see* Chishti A **643P**
Cook TM, Wolf AR and **Henderson AJW** Changes in blood-gas tensions during apnoeic oxygenation in paediatric patients **338**
Cook TM *see* Fielden JM **650P**
Cooke T *see* Lydon A **522**
Cooksley H *see* Bellingan G **644P**
Coombes AGA *see* Dark A **485**
Coorey A, Brimacombe J and **Keller C** Saline as an alternative to air for filling the laryngeal mask airway cuff **398**
Cordingley JJ, Gomez CM, Efthymiopoulos C and **Palazzo G** Altered ceftazidime pharmacokinetics in critically ill patients: *abstract*, **649P**
Coriat P *see* Langeron O **553**
Cottney J *see* Robert BR **96**
Cousins MJ and **Bridenbaugh PO,** (*editors*) *Neural Blockade*, 3rd Edn: *book review*, **489**
Couturier A *see* Hardy J-F **38**
Crombez E *see* Versichelen L **393**
Cullen BF *see* Barash PG **830**; **833**
Cunningham AJ *see* Lennon M **616**
Curatolo M *see* Petersen-Felix S **742**
Curran ET, Booth MG, Dickson L, Lockhart M and **Hood J** Catheter related sepsis (CRS) surveillance in an ICU: *abstract*, **816P**
Curran JL *see* Vipond AJ **291P**
Cuthbertson BH, Galley HF and **Webster NR** Effect of inhaled nitric oxide therapy on inflammatory response within the lung in ALI: *abstract*, **645P**; Effect of inhaled nitric oxide therapy on oxidant stress during ALI: *abstract*, **645P**
Cuttaree H *see* Orliaguet GA **696**
Cutts MWJ *see* Levy DM **992**

Dahl JB *see* Ilkjær S **707**; Møiniche S **377**
Danialou G *see* Bazin JE **430**
Dark A, Mawer RJ and **Coombes AGA** Local anaesthesia for routine ocular surgery: *correspondence*, **485**
Darland T and **Grandy DK** The orphanin FQ system: an emerging target for the management of pain? **29**
Dashfield AK and **Smith JE** Correlating fibreoptic nasotracheal endoscopy performance and psychomotor aptitude **687**
Davey-quinn A, Whiteley SM, Gedney JA and **Bellamy MC** Extravascular lung water and ARDS – oxygenation and outcome: *abstract*, **640P**
Davey-Quinn A, Young Y and **Bellamy MC** Neutrophil activation following reperfusion in orthotopic liver transplantation: the argument against: *abstract*, **279P**
Davidson A *see* Grant S **540**; Noble J **820P**
Davison JK *see* Hurford WE **301**
Day C *see* Simpson TP **822P**
De Groote F *see* Van der Linden P **556**
De Traverse A *see* Beaussier M **251**
De Wolf AM *see* Hendrickx JFA **495**
Deakin CD Changes in core temperature compartment size on induction of general anaesthesia **861**
Deakin CD and **Bossaert L** Paddle size in defibrillation: *correspondence*, **657**
Deakin CD, Petley GW and **Smith D** Pharmacological vasodilatation improves efficiency of rewarming from hypothermic cardiopulmonary bypass **147**
Dean S *see* Dresner M **384**; Murdoch S **651P**
DeNegri P *see* Ivani G **247**
Denny NM and **Selander DE** Continuous spinal anaesthesia **590**
Deriaz H *see* Beaussier M **251**
Desborough J, (*editor*) *International Anesthesiology Clinics: Endocrine Disorders and Anaesthesia*: *book review*, **488**
Deshpande S Laryngotracheal separation after attempted hanging **612**
Desmonts J-M *see* Bazin JE **430**; Keita H **249**
Devan Pauw L *see* Ickx B **854**
Devi LA *see* Harrison C **95**; Jordan B **12**; Trapaidze N **95**
Dhara SS *see* Ti LK **487**
d'Hollander AA *see* Ickx B **854**
Dhond G, Ridley S and **Palmer M** Impact of a high dependency unit on the workload of an intensive care unit: *abstract*, **649P**
Dick DJ *see* Steele APH **648P**
Dickson D *see* Jankowski S **965**
Dickson L *see* Curran ET **816P**
Dimpel HL *see* Sneyd JR **361**
Dingley J, Findlay GP, Foëx BA, Little RA and **Smithies MN** Tracheal gas insufflation: performance of a phase-specific device and quantification of changes in functional residual capacity in pigs: *abstract*, **644P**
Dodds C and **Allison J** Postoperative cognitive deficit in the elderly surgical patient **449**
Domino KB *see* Walther SM **425**
Donaldson S *see* Noble JS **820P**
Dong C, Kehoe J, Henry J, Ifeachor EC, Reeve CD and **Sneyd JR** Closed loop computer controlled sedation with propofol: *abstract*, **631P**
Doran H *see* O'Boyle CJ **816P**
Dorrington KI and **Scriven PM** Flexible training and sex: *correspondence*, **994**
Douglas MJ *see* Gambling DR **829**
Dresner M, Dean S, Lumb A and **Bellamy M** High-dose ondansetron regimen *vs* droperidol for morphine patient-controlled analgesia **384**
Driscoll P, Gwinett C, Mackway-Jones K and **Wardle T,** (*editors*) *Advanced Cardiac Life Support. The Practical Approach*, 2nd Edn: *book review*, **302**
Drummond GB *see* Walsh TS **322**
du Toit PW *see* Edge KR **654**
Dubey PK, Singh S, Preis CA and **Preis IS** Method for reinserting the connector after cutting paediatric tubes: *correspondence*, **299**
Duggan AW *see* Colvin LA **436**
Duggan M, Browne I and **Flynn C** Adrenal failure in the critically ill **468**
Duggan PF *see* Lydon A **522**
Duguid J, Storey N and **Binning A** Secondary transport of critically ill obstetric patients: *abstract*, **805P**
Duguid J *see* Storey N **651P**
Dumont L, Picard V, Marti RA and **Tassonyi E** Use of remifentanil in a patient with chronic hepatic failure **265**
Duncan A, (*editor*) *Fundamentals of Anaesthesia and Acute Medicine. Paediatric Intensive Care*: *book review*, **831**
Dunkley P *see* Gardiner Q **401**
Dunnill R and **Colvin P** *Clinical and Resuscitative Data, A Compendium of Acute Medical Data*, 5th Edn: *book review*, **999**
Dunnill R *see* Jankowski S **965**
Dureuil B *see* Bazin JE **430**
Durieux ME *see* Nietgen GW **569**
Durkin M *see* Eltringham R **489**
Duthie DJR Remifentanil and tramadol **51**
Dutta S, Matsumoto Y, Muramatsu A, Matsumoto M, Fukuoka M and **Ebling WF** Steady-state propofol brain:plasma and brain:blood partition coefficients and the effect-site equilibration paradox **422**

Easton VJ *see* Macmillan CSA **810P**; **819P**
Ebling WF *see* Dutta S **422**
Eddleston JM *see* Writer WDR **713**
Edge KR, Krige SJ, Bosman YK, du Toit PW, Montoya F, Newstead JI, v d Berg A and **Mawer RJ** Current practice of local anaesthesia for ocular surgery: *correspondence*, **654**
Edwards JD Relationshp between mixed venous oxygen tension, oxyhaemoglobin saturation and arterial oxygen tension in acute respiratory distress syndrome (ARDS): *abstract*, **651P**
Edwards JL *see* Merry AF **875**
Edwards ND *see* Claydon PJ **636P**
Efthymiopoulos C *see* Cordingley JJ **649P**
Eintrei C *see* Engdahl O **957**
Eldridge AJ, Kipling M and **Watt Smith J** Anaesthetic management of a woman who became paraplegic at 22

weeks' gestation after a spontaneous spinal cord haemorrhage secondary to a presumed arteriovenous malformation **976**
Elias M *see* McAtamney D **827**
Elliott P *see* McCourt KC **282P; 661**
Ellis FR Commentary **625**
Ellis FR *see* Vipond AJ **291P**
El-Moalem HE *see* Alexander R **606**
Elton CD, Brooks H, Smart D, Rowbotham DJ, McKnight AT and **Lambert DG** First identification of nociceptin in human cerebrospinal fluid: *abstract*, **98**
Elton CD, May AE and **Mushambi MC** Walking extradurals: *correspondence*, **106**
Elton CD *see* Rowley C **658**
Eltringham R, Casey W and **Durkin M** *Post-operative Recovery and Pain Relief*: *book review*, **489**
Enel D *see* Gentili M **970**
Engberg G *see* Rothen HU **681**
Engdahl O, Abrahams M, Björnsson A, Vegfors M, Norlander B, Ahlner J and **Eintrei C** Cerebrospinal fluid concentrations of propofol during anaesthesia in humans **957**
Enoki T *see* Hirata S **578**
Enright SM *see* Gedney JA **279P**; Koelzow H **291P**
Erdmann W *see* Rupreht J **997**
Evans PA, Glenn JR, Heptinstall S and **Madira W** Effects of gelatin-based resuscitation fluids on platelet aggregation **198**
Evans RD *see* Bennett MJ **287P**
Ewaldsson C-A and **Hahn RG** β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**

Fabri B *see* Berry PD **111**
Fairgrieve R *see* Tan TK **807P; 814P**
Fanelli G *see* Casati A **355; 1001**
Farmery AD and **Benzing A** Inhaled nitric oxide and the longitudinal distribution of PVR in ARDS: *correspondence*, **990**
Farragher R *see* Ambrose C **287P**
Fassoulaki A, Zotou M and **Sarantopoulos C** Effect of nimodipine on regression of spinal analgesia **358**
Fee JPH *see* Campbell WI **727**; Renfrew CW, **281P**
Fennell J, Stockwell M and **Makinen A** Effect of inter-hospital transfer on the general intensive care patient: *abstract*, **649P**
Ferguson CN *see* Coakley JH **647P**; O'Leary MJ **647P**
Fernandez-Liesa JI *see* Panadero A **471**
Festa M, Nadel S, Levin M and **Gamble J** Microvascular changes in children with meningococcal disease: *abstract*, **815P**
Fielden JM, Bradbury N, Cook TM and **Handel J** Employment of a resuscitation training officer improves delivery of cardiopulmonary resuscitation in a district general hospital: *abstract*, **650P**
Findlay GP *see* Dingley J **644P**
Finley GA and **McGrath PJ,** (*editors*) *Measurement of Pain in Infants and Children. Progress in Pain Research and Management, vol. 10*: *book review*, **302**
Fisher M *see* Green DW **463**
Fisher R, Hung O, Mezei M and **Stewart R** Topical anaesthesia of intact skin: liposome-encapsulated tetracaine *vs* EMLA **972**
Fitch W Commentary **797**
Fleisher LA, (*editor*) *Problems in Anaesthesia. Pre-operative Evaluation in an Era of Cost Containment, vol. 9, No. 2*: *book review*, **488**
Fletcher R *see* Sigurdsson S **638P**
Fleyfel M *see* Guidat A **94**
Florete jr O *see* Lobato EB **782**
Flynn C *see* Duggan M **468**
Foëx BA *see* Dingley J **644P**
Foëx P *see* Ross SA **224**
Fogg KJ and **Royston D** Improved performance with single dose phosphodiesterase inhibitor?: *editorial*, **663**
Fonck K *see* Versichelen L **393**
Foo IT *see* Walsh TS **322**
Forrest F *see* Johnson C **832**
Foss JF *see* Yuan CS **94**
Fox A *see* Hall AP **279P**; Leslie NAP **637P**
Fox AJ *see* Owen-Smith O **804P**
Fox MA *see* Berry PD **111**
Fraser MH *see* Watt JWH **296**
Fratea S *see* Langeron O **553**
Frazer N *see* Navapurkar VU **881**
Friedman RL *see* Rosenthal RJ **830**
Frizelle F *see* Gardiner Q **401**
Fuchs D *see* Weiss G **6**
Fujii Y, Saitoh Y, Tanaka H and **Toyooka H** Prophylactic antiemetic therapy with granisetron in women undergoing thyroidectomy **526**
Fujii Y, Toyooka H and **Tanaka H** Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**; Oral granisetron prevents postoperative vomiting in children **390**; Prophylactic antiemetic therapy with a combination of granisetron and dexamethasone in patients undergoing middle ear surgery **754**
Fujiwara N *see* Zhan R-Z **932**
Fukuda H *see* Hirabayashi Y **253**; Igarashi T **121**
Fukuda S *see* Zhan R-Z **932**
Fukuoka M *see* Dutta S **422**
Fusciardi J *see* Lang SA **655**

Gajraj R *see* Hodson M **284P**
Gajraj RJ, Hodson MJ, Gillespie JA, Kenny GNC and **Scott NB** Antibacterial activity of lidocaine in mixtures with Diprivan **444**
Galindo A *see* Shapiro HM **798**
Galletly DC *see* Goodman NW **107**
Galley HF *see* Carmichael RL **284P**; Cuthbertson BH **645P; 645P**; Le Cras AE **286P**; Paterson RL **285P**
Gamble J *see* Festa M **815P**
Gambling DR and **Douglas MJ** *Obstetric Anaesthesia and Uncommon Disorders*: *book review*, **829**
Gan TJ and **Kestin IG** Propofol and postoperative nausea and vomiting: *correspondence*, **653**
Gangadhar BN *see* Mayur PM **466**
Garden OJ *see* Walsh TS **311**
Gardiner Q, White PS, Carson D, Shearer A, Frizelle F and **Dunkley P** Technique training: endoscopic percutaneous tracheostomy **401**
Gascoigne AD *see* Chishti A **643P**
Gatt SP *see* Writer WDR **713**
Gattinoni L *see* Brazzi L **46**
Gedney JA, Enright SM, Srinivasa R and **Bellamy MC** Neutrophil activation and ischaemia–reperfusion syndrome in liver transplantation: evidence for: *abstract*, **279P**
Gedney JA *see* Davey-quinn A **640P**; Patteril MV **817P**
Gentili M, Chau Huu P, Enel D, Hollande J and **Bonnet F** Sedation depends on the level of sensory block induced by spinal anaesthesia **970**
Georgieff M *see* Schraag S **365**
Gerber C *see* Borgeat A **603**
Gibson FM *see* McCourt KC **282P**; **661**
Giebler R *see* Pfitzner J **105**
Gillard J *see* Robert BR **96**
Gillespie JA *see* Gajraj RJ **444**
Gillies D *see* Charters P **638P**
Gilly H *see* Hiesmayr MJ **544**; Preis C **795**
Girling KJ, Bedforth NM, Ahmed A and **Mahajan RP** A comparison of video imaging and cuff pressure change at the larynx: *abstract*, **285P**
Girling KJ *see* Morris DM **635P**; Skinner HJ **636P**
Glen ACA *see* Noble J. **820P**
Glenn JR *see* Evans PA **198**
Goldhill DR, Mulcahy AJ, Tarling MM, Worthington LM, Singh SR, White SA and **Sumner A** Patients admitted to the ICU from the ward: effect of the patient at risk team: *abstract*, **812P**
Goldhill DR, Singh SR, Tarling MM, Worthington LM, Mulcahy AJ, White SA and **Sumner A** The patient at risk team: identifying and managing critically ill ward patients: *abstract*, **812P**
Goldhill DR and **Sumner A** APACHE II, data accuracy and outcome prediction: *abstract*, **811P**
Goldhill DR, Worthington LM, Tarling MM, Mulcahy AJ, Singh SR, White SA and **Sumner A** Are deaths on hospital wards potentially preventable?: *abstract*, **811P**
Goldsack N *see* Marshall R **818P**
Gombotz H and **List WF** Foreword: *supplement*, **1**
Gombotz H, Metzler H and **List WF** Methods for reduction of perioperative bleeding: *supplement*, **62**
Gomez CM, Sheldon J, Riches P and **Palazzo MG** Renal clearance of TNF-α and IL-13 in critically ill patients: *abstract*, **652P**; Urine and plasma cytokine concentrations in the critically ill: *abstract*, **647P**
Gomez CM *see* Cordingley JJ **649P**; Steele APH, **648P**
Gomez CMH and **Palazzo MGA** Pulmonary artery catheterization in anaesthesia and intensive care **945**
Good PA *see* Vohra SB **292P**
Goodman NW, Galletly DC and **Larsen PD** Observation and purpose: are ventilatory periodicities fine tuning or accidents of physiology?: *correspondence*, **107**
Goodnough LT Controversies in autologous blood procurement: *supplement*, **67**
Gordon PN *see* Williamson S **650P**

Gormley SMC, Armstrong MA, McMurray TJ and **McBride WT** Comparison of plasma and urinary pro- and anti-inflammatory cytokine changes during cardiac surgery: *abstract*, **639P**
Goto F *see* Obata H **940**
Grady KM and **Severn AM** *Key Topics in Chronic Pain*: *book review*, **110**
Graf J *see* Janssens U **676**
Grandy DK *see* Darland T **29**; Harrison C **290P**
Grant S, Noble S, Woods A, Murdoch J and **Davidson A** Assessment of intubating conditions in adults after induction with propofol and varying doses of remifentanil **540**
Grass JA, (*editor*) *Problems in Anesthesia. Management of Acute Paine, Vol. 10, No. 1*: *book review*, **997**
Green DW, Fisher M and **Sockalingham I** Mivacurium compared with succinylcholine in children with liver disease **463**
Griffin R *see* Writer WDR **713**
Griffith N, Howell S and **Mason DG** Intranasal midazolam for premedication of children undergoing day-case anaesthesia: comparison of two delivery systems with assessment of intra-observer variability **865**
Griffiths R *see* Ruth MJ **292P**
Groeneveld ABJ *see* Kolkman JJ **669**
Groom P and **Charters P** A proposed classification of stylo-hyoid ossification for anaesthetists: *abstract*, **288P**; Modelling the posterior pharyngeal wall: *abstract*, **288P**
Groom P *see* Charters P **638P**
Grubb BD Peripheral and central mechanisms of pain **8**
Gueugniaud P-Y, Vaudelin G, Bertin-Maghit M, Bouchard C, Stagni R and **Petit P** Comparison of the myocardial effects of desflurane and isoflurane in healthy patients: assessment by continuous oesophageal aortic blood flow echo-Doppler **844**
Guglielminotti J, Constant I and **Murat I** Evaluation of routine tracheal extubation in children: inflating or suctioning technique? **692**
Guidat A, Fleyfel M, Onimus J, Kavafyan J, Colombel JF, Vallet B and **Scherpereel P** Opioid requirement during surgery for Crohn's disease: *abstract*, **94**
Gunning KE *see* Blunt MC **648P**
Gupta SK *see* Navapurkar VU **881**
Gustafsson LL, Schildt B and **Jacobsen K** Adverse effects of extradural and intrathecal opiates: report of a nationwide survey in Sweden: *citation classic*, **86**
Gustafsson U *see* Jayr C **887**
Gutsche BB *see* Writer WDR **713**
Gwinett C *see* Driscoll P **302**

Habler O and **Meßmer K** Hyperoxaemia in extreme haemodilution: *supplement*, **79**
Hahn RG *see* Ewaldsson C-A **343**
Haider W *see* Hiesmayr MJ **544**
Hall AP, Fox A, Raphael JH, Nandwani N and **Smith G** Upper airway reactivity and upper respiratory tract infection: effect of nebulized lignocaine: *abstract*, **279P**
Hall AP, Russell J, Cagney B, Rowbotham DJ and **Thompson JP** The effect of remifentanil upon the hypertensive response to orotracheal intubation: *abstract*, **97**
Hall AP *see* Kiani SH **278P**; Leslie NAP, **637P**; Liddle AM **974**; Shajar MA, **281P**
Hall C *see* Johnson C **832**
Hall WJ *see* Vipond AJ **291P**
Halsall PJ *see* Vipond AJ **291P**
Hamilton D *see* Young PJ **823P**
Hammerschmidt F *see* Weindlmayr-Goettel M **409**
Hancox J *see* O'Beirne H **286P**
Handel J *see* Fielden JM **650P**
Hanrath P *see* Janssens U **676**
Hansen TM *see* Ilkjær S **707**
Hardman JG, Bedforth NM, Ahmed AB, Mahajan RP and **Aitkenhead AR** A physiology simulator: validation of its respiratory components and its ability to predict the patient's response to changes in mechanical ventilation **327**
Hardy J-F, Martineau R, Couturier A, Bélisle S, Cartier R and **Carrier M** Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery: *supplement*, **38**
Harmsworth A *see* Wilkins AC **651P**
Harper CM *see* Chow AE **102**
Harper NJN *see* Van Oldenbeek C **637P**
Harris A B *see* Shapiro HM **798**
Harrison C, Rowbotham DJ, Devi LA and **Lambert DG** Effects of C-terminal truncation of the δ opioid receptor on [D-|Pen^{2,5}-enkephalin (DPDPE) stimulated increases in intracellular calcium: *abstract*, **95**
Harrison C, Rowbotham DJ, Grandy DK, Smart D, McKnight AT and **Lambert DG** The effects of endomorphin-1 on cAMP formation and $[Ca^{2+}]_i$ in Chinese hamster ovary cells expressing recombinant μ-opioid receptors and SH-SY5Y cells: *abstract*, **290P**
Harrison C, Smart D and **Lambert DG** Stimulatory effects of opioids **20**
Harrison GG Control of the malignant hyperpyrexic syndrome in MHS swine by dantrolene sodium: *citation classic*, **626**
Harrison SM *see* O'Beirne H **286P**
Hartley M *see* Mitchell JB **482**
Hartmann T *see* Preis C **795**
Hashimoto Y *see* Hirota K **203**
Haspel KL *see* Hurford WE **301**
Hatch DJ Commentary **473**
Hatfield A and **Bodenham A** Portable ultrasound before percutaneous tracheostomy: *abstract*, **821P**; Portable ultrasound for difficult central venous access: *abstract*, **821P**
Hatherill M, Tibby SM, Hilliard T, Turner C and **Murdoch IA** Hypoadrenalism in children with septic shock: *abstract*, **644P**
Hatherill M, Tibby SM, Sykes K and **Murdoch IA** Procalcitonin and mortality in children with septic shock: *abstract*, **815P**
Hatherill M *see* Tibby SM **822P**
Hawkins M, Hayden K and **Charters P** Use of a microdialysis system under hyberbaric conditions: *abstract*, **639P**
Hawksworth C *see* Brown S **289P**
Hayden K *see* Hawkins M **639P**
Hazelgrove JF, Price C, Pappachan J and **Smith GB** A multi-centre study of obstetric admissions to intensive care units in Southern England: *abstract*, **813P**
Heath ML *see* McCourt KC **486**
Hébert PC Transfusion requirements in critical care (TRICC): a multicentre, randomized, controlled clinical study: *supplement*, **25**
Hedenstierna G *Respiratory Measurement*: *book review*, **997**
Hedenstierna G *see* Rothen HU **681**
Hedlund C *see* Writer WDR **713**
Heeroma K *see* Writer WDR **713**
Heinbuch G *see* Osmer C **653**
Heine J *see* Thum P **100**
Heiss MM Risk of allogeneic transfusions: *supplement*, **16**
Henderson AJW *see* Cook TM **338**
Hendolin H *see* Kokki H **502**; Kostamovaara PA **369**; Väisänen O **893**
Hendrickx JFA, Van Zundert AAJ and **De Wolf AM** Sevoflurane pharmacokinetics: effect of cardiac output **495**
Heneghan CPH *see* Adejumo SWA **482**
Henny ChP *see* Trouwborst A **73**
Henry J *see* Dong C **631P**
Henry JA *see* Karalliedde L **998**
Henson LC and **Lee AC,** (*editors*) *Simulators in Anesthesiology Education*: *book review*, **660**
Henzel-Rouellé D *see* Keita H **249**
Heptinstall S *see* Evans PA **198**
Herrmann H *see* Leuwer M **290P**
Heydermann RS *see* Thornton C **815P**
Hickey C and **Allen MJ** A critical care liaison service: *abstract*, **650P**
Hiesmayr MJ, Neugebauer T, Laßnigg A, Steltzer H, Haider W and **Gilly H** Performance of proportional and continuous nitric oxide delivery systems during pressure- and volume-controlled ventilation **544**
Higgins D, Hollywood PG, Boira B and **Kinnear K** Caring for critically ill children in an adult intensive care unit: *abstract*, **807P**
Higgins DJ, Brayshaw S and **Logan SW** Aprotinin therapy and disseminated intravascular coagulation after hip replacement: *correspondence*, **995**
Higgs AG, Paris S and **Potter F** Discovery of left-sided superior vena cava during central venous catheterization **260**
Hill R *see* Alexander R **606**
Hill RP *see* Voyagis GS **656**
Hilliard T *see* Hatherill M **644P**
Hinds CJ *see* Martin R **813P**; O'Leary MJ **647P**; Wray GM **814P**; Wray GMH **645P**; Yarwood GD **646P**
Hippeläinen M *see* Väisänen O **893**
Hirabayashi Y, Hiruta M, Kawakami T, Inoue S, Fukuda H, Saitoh K and **Shimizu R** Effects of lightwand (Trachlight) compared with direct laryngoscopy on circulatory responses to tracheal intubation **253**
Hirabayashi Y *see* Igarashi T **121**
Hirakata H *see* Kim SO **601**

Hirata S, Enoki T, Kitamura R, Vinh VH, Nakamura K and **Mori K** Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**
Hirata S *see* Kim SO **601**
Hirota K, Ohtomo N, Hashimoto Y, Kudo T, Kudo M, Ishihara H and **Matsuki A** Effects of thiopental on airway calibre in dogs: direct visualization method using a superfine fibreoptic bronchoscope **203**
Hirst RA, Lambert DG and **Notcutt WG** Pharmacology and potential therapeutic uses of cannabis **77**
Hirst RA, Okawa H, Arabadzhiev G, Smart D, McKnight AT and **Lambert DG** Comparison of endogenous and recombinant human ORL-1 receptors expressed in SH-SY5Y and Chinese hamster ovary cells: *abstract*, **98**
Hirst RA *see* Okawa H **98**
Hiruta M *see* Hirabayashi Y **253**
Hlastala MP *see* Walther SM **425**
Hodson M, Gajraj R and **Scott NB** A comparison of the antibacterial activity of levobupivacaine versus bupivacaine: an *in vitro* study: *abstract*, **284P**
Hodson M, Turfrey D and **Sutcliffe NP** Determination of gastric mucosal P_{CO_2}: arterial P_{CO_2} difference (CO_2 gap) needed to produce a mucosal pH (pHi) of 7.32 in the presence of normal systemic pH: *abstract*, **822P**
Hodson MJ *see* Gajraj RJ **444**
Höhn L *see* Licker A **484**
Hole DG *see* Bennett MJ **287P**
Hollande J *see* Gentili M **970**
Hollenhorst J *see* Thum P **100**
Hollywood PG *see* Higgins D **807P**
Höltje M *see* Leuwer M **290P**
Honavar M *see* Yarwood GD **646P**
Hönemann CW *see* Nietgen GW **569**
Hood J *see* Curran ET **816P**
Hopkins PM *see* O'Beirne H **286P**; Vipond AJ **291P**
Hopkinson J *see* Levy DM **992**
Hopton P *see* Walsh TS **311**
Howell S *see* Griffith N **865**
Howells T *see* Macmillan CSA **810P**
Howie JC *see* Mackenzie SJ **643P**; Noble JS **820P**; Woods AW **813P**
Hudspith M, Munglani R and **Buerkle H** A role for presynaptic NMDA receptors in central sensitization in the spinal cord dorsal horn?: *correspondence*, **294**
Hull J *see* O'Dea J **809P**
Hume DD and **Benson JP** Brain stem death and multi-organ donor management: a telephone survey of North West practice: *abstract*, **806P**
Hung C-F, Tsai C-H and **Su M-J** Opioid receptor independent effects of morphine on membrane currents in single cardiac myocytes **925**
Hung O *see* Fisher R **972**
Hurford WE, Bailin MT, Davison JK, Haspel KL and **Rosow C,** (*editors*) *Clinical Anesthesia Procedures of the Massachusetts General Hospital*, 5th Edn: *book review*, **301**
Hurst R, Bao Y, Williamson G, Rhodes M and **Ridley S** Quality of albumin from sepsis patients: *abstract*, **647P**
Hurst R, Bao Y, Williamson G and **Ridley S** Plasma antioxidant activity towards phospholipid hydroperoxide is reduced in septic shock: *abstract*, **817P**
Husaini SW and **Russell IF** Intrathecal diamorphine compared with morphine for postoperative analgesia after Caesarean section under spinal anaesthesia **135**
Hwang NC *see* Chan YW **610**

Ickx B, Cockshott ID, Barvais L, Byttebier G, Devan Pauw L, Vandesteene A and **d'Hollander AA** Propofol infusion for induction and maintenance of anaesthesia in patients with end-stage renal disease **854**
Ifeachor EC *see* Dong C **631P**
Igarashi T, Hirabayashi Y, Shimizu R, Saitoh D and **Fukuda H** Thoracic and lumbar extradural structure examined by extraduroscope **121**
Iles DE *see* Vipond AJ **291P**
Ilkjær S *see* Nikolajsen L **348**; **486**
Ilkjær S, Nikolajsen L, Hansen TM, Wernberg M, Brennum J and **Dahl JB** Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
Imamura M *see* Matsukawa T **171**
Ince C *see* Trouwborst A **73**
Inghilleri G *see* Mercuriali F **56**
Inoue S *see* Hirabayashi Y **253**
Ip-Yam PC *see* Chan YW **610**; Thwaites AJ **103**
Iqbal S *see* Mphanza T **96**
Iribarren MJ *see* Panadero A **471**
Irvine T *see* Mcmahon CC **262**
Ishida K *see* Kinoshita H **766**
Ishihara H *see* Hirota K **203**; Sakai I **193**
Ishikawa T *see* Kinoshita H **766**
Ito Y, Izumi H, Sato M, Karita K and **Iwatsuki N** Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
Ivani G, Lampugnani E, Torre M, Calevo Maria G, DeNegri P, Borrometi F, Messeri A, Calamandrei M, Lönnqvist PA and **Morton NS** Comparison of ropivacaine with bupivacaine for paediatric caudal block **247**
Iwakawa T *see* Sakai I **193**
Iwama H, Nakane M, Ohmori S, Kaneko T, Kato M, Watanabe K and **Okuaki A** Nafamostat mesilate, a kallikrein inhibitor, prevents pain on injection with propofol **963**
Iwatsuki N *see* Ito Y **563**
Izquierdo-Martin A and **Akhtar T** Influence of dopexamine on the duration of postoperative colonic inhibition in patients undergoing planned colorectal surgery: *abstract*, **823P**
Izumi H *see* Ito Y **563**

Jackson D *see* Butterworth J **515**
Jackson M *see* Berry PD **111**; Wang JYY **850**
Jacobsen K *see* Gustafsson LL **86**
James HE *et al.*, *editors Brain Edema X* (*Acta Neurochirugica Supplement 70*): *book review*, **109**
James KS, McGrady E, Quasim I and **Patrick A** Comparison of epidural bolus administration of 0.25% bupivacaine and 0.1% bupivacaine with 0.0002% fentanyl for analgesia during labour **507**
James MFM *see* Williams EL **989**
James RL *see* Butterworth J **515**
Janakiramaiah N *see* Mayur PM **466**
Jankowski S, Knighton J, Dunnill R and **Dickson D** Changes in ionized calcium concentrations and acid–base status during abdominal aortic vascular surgery **965**
Janssens U, Graf J, Koch KC and **Hanrath P** Gastric tonometry: *in vivo* comparison of saline and air tonometry in patients with cardiogenic shock **676**
Janzidol A and **Ridley S** Validation of outcome prediction in elderly patients: *abstract*, **808P**
Jarreau MM *see* Orliaguet GA **696**
Jayr C, Beaussier M, Gustafsson U, Leteurnier Y, Nathan N, Plaud B, Tran G, Varlet C and **Marty J** Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine **887**
Jayr C *see* Stuart Taylor ME **826**
Jensen TS *see* Nikolajsen L **348**; **486**
Jewkes CJ *see* Simpson TP **822P**
Jeyapalan I *see* Rowley C **658**
Joel SP *see* Carr AC **630P**
Johnson C, Forrest F and **Hall C** *Getting Ahead in Medicine: A Guide to Personal Skills for Doctors*: *book review*, **832**
Johnson CB and **Taylor PM** Comparison of the effects of halothane, isoflurane and methoxyflurane on the electroencephalogram of the horse **748**
Johnson RV *see* Lyons G **280P**; **899**
Jones JG *see* Adejumo SWA **482**; Bao Y-P **584**; Taylor SRJ **176**
Jones PA *see* Macmillan CSA **810P**; **818P**
Jordan B and **Devi LA** Molecular mechanisms of opioid receptor signal transduction **12**
Jordan LVM *see* Noble J **820P**
Joyce TH *see* Writer WDR **713**
Jung C-W *see* Bahk J-H **103**; Bakh J-H **828**

Kamatchi GL *see* Nietgen GW **569**
Kaneko T *see* Iwama H **963**
Kapila A *see* Parke TJ **805P**; Verghese C **608**
Karalliedde L and **Henry JA,** (*editors*) *Handbooks of Drug Interactions*: *book review*, **998**
Karita K *see* Ito Y **563**
Kato M *see* Iwama H **963**
Kato R, Sato J and **Nishino T** Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
Kato R *see* Ross SA **224**
Katz RI, Levy A, Slepian B, Sobel B and **Lagasse RS** Haemodynamic stability and ketamine–alfentanil anaesthetic induction **702**
Kavafyan J *see* Guidat A **94**
Kawahito S *see* Tanaka K **180**
Kawakami T *see* Hirabayashi Y **253**

Kehoe J *see* Dong C **631P**
Keita H, Lasocki S, Henzel-Rouellé D, Desmonts J-M and **Mantz J** Aging decreases the sensitivity of the GABA carrier to propofol and etomidate **249**
Keller C, Pühringer F and **Brimacombe JR** Influence of cuff volume on oropharyngeal leak pressure and fibreoptic position with the laryngeal mask airway **186**
Keller C *see* Coorey A **398**
Kelly GD *see* Baker CE **256**
Kendrick RW *see* Campbell WI **727**
Kenny GN *see* Schraag S **365**
Kenny GNC *see* Gajraj RJ **444**
Kestin IG *see* Gan TJ **653**
Khan F *see* Burke D **631P**
Khan OA *see* Taylor SRJ **176**
Kiani SH, Hall AP, Nandwani N and **Smith G** Assessment of upper airway reactivity following TIVA or inhalation anaesthesia: *abstract*, **278P**
Kiani SH *see* Nandwani N **650P**
Kim S-D *see* Bahk J-H **103**; Bakh J-H **828**
Kim SO, Toda H, Nakamura K, Miyawaki I, Hirakata H, Hirata S and **Mori K** Thiopental attenuates relaxation and cyclic GMP production in vascular smooth muscle of endotoxin-treated rat aorta, independent of nitric oxide production **601**
Kimura H *see* Tanaka K **180**
Kinnear K *see* Higgins D **807P**
Kinoshita H, Ishida K and **Ishikawa T** Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
Kinsella J *see* Millar AY **373**
Kipling M *see* Eldridge AJ **976**
Kirstetter P, Lagneau F, Le Corre F, Cailmail S, Moreau R, Lebrec D and **Marty J** Vascular properties of isoflurane: comparison between normal and cirrhotic rats **968**
Kirvelä OA *see* Taittonen MT **140**
Kitahata H *see* Tanaka K **180**
Kitamura R *see* Hirata S **578**
Knighton J *see* Jankowski S **965**
Knowles P *see* Van Oldenbeek C **637P**
Kobayashi T *see* Tsubokawa T **761**
Koch KC *see* Janssens U **676**
Koelzow H, Srinivasa R, Enright SM and **Bellamy MC** Does high dose magnesium attenuate reperfusion rise in intracellular calcium in orthotopic liver transplantation?: *abstract*, **291P**
Kokki H, Nikanne E and **Tuovinen K** I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study **870**
Kokki H, Tuovinen K and **Hendolin H** Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
Kokki H *see* Kostamovaara PA **369**
Kolkman JJ, Steverink PJGM, Groeneveld ABJ and **Meuwissen SGM** Characteristics of time-dependent Pco_2 tonometry in the normal human stomach **669**
Kon Park W and **Kook Suh C** Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
Kong CF *see* Chan YW **610**
Kong CS *see* Chan YW **610**
Kook Suh C *see* Kon Park W **244**
Kooner TS *see* Paw HGW **810P**
Korman B *see* Mapleson WW **835**
Korttila K *see* Nelskylä K **757**
Kosaka Y *see* Sakura S **718**
Koshy G *see* Wilkins AC **651P**
Kostamovaara PA, Hendolin H, Kokki H and **Nuutinen LS** Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**
Kozeis N *see* Clarke PM **615**
Kress HG *see* Weindlmayr-Goettel M **409**
Krige SJ *see* Edge KR **654**
Krøner K *see* Nikolajsen L **486**
Kruger P, Moran P, Patel SI, Sammut MS and **Paes ML** Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome: *correspondence*, **296**
Kudo M *see* Hirota K **203**
Kudo T *see* Hirota K **203**
Kumar N, Sprague JH and **Lambert DG** Isoflurane inhibition of K^+ evoked noradrenaline release from SH-SY5Y human neuroblastoma cells: *abstract*, **289P**
Kumar N *see* Leslie NAP **637P**
Kumazawa T *see* Matsukawa T **171**
Kunimoto F *see* Obata H **940**
Lab MJ *see* Steele APH **648P**
Lagasse RS *see* Katz RI **702**
Lagneau F *see* Kirstetter P **968**
Lam S and **Ridley S** How different are critically ill medical patients in the ICU?: *abstract*, **809P**
Lambert DG Recent advances in opioid pharmacology: *editorial*, **1**
Lambert DG *see* Cembala TM **641P**; Elton CD, **98**; Harrison C **20**; **95**; **290P**; Hirst RA **77**; **98**; Kumar N, **289P**; Okawa H, **98**; Sherwin JD, **292P**
Lambert N *see* Bao Y-P **584**
Lampugnani E *see* Ivani G **247**
Lang SA, Arné J and **Fusciardi J** Practical airway assessment: *correspondence*, **655**
Langeron O, Coirault C, Fratea S, Orliaguet G, Coriat P and **Riou B** Effects of dantrolene on the diaphragm muscle of the normal and myopathic hamster **553**
Langham BT *see* Vidhani K **101**
Langlade A *see* Armand S **126**
Larsen PD *see* Goodman NW **107**
Larsson A *see* Sigurdsson S **638P**
Lasocki S *see* Keita H **249**
Laßnigg A *see* Hiesmayr MJ **544**
Laurent GJ *see* Marshall R **818P**
Lawler PGP *see* Williamson S **650P**
Le Cras AE, Galley HF and **Webster NR** TH1/TH2 cell ratios in spinal and general anaesthesia: *abstract*, **286P**
Leach A Old ideas, new applications: *editorial*, **113**
Lebrec D *see* Kirstetter P **968**
Le Corre F *see* Kirstetter P **968**
Lee A *see* Walsh TS **118**; **311**; **1001**
Lee AC *see* Henson LC **660**
Lee JA *see* Rupreht J **997**
Lees G Molecular mechanisms of anaesthesia: light at the end of the channel?: *editorial*, **491**
Lennon M, Seigne P and **Cunningham AJ** Pituitary apoplexy after spinal anaesthesia **616**
Leoni A *see* Casati A **355**; **1001**
Leslie A *see* Shajar MA **281P**
Leslie NAP, Hall AP, Fox A, Kumar N, Rowbotham DJ and **Thompson JP** Comparison of different dose regiments of remifentanil on the cardiovascular response to orotracheal intubation: *abstract*, **637P**
Leteurnier Y *see* Jayr C **887**
Leuwer M, Marx G, Höltje M, Herrmann H, Mahr KH, Bornscheuer A, Seitz W, Vangerow B, Oldhafer KJ, Piepenbrock S and **Rückoldt H** Effects of low dose dopexamine in hemihepatectomy patients: *abstract*, **290P**
Leuwer M, Zuzan O, Lukas A, Schultze-Florey T and **Piepenbrock S** Pharmacodynamics of cisatracurium in children and adults: a comparative study: *abstract*, **642P**
Leuwer M *see* Thum P **100**
Levin M *see* Festa M **815P**
Levy A *see* Katz RI **702**
Levy DM, Russell IF, Cutts MWJ and **Hopkinson J** Intrathecal diamorphine for postoperative analgesia after Caesarean section: *correspondence*, **992**
Licker A, Höhn L, Schweizer A, Myles PS and **Power I** Ketorolac does not increase the risk of renal dysfunction after lung surgery: *correspondence*, **484**
Liddle AM, Hall AP, Arrowsmith J and **Smith G** Effect of infiltration with ropivacaine on blood loss during reduction mammoplasty **974**
Liddle AM *see* Thompson JP **152**
Lienhart A *see* Beaussier M **251**
Lim TA and **Oei-Lim VLB** Pharmacokinetics of propofol during conscious sedation using target-controlled infusion: *correspondence*, **659**
Lindahl SGE, *editor Baillière's Clinical Anaesthesiology (Vol. 10, No. 4). Paediatric Anaesthesia*: *book review*, **109**
Lindberg L and **Rydgren G** Evaluation of nitrogen dioxide scavengers during delivery of inhaled nitric oxide **404**
Linkens DA *see* Angel A **640P**
Lipham WJ *see* Alexander R **606**
List WF *see* Gombotz H **1**; **62**
Little R *see* Nirmalan M **283P**
Little RA *see* Dingley J **644P**; Ward Platt MP, **999**
Livingston BM *see* Mackenzie SJ **643P**; Woods AW, **813P**
Lobato EB, Florete jr O and **Bingham HL** A single dose of milrinone facilitates separation from cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction **782**
Lobjoit K *see* Armand S **126**
Lockhart M *see* Curran ET **816P**
Lockwood GG *see* Taylor SRJ **176**
Logan SW *see* Higgins DJ **995**
Lönnqvist PA *see* Ivani G **247**; Richardson J **230**

Lowell T *see* Yuan CS **94**
Luginbühl M *see* Petersen-Felix S **742**
Lukas A *see* Leuwer M **642P**
Lumb A *see* Dresner M **384**
Lydon A, McGinley J, Cooke T, Duggan PF and **Shorten GD** Effect of anxiety on the rate of gastric emptying of liquids **522**
Lynch J *see* Yuan CS **94**
Lynch L *see* O'Dea J **809P**
Lyons G, Columb M, Wilson RC and **Johnson RV** Epidural pain relief in labour: potencies of levobupivacaine and racemic bupivacaine **899**
Lyons G, Columb MO, Wilson RC and **Johnson RV** Epidural pain relief in labour: relative potencies of bupivacaine and levobupivacaine: *abstract*, **280P**

McAtamney D, Connolly F, Carabine U, Woodward DK, Bowler I, Marchant A, Checketts MR, Wildsmith JAW, Abouleish EI and **Elias M** Accidental i.v. injection of local anaesthetic: *correspondence*, **827**
McAteer EM *see* Mellor DJ **511**
McBride WT *see* Gormley SMC **639P**
McCall SH *see* Vipond AJ **291P**
McCourt KC, Elliott P, Bill KM, Gibson FM, Mirakhur RK and **Rietbergen H** Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *abstract*, **282P**; Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *erratum*, **661**
McCourt KC and **Heath ML** Stature of anaesthetic personnel and positioning of patients: *correspondence*, **486**
Macdonald JMS and **Sethi B** Blood transfusion for Caesarean section: *correspondence*, **825**
McDonald JS *see* Page GG **216**
MacFie J *see* O'Boyle CJ **816P**
McGinley J *see* Lydon A **522**
McGrady E *see* James KS **507**
McGrath PJ *see* Finley GA **302**
McKeating EG *see* Macmillan CSA **818P**
MacKenzie M *see* Burke D **631P**
Mackenzie SJ, Livingston BM, MacKirdy FN and **Howie JC** Use of pre-sedation GCS improves the performance of APACHE III when the GCS cannot be assessed: *abstract*, **643P**
MacKinnon S *see* Storey N **651P**
MacKirdy FN *see* Mackenzie SJ **643P**; Noble JS **820P**; Woods AW **813P**
McKnight AT *see* Elton CD **98**; Harrison C **290P**; Hirst RA **98**; Nicholson JR, **97**; Okawa H **98**
Mackway-Jones K *see* Driscoll P **302**
McLeod G *see* Burke D **631P**
Mcmahon CC, Irvine T and **Conacher ID** Transoesophageal echocardiography in the management of whole lung lavage **262**
Macmillan CSA, Andrews PJD, Jones PA, McKeating EG, Easton VJ and **Howells T** Increased cerebral venous oxyhaemoglobin saturation and poor outcome in acute brain injury: *abstract*, **810P**
Macmillan CSA, Andrews PJD and **Struthers AD** Acute brain injury and the ECG: QT dispersion is increased: *abstract*, **819P**
Macmillan CSA, Wild JM, Andrews PJD, Wardlaw JM, Marshall I, Cannon J, Jones PA and **McKeating EG** Acute brain injury: quantifying neuro-metabolic changes using chemical shift magnetic resonance imaging: *abstract*, **818P**
Macmillan CSA, Wild JM, Marshall I, Armitage PA, Cannon J, Easton VJ, Wardlaw JM and **Andrews PJ** Agreement and artefact: measuring ICP during MR imaging: *abstract*, **819P**
McMurray TJ *see* Gormley SMC **639P**
McNulty C *see* Ambrose C **287P**
McQuay HJ and **Moore RA** *An Evidence-based Resource for Pain Relief*: *book review*, **830**
McQueen DS *see* Moores C **285P**
Madira W *see* Evans PA **198**
Maguire GA *see* Nicholson JP **816P**
Mahajan RP *see* Cavill G **317**; Girling KJ **285P**; Hardman JG **327**; Morris DM, **635P**
Mahon SP *see* Berry PD **111**
Mahr KH *see* Leuwer M **290P**
Makinen A *see* Fennell J **649P**
Manara AR *see* Simpson TP **822P**
Manji M *see* Bellingan G **644P**
Mansfield MD *see* Millar AY **373**
Mantz J *see* Keita H **249**
Mapleson WW and **Korman B** Concentration and second-gas effects in the water analogue **835**
Mapleson WW *see* Weaver BMQ **630P**
Marchant A *see* McAtamney D **827**
Marshall I *see* Macmillan CSA **818P**; **819P**
Marshall R, Bellingan G, Puddicombe A, Goldsack N, Chambers R, McAnulty R, Webb A and **Laurent GJ** Potent fibroproliferative growth factors are present in bronchoalveolar lavage fluid at the onset of the acute respiratory distress syndrome: *abstract*, **818P**
Marti RA *see* Dumont L **265**
Martin PD *see* Mitchell JB **482**
Martin R, Quinton P and **Hinds CJ** Prognosis of patients admitted to the intensive care with life threatening medical complications of haematological malignancy: has it changed?: *abstract*, **813P**
Martineau R *see* Hardy J-F **38**
Marty J *see* Jayr C **887**; Kirstetter P **968**
Marx G *see* Leuwer M **290P**
Marx JJM *see* van Iperen CE **2**
Mason DG *see* Claydon PJ **636P**; Griffith N **865**
Mason RA Education and training in airway management: *editorial*, **305**
Masterson GR and **Mostafa SM** Adrenocortical function in critical illness: *editorial*, **308**
Mathieu N *see* Van der Linden P **556**
Matsukawa T, Ozaki M, Sessler DI, Nishiyama T, Imamura M and **Kumazawa T** Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
Matsuki A *see* Hirota K **203**; Sakai I **193**
Matsumoto M *see* Dutta S **422**
Matsumoto Y *see* Dutta S **422**
Mawer RJ *see* Dark A **485**; Edge KR **654**
May AE *see* Elton CD **106**
Mayur PM, Shree RS, Gangadhar BN, Subbakrishna DK, Janakiramaiah N and **Rao GSU** Atropine premedication and the cardiovascular response to electroconvulsive therapy **466**
McAnulty R *see* Marshall R **818P**
McCaughey W *see* McConaghy PM **731**
McConaghy PM, McSorley P, McCaughey W and **Campbell WI** Dextromethorphan and pain after total abdominal hysterectomy **731**
McGregor RR, Allan LG, Sharpe RM, Thornton C and **Newton DEF** Effect of remifentanil on the auditory evoked response and haemodynamic changes after intubation and surgical incision **785**
McKeating EG *see* Macmillan CSA **810P**
McLoughlin C *see* O'Hare R **790**
McNamee D *see* O'Hare R **790**
McSorley P *see* McConaghy PM **731**
Mellor AH *see* Mellor DJ **511**
Mellor DJ, Mellor AH and **McAteer EM** Local anaesthetic infiltration for surgical exodontia of third molar teeth: a double-blind study comparing bupivacaine infiltration with i.v. ketorolac **511**
Menon DK *see* Bao Y-P **584**; Blunt MC **646P**
Mercuriali F and **Inghilleri G** Management of preoperative anaemia: *supplement*, **56**
Merry AF, Swinburn PF, Middleton NG, Edwards JL and **Calder MV** Tenoxicam and paracetamol–codeine combination after oral surgery: a prospective, randomized, double-blind, placebo-controlled study **875**
Messeri A *see* Ivani G **247**
Meßmer K *see* Habler O **79**
Metzler H *see* Gombotz H **62**
Meuwissen SGM *see* Kolkman JJ **669**
Meyer PG *see* Orliaguet GA **696**
Mezei M *see* Fisher R **972**
Middleton NG *see* Merry AF **875**
Mielck F, Stephan H, Buhre W, Weyland A and **Sonntag H** Effects of 1 MAC desflurane on cerebral metabolism, blood flow and carbon dioxide reactivity in humans **155**
Mikkelsen S *see* Møiniche S **377**
Millar AY, Mansfield MD and **Kinsella J** Influence of timing of morphine administration on postoperative pain and analgesic consumption **373**
Miller E *see* Nicholson JP **816P**
Milligan K *see* O'Hare R **790**
Mirakhur RK *see* McCourt KC **282P**; **661**
Mishiba E *see* Obata H **940**
Mitchell CJ *see* O'Boyle CJ **816P**
Mitchell JB, Shaw A, Plummer S, Hartley M, Vaughan RS, Armstrong TSH and **Martin PD** Anaesthesia for telescopic procedures in the thorax: *correspondence*, **482**
Miyawaki I *see* Kim SO **601**
Mohl U *see* Schraag S **365**
Møiniche S, Mikkelsen S, Wetterslev J and **Dahl JB** A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations **377**

Monedero P *see* Panadero A **471**
Monrigal C *see* Armand S **126**
Montoya F *see* Edge KR **654**
Moore RA *see* McQuay HJ **830**
Moores C, McQueen DS and **Bond SM** Adenosine does not activate peripheral chemoreceptors in the rat: *abstract*, **285P**
Moran P *see* Kruger P **296**
Moreau R *see* Kirstetter P **968**
Morgan O *Who Cares? The Great British Health Debate*: *book review*, **832**
Mori K *see* Hirata S **578**; Kim SO **601**
Morisaki H, Aoyama Y, Shimada M, Ochiai R and **Takeda J** Leucocyte distribution during sevoflurane anaesthesia: *erratum*, **111**
Morris DM, Mahajan RP, Girling KJ and **Perkins AC** *In vitro* study of the effect of vessel compliance on the estimated resistance using Doppler indices: *abstract*, **635P**
Morrow MJ and **Black IH** Epidural anaesthesia for Caesarean section in an achondroplastic dwarf **619**
Mortier E *see* Versichelen L **393**
Morton NS *see* Ivani G **247**
Moss J *see* Yuan CS **94**
Mostafa SM *see* Masterson GR **308**
Motamed C *see* Stuart Taylor ME **826**
Mphanza T Submandibular duct stone and difficult tracheal intubation: *correspondence*, **101**
Mphanza T, Rozario C and **Iqbal S** A comparison of PCA pethidine, nalbuphine and tramadol for anaesthesia-free extracorporeal shock wave lithotripsy: *abstract*, **96**
Muir KT *see* Navapurkar VU **881**
Muir V *see* Storey N **651P**
Mulcahy AJ *see* Goldhill DR **811P**; **812P**; **812P**
Mullane D *see* Bellamy MC **282P**
Munglani R *see* Hudspith M **294**
Muramatsu A *see* Dutta S **422**
Murat I *see* Guglielminotti J **692**
Murdoch IA *see* Hatherill M **644P**; **815P**; Tibby SM, **822P**
Murdoch J *see* Grant S **540**
Murdoch S, Teesdale J, Thornton J and **Dean S** Audit of pulmonary artery catheter insertion and use in the first 24 h: *abstract*, **651P**
Murray JM *see* Renfrew CW **281P**
Mushambi MC *see* Elton CD **106**
Myles PS *see* Licker A **484**
Mythen MG and **Webb AR** Gastrointestinal tonometry come of age?: *editorial*, **667**

Nadel S *see* Festa M **815P**
Nakamura K *see* Hirata S **578**; Kim SO **601**
Nakane M *see* Iwama H **963**
Nandwani N, Kiani SH and **Spiers P** Impact of consultant surgeon appointments on intensive care workload: *abstract*, **650P**
Nandwani N *see* Hall AP **279P**; Kiani SH, **278P**
Nara T *see* Obata H **940**
Nathan N *see* Jayr C **887**
Nathanson MH *see* Skinner HJ **636P**
Navapurkar VU, Archer S, Gupta SK, Muir KT, Frazer N and **Park GR** Metabolism of remifentanil during liver transplantation **881**
Nazir SA *see* Steele APH **648P**
Neill H, Brydon C and **Serpell M** Effects of opioids on sensory bupivacaine spinal block: *abstract*, **634P**
Nelskylä K, Yli-Hankala A, Soikkeli A and **Korttila K** Neostigmine with glycopyrrolate does not increase the incidence or severity of postoperative nausea and vomiting in outpatients undergoing gynaecological laparoscopy **757**
Nemato M *see* Obata H **940**
Neugebauer T *see* Hiesmayr MJ **544**
Neuvonen PJ *see* Palkama VJ **598**
Newman P *see* Stuart H **810P**
Newstead JI *see* Edge KR **654**
Newton D *see* Burke D **631P**
Newton DEF *see* McGregor RR **785**; Thornton C, **815P**
Nicholson JP, Miller E, Maguire GA and **Park GR** Binding of calcium to albumin and gelatin solutions: *abstract*, **816P**
Nicholson JP *see* Blunt MC **646P**
Nicholson JR, Paterson SJ and **McKnight AT** The effect of nociceptin, nociceptin analogues and a novel hexapeptide agonist at the ORL-1 receptor in central and peripheral sites: *abstract*, **97**
Nietgen GW, Hönemann CW, Chan CK, Kamatchi GL and **Durieux ME** Volatile anaesthetics have differential effects on recombinant m1 and m3 muscarinic acetylcholine receptor function **569**
Nightingale P *see* Nirmalan M **283P**
Nigrovic V *see* Weindlmayr-Goettel M **409**
Nikanne E *see* Kokki H **870**
Nikolajsen L, Ilkjær S, Christensen JH, Krøner K, Jensen TS and **Thompson HM** Pain after amputation: *correspondence*, **486**
Nikolajsen L, Ilkjær S and **Jensen TS** Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees **348**
Nikolajsen L *see* Ilkjær S **707**
Nimmo MJ *see* Checketts MR **635P**
Nirmalan M, Willard T, Pomfrett C, Nightingale P and **Little R** Loss of heart rate variability in critically ill patients: *abstract*, **283P**
Nishimura K *see* Tsubokawa T **761**
Nishino T *see* Kato R **920**
Nishiyama T *see* Matsukawa T **171**
Noble J., Reid AM, Jordan LVM, Glen ACA and **Davidson A** An observational study of the incidence of myocardial injury in the ICU using daily estimations of troponin I, CK MB, myoglobin and daily ECG: *abstract*, **820P**
Noble JS, MacKirdy FN, Donaldson S and **Howie JC** An audit of mortality for combined renal and respiratory failure in Scottish ICU: *abstract*, **820P**
Noble S *see* Grant S **540**
Norlander B *see* Engdahl O **957**
Notcutt WG *see* Hirst RA **77**
Nott MR *see* Voyagis GS **656**
Nowicki RWA *see* Blunt MC **646P**
Nunns D and **Capogna G** Local analgesia in early and late stages of labour: *correspondence*, **102**
Nuutinen LS *see* Kostamovaara PA **369**

Obal D *see* Preckel B **905**
Obata H, Goto F, Nara T, Kunimoto F, Oriuchi N, Mishiba E and **Nemato M** High predictive value of red cell volume measurement using carboxy-haemoglobin in a rabbit model of haemorrhage **940**
O'Beirne H, Conley EC, Boyett MR, Hancox J, Harrison SM and **Hopkins PM** Differential effects of halothane on cardiac potassium channels: *abstract*, **286P**
O'Beirne HA *see* Bellamy MC **282P**
O'Boyle CJ, Zeigler D, Mitchell CJ, MacFie J, Buckley PM and **Doran H** Clinical associations with bacterial translocation: *abstract*, **816P**
Ochiai R *see* Morisaki H **111**
O'Connor M *see* Yuan CS **94**
O'Dea J, Hull J, Baker S and **Lynch L** Does transferring patients between hospitals for intensive care alter outcome?: *abstract*, **809P**
O'Donnell JG *see* Webster RE **824P**
Ody A *see* Wakeling HG **979**
Oei-Lim VLB *see* Lim TA **659**
Offer T *see* Schlager A **529**
O'Hare R, McLoughlin C, Milligan K, McNamee D and **Sidhu H** Anaesthesia for Caesarean section in the presence of severe primary pulmonary hypertension **790**
Ohmori S *see* Iwama H **963**
Ohtomo N *see* Hirota K **203**
Okawa H, Hirst RA, Smart D, McKnight AT and **Lambert DG** Effects of nociceptin on cAMP formation in rat cerebrocortical, cerebellar and brainstem membranes: *abstract*, **98**
Okawa H *see* Hirst RA **98**
Okuaki A *see* Iwama H **963**
Olavide I *see* Panadero A **471**
Oldhafer KJ *see* Leuwer M **290P**
O'Leary MJ, Ferguson CN, Rennie MJ, Hinds CJ, Coakley JH and **Preedy VR** Muscle protein synthesis and glutamine concentrations after caecal ligation and puncture (CLP) in the rat: *abstract*, **647P**
Olkkola KT *see* Palkama VJ **598**
Onimus J *see* Guidat A **94**
Oriuchi N *see* Obata H **940**
Orliaguet G *see* Langeron O **553**
Orliaguet GA, Meyer PG, Blanot S, Jarreau MM, Charron B, Cuttaree H, Perie AC, Carli PA and **Renier D** Non-invasive aortic blood flow measurement in infants during repair of craniosynostosis **696**
Oshita S *see* Tanaka K **180**
Osmer C and **Heinbuch G** Anaesthesia in third world countries: *correspondence*, **653**
Owen-Smith O, Fox AJ, Thompson H and **Spiers P** Immediate impact of opening a high dependency unit on intensive care workload: *abstract*, **804P**
Owen-Smith O *see* Shah J **641P**
Ozaki M *see* Matsukawa T **171**

Padfield CJH *see* Vidhani K **101**

Paes ML *see* Kruger P **296**
Page GG, McDonald JS and **Ben-Eliyahu S** Pre-operative versus postoperative administration of morphine: impact on the neuroendocrine, behavioural, and metastatic-enhancing effects of surgery **216**
Page RD *see* Wang JYY **278P**; **850**
Pajewski TN *Anesthesiology Pocket Guide*: *book review*, **660**
Palazzo G *see* Cordingley JJ **649P**
Palazzo MG *see* Gomez CM **647P**; **652P**
Palazzo MGA *see* Gomez CMH **945**; Steele APH, **648P**
Palkama VJ, Neuvonen PJ and **Olkkola KT** The CYP 3A4 inhibitor itraconazole has no effect on the pharmacokinetics of i.v. fentanyl **598**
Pallett E *see* Shah J **641P**
Palmer M *see* Dhond G **649P**
Paloheimo M *see* Viitanen H **960**
Panadero A, Monedero P, Fernandez-Liesa JI, Percaz J, Olavide I and **Iribarren MJ** Repeated transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine **471**
Pappachan J *see* Hazelgrove JF **813P**
Paris S *see* Higgs AG **260**
Park GR *see* Blunt MC **646P**; Navapurkar VU **881**; Nicholson JP, **816P**
Park Y-C *see* Tanaka K **180**
Parke T *see* Verghese C **608**
Parke TJ, Kapila A and **Price C** Critical incident reporting in a district general hospital: *abstract*, **805P**
Parviainen I *see* Väisänen O **893**
Pasch T *see* Zalunardo MP **533**
Patel SI *see* Kruger P **296**
Paterson RL, Galley HF and **Webster NR** Nuclear factor κB activation in the critically ill: *abstract*, **285P**
Paterson SJ *see* Nicholson JR **97**
Patrick A *see* James KS **507**
Patteril MV, Gedney JA and **Bellamy MC** Functional iron deficiency in critical illness: *abstract*, **817P**
Patti M *see* Zalunardo MP **533**
Paw HGW, Vijaykumar G, Kooner TS and **Ridley SA** Complications in the first 48 h after surgery: comparison between the general ward and HDU: *abstract*, **810P**
Peel J *see* Webster RE **824P**
Pennefather SH *see* Wang JYY **278P**; **850**
Percaz J *see* Panadero A **471**
Perie AC *see* Orliaguet GA **696**
Perkins AC *see* Morris DM **635P**
Perkins GD *see* Baker CE **256**
Perris T *see* Blunt MC **646P**
Peters J *see* Pfitzner J **105**
Petersen-Felix S, Luginbühl M, Schnider TW, Curatolo M, Arendt-Nielsen L and **Zbinden AM** Comparison of the analgesic potency of xenon and nitrous oxide in humans evaluated by experimental pain **742**
Petit P *see* Gueugniaud P-Y **844**
Petley GW *see* Deakin CD **147**
Pfitzner J, Peters J and **Giebler R** Venous air embolism and PEEP: a clinical research blind-spot: *correspondence*, **105**
Phillips EH *see* Rosenthal RJ **830**
Picard V *see* Dumont L **265**
Piepenbrock S *see* Leuwer M **290P**; **642P**
Plaud B *see* Jayr C **887**
Plumb GW *see* Bao Y-P **584**
Plummer S *see* Mitchell JB **482**
Polhill SL, Clewlow F and **Smith DC** Are changes in the evoked electromyogram during anaesthesia without neuromuscular blocking agents caused by failure of supramaximal nerve stimulation **902**
Pomfrett C *see* Nirmalan M **283P**
Pomfrett CJD *see* Blues CM **333**
Ponhold H and **Vicenzi MN** Incidence of bradycardia during recovery from spinal anaesthesia: influence of patient position **723**
Porter H, Bailey PM, Short JA and **Venn PJH** Laryngeal mask and tonsillectomy: *correspondence*, **996**
Potter F *see* Higgs AG **260**
Power I *see* Licker A **484**
Preckel B, Schlack W, Comfère T, Obal D, Barthel H and **Thämer V** Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Preckel B *see* Schlack W **913**
Preedy VR *see* O'Leary MJ **647P**
Preis C, Hartmann T, Preis I, Wildling E and **Gilly H** Autocolaving impairs the connector-tube bond of the laryngeal mask airway but not its airtightness **795**
Preis CA *see* Dubey PK **299**
Preis I *see* Preis C **795**
Preis IS *see* Dubey PK **299**
Price C *see* Hazelgrove JF **813P**; Parke TJ, **805P**
Prys-Roberts C and **Brown BR Jr,** *editors International Practice of Anaesthesia*: *book review*, **109**
Puddicombe A *see* Marshall R **818P**
Pühringer F *see* Keller C **186**
Pullano C *see* Sia S **622**

Quasim I *see* James KS **507**
Quinlan J and **Waldmann C** Sexual dysfunction after intensive care: *abstract*, **809P**
Quinton P *see* Martin R **813P**
Quirke SJ A comparative study of the incidence of nosocomial colonization in patients with closed suction catheter changes at 24 *vs* 48 h: *abstract*, **823P**

Radwin RG *see* Beams DM **161**
Ramboatiana R *see* Armand S **126**
Rangasami J *see* Verghese C **608**
Rao GSU *see* Mayur PM **466**
Raphael JH *see* Hall AP **279P**
Rausin I *see* Van der Linden P **556**
Rauss A *see* Armand S **126**
Reeve CD *see* Dong C **631P**
Reid AM *see* Noble J **820P**
Reilly CS Commentary **982**
Renfrew CW, Murray JM and **Fee JPH** A qualitative investigation into the physical stability of polyethylene in isoflurane and sevoflurane: *abstract*, **281P**
Renier D *see* Orliaguet GA **696**
Rennie MJ *see* O'Leary MJ **647P**
Rhine EJ *see* Church J **295**
Rhodes A *see* Stuart H **810P**
Rhodes M *see* Hurst R **647P**
Richardson J and **Lönnqvist PA** Thoracic paravertebral block **230**
Riches P *see* Gomez CM **647P**; **652P**
Ridley S, Burchett K and **Burns A** Why is there increased demand for critical care?: *abstract*, **807P**
Ridley S *see* Dhond G **649P**; Hurst R **647P**; **817P**; Janzidol A **808P**; Lam S **809P**; Urwin S **808P**; Yalamarthi S **643P**
Ridley SA *see* Blunt MC **646P**; Paw HGW **810P**; Young PJ **823P**
Rietbergen H *see* McCourt KC **282P**; **661**
Riley B *see* Winter RJ **805P**
Riou B *see* Langeron O **553**
Ririe DG *see* Butterworth J **515**
Robert BR, Gillard J, Stam NJ and **Cottney J** Use of transcriptional control of a reporter gene as a measure of δ opioid receptor activation: *abstract*, **96**
Robinson RL *see* Vipond AJ **291P**
Rodrigues A *see* Charters P **638P**
Roizen MF *see* Yuan CS **94**
Rolly G *see* Versichelen L **393**
Rorarius M *see* Viitanen H **960**
Rosenthal RJ, Friedman RL and **Phillips EH** *The Pathophysiology of Pneumoperitoneum*: *book review*, **830**
Rosow C *see* Hurford WE **301**
Ross SA, Kato R and **Foëx P** Early and late post-ischaemic recovery of contractile function is affected to different degrees by isoflurane and halothane in the anaesthetized rabbit model **224**
Rosser D *see* Bellingan G **644P**
Rothen HU, Sporre B, Engberg G, Wegenius G and **Hedenstierna G** Airway closure, atelectasis and gas exchange during general anaesthesia **681**
Rowbotham DJ *see* Alexander-Williams JM **3**; Elton CD **98**; Hall AP **97**; Harrison C **95**; **290P**; Leslie NAP **637P**; Thompson JP **152**
Rowley C, Jeyapalan I and **Elton CD** Postdural puncture headache after combined spinal–epidural analgesia and anaesthesis: *correspondence*, **658**
Royston D *see* Fogg KJ **663**
Rozario C *see* Mphanza T **96**
Rückoldt H *see* Leuwer M **290P**
Ruetsch YA, Stirnemann HR and **Borgeat A** Propofol and asepsis: is it safer to use the TCI technique?: *correspondence*, **484**
Ruokonen E *see* Väisänen O **893**
Rupreht J, van Liebig MJ, Lee JA and **Erdmann W,** (*editors*) *Anaesthesia. Essays on its History*: *book review*, **997**
Russell G *see* Wang J **994**
Russell GB, *editor Alternate-site Anaesthesia* (*Clinical Practice Outside the Operating Room*): *book review*, **110**
Russell GN *see* Berry PD **111**; Wang JYY **278P**; **850**
Russell IF *see* Husaini SW **135**; Levy DM **992**
Russell J *see* Hall AP **97**
Ruth MJ and **Griffiths R** Assessment of the 50 ml syringe as a simple training aid in the application of cricoid pressure: *abstract*, **292P**

Ruttman TG *see* Williams EL **989**
Rydgren G *see* Lindberg L **404**

Saito Y *see* Sakura S **718**
Saitoh D *see* Igarashi T **121**
Saitoh K *see* Hirabayashi Y **253**
Saitoh Y *see* Fujii Y **526**
Sakabe T *see* Tanaka K **180**
Sakai I, Ishihara H, Iwakawa T, Suzuki A and **Matsuki A** Ratio of indocyanine green and glucose dilutions detects capillary protein leakage following endotoxin injection in dogs **193**
Sakura S, Sumi M, Yamada Y, Saito Y and **Kosaka Y** Quantitative and selective assessment of sensory block during lumbar epidural anaesthesia with 1% or 2% lidocaine **718**
Sammut MS *see* Kruger P **296**
Sarantopoulos C *see* Fassoulaki A **358**
Sasse FJ *see* Beams DM **161**
Sato J *see* Kato R **920**
Sato M *see* Ito Y **563**
Scherpereel P *see* Guidat A **94**
Schildt B *see* Gustafsson LL **86**
Schlack W, Preckel B, Stunneck D and **Thämer V** Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Schlack W *see* Preckel B **905**
Schlager A, Offer T and **Baldissera I** Laser stimulation of acupuncture point P6 reduces postoperative vomiting in children undergoing strabismus surgery **529**
Schmartz D *see* Van der Linden P **556**
Schnider TW *see* Petersen-Felix S **742**
Schobersberger W *see* Weiss G **6**
Schraag S, Kenny GN, Mohl U and **Georgieff M** Patient-maintained remifentanil target-controlled infusion for the transition to early postoperative analgesia **365**
Schultze-Florey T *see* Leuwer M **642P**
Schweizer A *see* Licker A **484**
Scott NB *see* Gajraj RJ **444**; Hodson M, **284P**
Scriven PM Evaluation of flexible (part-time) training in anaesthesia **268**
Scriven PM *see* Dorrington KI **994**
Sear JW Recent advances and developments in the clinical use of i.v. opioids during the peroperative period **38**
Seifert B *see* Zalunardo MP **533**
Seigne P *see* Lennon M **616**
Seitz W *see* Leuwer M **290P**
Selander D *see* Writer WDR **713**
Selander DE *see* Denny NM **590**
Sellen A *see* Adejumo SWA **482**
Sellers D *see* Yuan CS **94**
Serpell M *see* Neill H **634P**
Serpell MG *see* Carr AC **630P**
Sessler DI *see* Matsukawa T **171**
Sethi B *see* Macdonald JMS **825**
Sett PK *see* Watt JWH **296**
Severn AM *see* Grady KM **110**
Shah J, Owen-Smith O, Pallett E and **Coley S** Can cricoid force be maintained for five minutes?: *abstract*, **641P**
Shaikh L *see* Stuart H **810P**
Shajar MA, Hall AP, Leslie A and **Thompson JP** The cardiovascular response to tracheal extubation: effect of a remifentanil bolus: *abstract*, **281P**
Shapiro HM, Galindo A, Wyte SR and **Harris A B** Rapid intraoperative reduction of intracranial pressure with thiopentone: *citation classic*, **798**
Sharpe RM *see* McGregor RR **785**; Thornton C **771**
Shaw A *see* Mitchell JB **482**
Shaw MA *see* Vipond AJ **291P**
Shearer A *see* Gardiner Q **401**
Sheldon J *see* Gomez CM **647P**; **652P**
Sheridan M and **Armstrong C** Dosing regimens for nebulized gentamicin in intensive care: *abstract*, **648P**
Sherwin JD, Cembala TM, Appadu BL and **Lambert DG** Pancuronium reverses methacholine inhibition of cAMP formation in Chinese hamster ovary cells expressing recombinant human muscarinic m2 receptors (CHOm2): *abstract*, **292P**
Shimada M *see* Morisaki H **111**
Shimizu R *see* Hirabayashi Y **253**; Igarashi T **121**
Shimoji K *see* Zhan R-Z **932**
Short JA *see* Porter H **996**
Shorten GD *see* Lydon A **522**
Shree RS *see* Mayur PM **466**
Sia S I.v. clonidine prevents post-extradural shivering **145**
Sia S and **Pullano C** Transient radicular irritation after spinal anaesthesia with 2% isobaric mepivacaine **622**
Sidhu H *see* O'Hare R **790**
Sigurdsson S, Larsson A and **Fletcher R** Capnography during ventilation in intensive care: *abstract*, **638P**
Sillett HK, Whicher JT and **Trejdosiewicz LK** Effects of resuscitation fluids on T cell immune responses **242**
Simpson EJ *see* Cavill G **317**
Simpson TP, Day C, Jewkes CJ and **Manara AR** Tracheostomy in the intensive care unit (ICU): things have changed: *abstract*, **822P**
Singh S *see* Dubey PK **299**
Singh SR *see* Goldhill DR **811P**; **812P**; **812P**
Sjöberg F *see* Andersen APD **298**
Skinner A *see* Winship S **283P**; **787**
Skinner HJ, Girling KJ and **Nathanson MH** The influence of metoclopramide on the duration of action of mivacurium: *abstract*, **636P**
Slepian B *see* Katz RI **702**
Smart D *see* Elton CD **98**; Harrison C **20**; **290P**; Hirst RA **98**; Okawa H **98**
Smith D *see* Deakin CD **147**
Smith DC *see* Polhill SL **902**
Smith G *see* Hall AP **279P**; Kiani SH, **278P**; Liddle AM **974**; Spence AA **984**
Smith GB *see* Hazelgrove JF **813P**
Smith I and **White PF** *Principles and Practice of Total Intravenous Anaesthesia*: *book review*, **661**
Smith I *see* Thwaites AJ **103**
Smith JE *see* Dashfield AK **687**
Smith PD *see* Spooner L **632P**
Smith WQ Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block **793**
Smithies MN *see* Dingley J **644P**
Sneyd JR, Whaley A, Dimpel HL and **Andrews CJH** An open, randomized comparison of alfentanil, remifentanil and alfentanil followed by remifentanil in anaesthesia for craniotomy **361**
Sneyd JR *see* Dong C **631P**; Vijn PCM **415**
Sobel B *see* Katz RI **702**
Sockalingham I *see* Green DW **463**
Soikkeli A *see* Nelskylä K **757**
Soni BM *see* Watt JWH **296**
Sonntag H *see* Mielck F **155**
Sörensen J *see* Andersen APD **298**
Sosis MB, (*editor*) *Anesthesia Equipment Manual*: *book review*, **998**
Souter MJ, Andrews PJD and **Alston RP** Jugular venous desaturation following cardiac surgery **239**
Spence AA and **Smith G** Postoperative analgesia and lung function: A comparison of morphine with extradural block: *citation classic*, **984**
Spence RK Preoperative packed cell volume necessary for patients undergoing elective surgery: *supplement*, **50**
Spiers P *see* Alexander-Williams JM **804P**; Nandwani N **650P**; Owen-Smith O **804P**
Splinter WM *see* Church J **295**
Spooner L and **Smith PD** Methaemoglobinaemia after supraclavicular block with prilocaine in patients with renal failure: *abstract*, **632P**
Sporre B *see* Rothen HU **681**
Sprague JH *see* Kumar N **289P**
Srinivasa R *see* Gedney JA **279P**; Koelzow H **291P**
Staddon GE *see* Weaver BMQ **630P**
Stagni R *see* Gueugniaud P-Y **844**
Stam NJ *see* Robert BR **96**
Steele APH, Gomez CM, Dick DJ, Nazir SA, Lab MJ and **Palazzo MGA** Effect of lipoteichoic acid infusion on the pulmonary circulation in the anaesthetized pig: *abstract*, **648P**
Steltzer H *see* Hiesmayr MJ **544**
Stephan H *see* Mielck F **155**
Stern XX *Drugs, Diseases and Anaesthesia*: *book review*, **829**
Steven IM *see* Allen TH **474**
Steverink PJGM *see* Kolkman JJ **669**
Steward DJ Morbidity after day-case tonsillectomy in children: *correspondence*, **989**
Stewart R *see* Fisher R **972**
Stienstra R *see* Writer WDR **713**
Stirnemann HR *see* Ruetsch YA **484**
Stockwell M *see* Fennell J **649P**
Stoddart AP *see* Allman KG **188**; **661**
Stoelting RK *see* Barash PG **833**
Stoetling RK *see* Barash PG **830**
Stone PA *see* Carr AC **630P**
Stonell C An extrapyramidal reaction to ondansetron: *correspondence*, **658**
Storey N, Duguid J, Muir V, MacKinnon S and **Binning A** Use of remifentanil in the transfer of the critically ill: *abstract*, **651P**

Storey N *see* Duguid J **805P**
Struthers AD *see* Macmillan CSA **819P**
Struys M *see* Versichelen L **393**
Stuart H, Shaikh L, Rhodes A, Newman P and **Chang RWS** Analysis of outcome of ICU patients with acute renal failure in the UK: *abstract*, **810P**
Stuart Taylor ME, Motamed C and **Jayr C** Postoperative hypoxaemia: *correspondence*, **826**
Stunneck D *see* Schlack W **913**
Su M-J *see* Hung C-F **925**
Subbakrishna DK *see* Mayur PM **466**
Sumi M *see* Sakura S **718**
Sumner A *see* Coakley JH **647P**; Goldhill DR **811P**; **811P**; **812P**; **812P**
Sutcliffe NP *see* Hodson M **822P**
Suzuki A *see* Sakai I **193**
Swart ML *see* Taylor SRJ **176**
Swinburn PF *see* Merry AF **875**
Sykes K *see* Hatherill M **815P**

Taga K *see* Zhan R-Z **932**
Taittonen MT, Aantaa R and **Kirvelä OA** Effect of clonidine on changes in plasma catecholamine concentrations and oxygen consumption caused by the cold pressor test **140**
Takala J *see* Väisänen O **893**
Takeda J *see* Morisaki H **111**
Tan TK, Anderson L, Fairgrieve R and **Binning AR** A survey of neurosurgical transfers to a neurointensive care unit: *abstract*, **807P**; Temperature changes in patients undergoing secondary transport: *abstract*, **814P**
Tanaka H *see* Fujii Y **387**; **390**; **526**; **754**
Tanaka K, Oshita S, Kitahata H, Kimura H, Kawahito S, Park Y-C and **Sakabe T** Effects of nicardipine on ventriculo-arterial coupling in humans **180**
Tarling MM *see* Goldhill DR **811P**; **812P**; **812P**
Tassonyi E *see* Dumont L **265**
Taylor A and **Vaughan R** Anaesthetic for telescopic procedures in the thorax: *correspondence*, **655**
Taylor PM *see* Johnson CB **748**
Taylor SRJ, Khan OA, Swart ML, Lockwood GG and **Jones JG** Effects of a low concentration of isoflurane on contrast sensitivity in volunteers **176**
Teesdale J *see* Murdoch S **651P**
Tew D *see* Bao Y-P **584**
Tewes E *see* Borgeat A **603**
Thämer V *see* Preckel B **905**; Schlack W **913**
Thiemermann C *see* Wray GM **814P**; Wray GMH **645P**
Thomas SD *see* Berry PD **111**
Thompson H *see* Owen-Smith O **804P**
Thompson HM *see* Nikolajsen L **486**
Thompson JP, Bower S, Liddle AM and **Rowbotham DJ** Perioperative pharmacokinetics of transdermal fentanyl in elderly and young adult patients **152**
Thompson JP *see* Hall AP **97**; Leslie NAP **637P**; Shajar MA **281P**
Thompson RB *see* Butterworth J **515**
Thornton C, Heydermann RS and **Newton DEF** The auditory evoked response in cerebral malaria: *abstract*, **815P**
Thornton C and **Sharpe RM** Evoked responses in anaesthesia **771**
Thornton C *see* McGregor RR **785**
Thornton J *see* Murdoch S **651P**
Thum P, Heine J, Hollenhorst J and **Leuwer M** Midazolam given as an intranasal spray in children: *correspondence*, **100**
Thwaites AJ, Smith I, Ip-Yam PC and **Board P** Sevoflurane for difficult tracheal intubation: *correspondence*, **103**
Ti LK and **Dhara SS** Vecuronium, like rocuronium, causes pain on injection: *correspondence*, **487**
Tibby SM, Hatherill M and **Murdoch IA** Use of transoesophageal Doppler to derive cardiac output in ventilated children: *abstract*, **822P**
Tibby SM *see* Hatherill M **644P**; **815P**
Ting CH *see* Angel A **640P**
Tinker L *see* Carr AC **630P**
Titheradge MA, (*editor*) *Methods in Molecular Biology, vol. 100: Nitric Oxide Protocols*: *book review*, **303**
Toda H *see* Kim SO **601**
Tomlin PJ *see* Allison SP **273**
Torre M *see* Ivani G **247**
Torri G *see* Casati A **355**; **1001**
Toyooka H *see* Fujii Y **387**; **390**; **526**; **754**
Tran G *see* Jayr C **887**
Trapaidze N and **Devi LA** The role of C-tail in opioid receptor down-regulation: *abstract*, **95**
Traynor JR Epibatidine and pain **69**
Trejdosiewicz LK *see* Sillett HK **242**
Trouwborst A, van Bommel J, Ince C and **Henny ChP** Monitoring normovolaemic haemodilution: *supplement*, **73**
Troy A *see* Ambrose C **287P**
Tsai C-H *see* Hung C-F **925**
Tsubokawa T, Yamamoto K, Nishimura K, Yagi T and **Kobayashi T** Effects of inhaled oxygen concentration on fat metabolism during propofol infusion in rabbits **761**
Tuovinen K *see* Kokki H **502**; **870**
Tupper-Carey DA and **Berry PD** Early vs late tracheal extubation after CABG surgery: *correspondence*, **105**
Turfrey D *see* Hodson M **822P**
Turner C *see* Hatherill M **644P**

Ubags LH *see* Watt JWH **296**
Urwin S and **Ridley S** Prognostic indices following emergency aortic aneurysm repair: *abstract*, **808P**

v d Berg A *see* Edge KR **654**
Väisänen O, Parviainen I, Ruokonen E, Hippeläinen M, Berg E, Hendolin H and **Takala J** Epidural analgesia with bupivacaine does not improve splanchnic tissue perfusion after aortic reconstruction surgery **893**
Vallet B *see* Guidat A **94**
Van der Linden P, Schmartz D, De Groote F, Mathieu N, Willaert P, Rausin I and **Vincent J-L** Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**
Van Oldenbeek C, Knowles P and **Harper NJN** Residual neuromuscular blockade from pancuronium after cardiac anaesthesia: *abstract*, **637P**
Van Zundert AAJ *see* Hendrickx JFA **495**
van Bommel J *see* Trouwborst A **73**
Vandesteene A *see* Ickx B **854**
van de Wiel A *see* van Iperen CE **2**
Vangerow B *see* Leuwer M **290P**
van Iperen CE, Biesma DH, van de Wiel A and **Marx JJM** Erythropoietic response to acute and chronic anaemia: focus on postoperative anaemia: *supplement*, **2**
van Liebig MJ *see* Rupreht J **997**
van Loggerenberg H *see* Coetzee JF **737**
Varlet C *see* Jayr C **887**
Vaudelin G *see* Gueugniaud P-Y **844**
Vaughan R *see* Taylor A **655**
Vaughan RS *see* Mitchell JB **482**; Wilkes AR **288P**
Vegfors M *see* Engdahl O **957**
Venn P *see* Ames W **825**
Venn PJH Use of laryngeal mask during tonsillectomy: *correspondence*, **298**
Venn PJH *see* Porter H **996**
Verghese C, Rangasami J, Kapila A and **Parke T** Airway control during percutaneous dilatational tracheostomy: pilot study with the intubating laryngeal mask airway **608**
Verghese C *see* Agrò F **537**
Versichelen L, Struys M, Crombez E, Fonck K, Mortier E and **Rolly G** Haemodynamic and electroencephalographic response to insertion of a cuffed oropharyngeal airway: comparison with the laryngeal mask airway **393**
Vicaut E *see* Bazin JE **430**
Vicenzi MN *see* Ponhold H **723**
Vidhani K, Padfield CJH and **Langham BT** The CardioPump: CEPOD guidelines and validation of new techniques: *correspondence*, **101**
Viira DJ *see* Blunt MC **648P**
Viitanen H, Annila P, Rorarius M, Paloheimo M and **Baer G** Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
Vijaykumar G *see* Paw HGW **810P**
Vijn PCM and **Sneyd JR** I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
Vincent J-L *see* Van der Linden P **556**
Vinh VH *see* Hirata S **578**
Vipond AJ, Hopkins PM, Curran JL, Hall WJ, Halsall PJ, Iles DE, McCall SH, Robinson RL, Shaw MA and **Ellis FR** Genetic linkage analysis in malignant hyperthermia using a quantitative phenotype approach: *abstract*, **291P**
de Visme V and **Buggy D** Peripheral blocks of the lower limb for repair of fractured neck of femur: *correspondence*, **483**
Vohra SB and **Good PA** Globe dimensions as a risk factor for penetrating ocular injury during peribulbar anaesthesia: *abstract*, **292P**
Voyagis GS, Asai T, Nott MR and **Hill RP** Appropriate size of the laryngeal mask airway in adults: *correspondence*, **656**

Wahr JA Myocardial ischaemia in anaemic patients: *supplement*, **10**

Wakeling HG, Ody A and **Ball A** Large goitre causing difficult intubation and failure to intubate using the intubating laryngeal mask airway: lessons for next time **979**
Waldmann C *see* Quinlan J **809P**
Waldmann CS *see* Wilkins AC **651P**
Walker FO *see* Butterworth J **515**
Walsh TS, Foo IT, Drummond GB and **Warren PM** Influence of dose of domperidone on the acute ventilatory response to hypoxia in humans **322**
Walsh TS, Hopton P, Garden OJ and **Lee A** Effect of graft reperfusion on haemodynamics and gas exchange during liver transplantation **311**
Walsh TS and **Lee A** Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *editorial*, **118**; Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *erratum*, **1001**
Walther SM, Domino KB and **Hlastala MP** Effects of posture on blood flow diversion by hypoxic pulmonary vasoconstriction in dogs **425**
Wang J, Winship S and **Russell G** Induction of anaesthesia with sevoflurane and low-dose remifentanil: asystole following laryngoscopy: *correspondence*, **994**
Wang JYY, Russell GN, Page RD, Jackson M and **Pennefather SH** Comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation **850**
Wang JYY, Russell GN, Page RD and **Pennefather SH** A comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation: *abstract*, **278P**
Wardlaw JM *see* Macmillan CSA **818P**; **819P**
Wardle T *see* Driscoll P **302**
Ward Platt MP and **Little RA,** (*editors*) *Injury in the Young*: *book review*, **999**
Warren PM *see* Walsh TS **322**
Watanabe K *see* Iwama H **963**
Watt JWH, Fraser MH, Soni BM, Sett PK, Clay R and **Ubags LH** Differential effects of nitrous oxide and propofol on myogenic motor-evoked responses: *correspondence*, **296**
Watt Smith J *see* Eldridge AJ **976**
Weatherwax KJ *see* Alexander R **606**
Weaver BMQ, Staddon GE and **Mapleson WW** A puzzle in propofol loss rates from tissue samples in sheep: *abstract*, **630P**
Webb A *see* Marshall R **818P**
Webb AR *see* Mythen MG **667**
Webster JG *see* Beams DM **161**
Webster NR Opioids and the immune system: *editorial*, **834**
Webster NR *see* Carmichael RL **284P**; Cuthbertson BH **645P**; **645P**; Le Cras AE **286P**; Paterson RL **285P**; Young JD **494**
Webster RE, Peel J and **O'Donnell JG** Hypoxic brain injury and neurone specific enolase: *abstract*, **824P**
Wegenius G *see* Rothen HU **681**
Weindlmayr-Goettel M, Kress HG, Hammerschmidt F and **Nigrovic V** *In vitro* degradation of atracurium and cisatracurium at pH 7.4 and 37°C depends on the composition of the incubating solutions **409**
Weir WI *see* Berry PD **111**
Weiss G, Widner B, Zoller H, Schobersberger W and **Fuchs D** Immune response and iron metabolism: *supplement*, **6**
Wernberg M *see* Ilkjær S **707**
Wetterslev J *see* Møiniche S **377**
Weyland A *see* Mielck F **155**
Whaley A *see* Sneyd JR **361**
Whicher JT *see* Sillett HK **242**
White PF, (*editor*) *Textbook of Intravenous Anesthesia*: *book review*, **301**
White PF *see* Smith I **661**
White PS *see* Gardiner Q **401**
White SA *see* Goldhill DR **811P**; **812P**; **812P**
Whiteley SM *see* Davey-quinn A **640P**
Widner B *see* Weiss G **6**
Wilcock M, (*editor*) *International Anesthesiology Clinics. Management of the Operating Room, Vol. 36*: *book review*, **660**
Wild JM *see* Macmillan CSA **818P**; **819P**
Wildling E *see* Preis C **795**
Wildsmith JAW Commentary **85**
Wildsmith JAW *see* Checketts MR **635P**; McAtamney D **827**
Wilkes AR and **Vaughan RS** Using breathing system filters as oxygen delivery devices: *abstract*, **288P**
Wilkins AC, Koshy G, Harmsworth A and **Waldmann CS** Long-term outcome of patients treated in a district general hospital intensive care unit after severe sepsis or SIRS: *abstract*, **651P**
Willaert P *see* Van der Linden P **556**
Willard T *see* Nirmalan M **283P**
Williams EL, Ruttman TG and **James MFM** Not all crystalloid solutions are equal: *correspondence*, **989**
Williamson G *see* Bao Y-P **584**; Hurst R, **647P**; **817P**
Williamson S, Gordon PN and **Lawler PGP** As seen on TV: cardiopulmonary resuscitation and television dramas: *abstract*, **650P**
Wilson RC *see* Lyons G **280P**; **899**
Winship S and **Skinner A** Evaluation of the mouthpiece for pre-oxygenation: *abstract*, **283P**; Vital capacity and tidal volume preoxygenation with a mouthpiece **787**
Winship S *see* Wang J **994**
Winter RJ and **Riley B** Implications of a change in operational policy: *abstract*, **805P**
Wolf AR *see* Cook TM **338**
Wolstenholme SC *see* Angel A **633P**; **634P**
Woods A *see* Grant S **540**
Woods AW, MacKirdy FN, Livingston BM and **Howie JC** Evaluation of predicted and actual length of stay in 22 Scottish ITU using the acute physiology and chronic health evaluation III (APACHE III) system: *abstract*, **813P**
Woodward DK *see* McAtamney D **827**
Worthington LM *see* Goldhill DR **811P**; **812P**; **812P**
Wray GM, Hinds CJ and **Thiemermann C** Peptidoglycan derived from the cell wall of a non-pathogenic gram-positive bacterium synergises with endotoxin to cause organ injury/dysfunction in the rat: *abstract*, **814P**
Wray GMH, Hinds CJ and **Thiemermann C** Effects of the selective inducible nitric oxide synthase inhibitor L-NIL on circulatory failure and multiple organ injury caused by endotoxaemia in the rat: *abstract*, **645P**
Writer WDR, Stienstra R, Eddleston JM, Gatt SP, Griffin R, Gutsche BB, Joyce TH, Hedlund C, Heeroma K and **Selander D** Neonatal outcome and mode of delivery after epidural analgesia for labour with ropivacaine and bupivacaine: a prospective meta-analysis **713**
Wyte SR *see* Shapiro HM **798**

Yagi T *see* Tsubokawa T **761**
Yaksh TL *see* Buerkle H **208**
Yalamarthi S, Ridley S and **Barker T** Agreement between ante-mortem clinical diagnosis, death certificate and post-mortem causes of death in critically ill patients: *abstract*, **643P**
Yamada Y *see* Sakura S **718**
Yamakura T *see* Zhan R-Z **932**
Yamamoto K *see* Tsubokawa T **761**
Yarwood GD, Honavar M, Hinds CJ and **Coakley JH** Rapidly progressive loss of muscle mass in the critically ill: *abstract*, **646P**
Yentis SM *FRCA Survival Guide*: *book review*, **998**
Yli-Hankala A *see* Nelskylä K **757**
Young JD and **Webster NR** The Intensive Care Society and the *British Journal of Anaesthesia*: *editorial*, **494**
Young JD *see* Allman KG **188**; **661**
Young PJ, Basson C, Hamilton D and **Ridley SA** The pressure limited tracheal tube cuff: prevention of aspiration of oropharyngeal fluid to the lungs: *abstract*, **823P**
Young TM *A Short History of the Section of Anaesthetics of the Royal Society of Medicine and the Society of Anaesthetists*: *book review*, **833**
Young Y *see* Davey-Quinn A **279P**
Yuan CS, Moss J, Foss JF, O'Connor M, Sellers D, Lowell T, Lynch J and **Roizen MF** Effects of methylnaltrexone on chronic opioid-induced gut motility and transit time changes: *abstract*, **94**

Zalunardo MP, Zollinger A, Seifert B, Patti M and **Pasch T** Perioperative reliability of an on-site prothrombin time assay under different haemostatic conditions **533**
Zbinden AM *see* Petersen-Felix S **742**
Zeigler D *see* O'Boyle CJ **816P**
Zhan R-Z, Fujiwara N, Yamakura T, Taga K, Fukuda S and **Shimoji K** Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
Zoller H *see* Weiss G **6**
Zollinger A *see* Zalunardo MP **533**
Zotou M *see* Fassoulaki A **358**
Zuzan O *see* Leuwer M **642P**

VOLUME 81 • SUBJECT INDEX

acid–base equilibrium, metabolic acidosis, Changes in ionized calcium concentrations and acid–base status during abdominal aortic vascular surgery **965**
acupuncture, Laser stimulation of acupuncture point P6 reduces postoperative vomiting in children undergoing strabismus surgery **529**
age factors, Aging decreases the sensitivity of the GABA carrier to propofol and etomidate **249**
Postoperative cognitive deficit in the elderly surgical patient **449**
Validation of outcome prediction in elderly patients: *abstract*, **808P**
airway, management, Airway control during percutaneous dilatational tracheostomy: pilot study with the intubating layrngeal mask airway **608**
Laryngotracheal separation after attempted hanging **612**
airway, patency, Autocolaving impairs the connector-tube bond of the laryngeal mask airway but not its airtightness **795**
airway, pressure, Airway closure, atelectasis and gas exchange during general anaesthesia **681**
Capnography during ventilation in intensive care: *abstract*, **638P**
airway, reflexes, Assessment of upper airway reactivity following TIVA or inhalation anaesthesia: *abstract*, **278P**
Upper airway reactivity and upper respiratory tract infection: effect of nebulized lignocaine: *abstract*, **279P**
anaesthesia, audit, A case made for automated anaesthetic record keeping?: *correspondence*, **482**
A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations **377**
Anaesthesia in third world countries: *correspondence*, **653**
Current practice of local anaesthesia for ocular surgery: *correspondence*, **654**
Local anaesthesia for routine ocular surgery: *correspondence*, **485**
anaesthesia, day case, Intranasal midazolam for premedication of children undergoing day-case anaesthesia: comparison of two delivery systems with assessment of intra-observer variability **865**
Postural stability and day surgery anaesthesia: *abstract*, **289P**
Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
anaesthesia, dental, Tenoxicam and paracetamol–codeine combination after oral surgery: a prospective, randomized, double-blind, placebo-controlled study **875**
anaesthesia, depth, Effect of remifentanil on the auditory evoked response and haemodynamic changes after intubation and surgical incision **785**
Evoked responses in anaesthesia **771**
Pharmacological evidence for different alpha$_2$-adrenergic receptor sites mediating analgesia and sedation in the rat **208**
Respiratory sinus arrhythmia and clinical signs of anaesthesia in children **333**
anaesthesia, general, Airway closure, atelectasis and gas exchange during general anaesthesia **681**
Changes in core temperature compartment size on induction of general anaesthesia **861**
TH1/TH2 cell ratios in spinal and general anaesthesia: *abstract*, **286P**
anaesthesia, geriatric, Postoperative cognitive deficit in the elderly surgical patient **449**
anaesthesia, journals, The Intensive Care Society and the *British Journal of Anaesthesia*: *editorial*, **494**
anaesthesia, neurosurgical, Use of pre-sedation GCS improves the performance of APACHE III when the GCS cannot be assessed: *abstract*, **643P**
anaesthesia, obstetric, Anaesthesia for Caesarean section in the presence of severe primary pulmonary hypertension **790**
Anaesthetic management of a woman who became paraplegic at 22 weeks' gestation after a spontaneous spinal cord haemorrhage secondary to a presumed arteriovenous malformation **976**
Epidural anaesthesia for Caesarean section in an achondroplastic dwarf **619**
anaesthesia, paediatric, Changes in blood-gas tensions during apnoeic oxygenation in paediatric patients **338**
Comparison of ropivacaine with bupivacaine for paediatric caudal block **247**
Evaluation of routine tracheal extubation in children: inflating or suctioning technique? **692**
Intranasal midazolam for premedication of children undergoing day-case anaesthesia: comparison of two delivery systems with assessment of intra-observer variability **865**
Laryngeal mask and tonsillectomy: *correspondence*, **996**
Laser stimulation of acupuncture point P6 reduces postoperative vomiting in children undergoing strabismus surgery **529**
Mivacurium compared with succinylcholine in children with liver disease **463**
Morbidity after day-case tonsillectomy in children: *correspondence*, **295**
Morbidity after day-case tonsillectomy in children: *correspondence*, **989**
Non-invasive aortic blood flow measurement in infants during repair of craniosynostosis **696**
Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
Respiratory sinus arrhythmia and clinical signs of anaesthesia in children **333**
Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
anaesthesia, third world, Anaesthesia in third world countries: *correspondence*, **653**
anaesthetic techniques, epidural, Anaesthetic management of a woman who became paraplegic at 22 weeks' gestation after a spontaneous spinal cord haemorrhage secondary to a presumed arteriovenous malformation **976**
Commentary **982**
Comparison of ropivacaine with bupivacaine for paediatric caudal block **247**
Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
Epidural anaesthesia for Caesarean section in an achondroplastic dwarf **619**
Extradural catheterization: *correspondence*, **298**
I.v. clonidine prevents post-extradural shivering **145**
Local analgesia in early and late stages of labour: *correspondence*, **102**
Magnetic resonance imaging of the vertebral canal before and after central nerve block: is there any subclinical bleeding?: *abstract*, **635P**
Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**
Postoperative analgesia and lung function: A comparison of morphine with extradural block: *citation classic*, **984**
Quantitative and selective assessment of sensory block during lumbar epidural anaesthesia with 1% or 2% lidocaine **718**
Thoracic and lumbar extradural structure examined by extraduroscope **121**
anaesthetic techniques, induction, Haemodynamic stability and ketamine–alfentanil anaesthetic induction **702**
anaesthetic techniques, i.v. infusion, Propofol and asepsis: is it safer to use the TCI technique?: *correspondence*, **484**
Propofol infusion for induction and maintenance of anaesthesia in patients with end-stage renal disease **854**
anaesthetic techniques, i.v. regional, Effect of infiltration with ropivacaine on blood loss during reduction mammoplasty **974**
anaesthetic techniques, laryngoscopy, Effects of lightwand (Trachlight) compared with direct laryngoscopy on circulatory responses to tracheal intubation **253**
anaesthetic techniques, low-flow, Model for the administration of low-flow anaesthesia **161**
anaesthetic techniques, preoxygenation, Evaluation of the mouthpiece for pre-oxygenation: *abstract*, **283P**
Vital capacity and tidal volume preoxygenation with a mouthpiece **787**
anaesthetic techniques, regional, Differential onset of median nerve block: randomized, double-blind comparison of mepivacaine and bupivacaine in healthy volunteers **515**
Peripheral blocks of the lower limb for repair of fractured neck of femur: *correspondence*, **483**

anaesthetic techniques, regional, paravertebral, Old ideas, new applications: *editorial*, **113**
Thoracic paravertebral block **230**
anaesthetic techniques, regional, peribulbar, A complication of peribulbar block in a patient with exophthalmos **615**
Globe dimensions as a risk factor for penetrating ocular injury during peribulbar anaesthesia: *abstract*, **292P**
anaesthetic techniques, regional, retrobulbar, Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block **793**
anaesthetic techniques, subarachnoid, Anaesthetic management of a woman who became paraplegic at 22 weeks' gestation after a spontaneous spinal cord haemorrhage secondary to a presumed arteriovenous malformation **976**
Continuous spinal anaesthesia **590**
Does speed of intrathecal injection affect the distribution of 0.5% hyberbaric bupivacaine? **355**
Does speed of intrathecal injection affect the distribution of 0.5% hyperbaric bupivacaine: *erratum*, **1001**
Effect of nimodipine on regression of spinal analgesia **358**
Incidence of bradycardia during recovery from spinal anaesthesia: influence of patient position **723**
Pituitary apoplexy after spinal anaesthesia **616**
Repeated transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine **471**
Sedation depends on the level of sensory block induced by spinal anaesthesia **970**
Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
TH1/TH2 cell ratios in spinal and general anaesthesia: *abstract*, **286P**
Transient radicular irritation after spinal anaesthesia with 2% isobaric mepivacaine **622**
anaesthetics gases, nitric oxide, Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
anaesthetics gases, nitrous oxide, Comparison of the analgesic potency of xenon and nitrous oxide in humans evaluated by experimental pain **742**
Concentration and second-gas effects in the water analogue **835**
Differential effects of nitrous oxide and propofol on myogenic motor-evoked responses: *correspondence*, **296**
The effect of nitrous oxide on transmission in the dorsal column pathway in the urethane anaesthetized rat: *abstract*, **634P**
anaesthetics gases, xenon, Comparison of the analgesic potency of xenon and nitrous oxide in humans evaluated by experimental pain **742**
anaesthetics i.v., Anaesthesia in third world countries: *correspondence*, **653**
Antioxidant potential of intravenous anaesthetic and analgesic agents: *abstract*, **284P**
Assessment of upper airway reactivity following TIVA or inhalation anaesthesia: *abstract*, **278P**
anaesthetics i.v., alphaxalone, I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
anaesthetics i.v., etomidate, Aging decreases the sensitivity of the GABA carrier to propofol and etomidate **249**
Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
anaesthetics i.v., ketamine, Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**
Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
Haemodynamic stability and ketamine–alfentanil anaesthetic induction **702**
Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
anaesthetics i.v., propofol, A puzzle in propofol loss rates from tissue samples in sheep: *abstract*, **630P**
Aging decreases the sensitivity of the GABA carrier to propofol and etomidate **249**
Antibacterial activity of lidocaine in mixtures with Diprivan **444**
Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance **584**
Assessment of intubating conditions in adults after induction with propofol and varying doses of remifentanil **540**
Cerebrospinal fluid concentrations of propofol during anaesthesia in humans **957**
Closed loop computer controlled sedation with propofol: *abstract*, **631P**
Differential effects of nitrous oxide and propofol on myogenic motor-evoked responses: *correspondence*, **296**
Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
Effects of inhaled oxygen concentration on fat metabolism during propofol infusion in rabbits **761**
I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
Nafamostat mesilate, a kallikrein inhibitor, prevents pain on injection with propofol **963**
Pharmacokinetics of propofol during conscious sedation using target-controlled infusion: *correspondence*, **659**
Propofol and asepsis: is it safer to use the TCI technique?: *correspondence*, **484**
Propofol and postoperative nausea and vomiting: *correspondence*, **653**
Propofol infusion for induction and maintenance of anaesthesia in patients with end-stage renal disease **854**
Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
Steady-state propofol brain:plasma and brain:blood partition coefficients and the effect-site equilibration paradox **422**
Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
Use of remifentanil in a patient with chronic hepatic failure **265**
anaesthetics i.v., thiamylal, Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
anaesthetics i.v., thiopental, Commentary **797**
Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
Effects of thiopental on airway calibre in dogs: direct visualization method using a superfine fibreoptic bronchoscope **203**
I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
Rapid intraoperative reduction of intracranial pressure with thiopentone: *citation classic*, **798**
Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
Thiopental attenuates relaxation and cyclic GMP production in vascular smooth muscle of endotoxin-treated rat aorta, independent of nitric oxide production **601**
anaesthetics local, A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations **377**
Accidental i.v. injection of local anaesthetic: *correspondence*, **827**
Continuous spinal anaesthesia **590**
Current practice of local anaesthesia for ocular surgery: *correspondence*, **654**
Local anaesthesia for routine ocular surgery: *correspondence*, **485**
anaesthetics local, bupivacaine, A comparison of the antibacterial activity of levobupivacaine versus bupivacaine: an *in vitro* study: *abstract*, **284P**
A comparison of vasoactivity between levobupivacaine and bupivacaine: *abstract*, **631P**
Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery **727**
Comparison of epidural bolus administration of 0.25% bupivacaine and 0.1% bupivacaine with 0.0002% fentanyl for analgesia during labour **507**
Comparison of ropivacaine with bupivacaine for paediatric caudal block **247**
Differential onset of median nerve block: randomized,

double-blind comparison of mepivacaine and bupivacaine in healthy volunteers **515**
Does speed of intrathecal injection affect the distribution of 0.5% hyberbaric bupivacaine? **355**
Does speed of intrathecal injection affect the distribution of 0.5% hyperbaric bupivacaine: *erratum*, **1001**
Effect of infiltration with ropivacaine on blood loss during reduction mammoplasty **974**
Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees **348**
Effects of opioids on sensory bupivacaine spinal block: *abstract*, **634P**
Epidural analgesia with bupivacaine does not improve splanchnic tissue perfusion after aortic reconstruction surgery **893**
Epidural pain relief in labour: potencies of levobupivacaine and racemic bupivacaine **899**
Epidural pain relief in labour: relative potencies of bupivacaine and levobupivacaine: *abstract*, **280P**
Local anaesthetic infiltration for surgical exodontia of third molar teeth: a double-blind study comparing bupivacaine infiltration with i.v. ketorolac **511**
Neonatal outcome and mode of delivery after epidural analgesia for labour with ropivacaine and bupivacaine: a prospective meta-analysis **713**
Postoperative hypoxaemia: *correspondence*, **826**
Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
Thoracic paravertebral block **230**
anaesthetics local, EMLA, Topical anaesthesia of intact skin: liposome-encapsulated tetracaine *vs* EMLA **972**
anaesthetics local, lidocaine, Antibacterial activity of lidocaine in mixtures with Diprivan **444**
Effect of nimodipine on regression of spinal analgesia **358**
Quantitative and selective assessment of sensory block during lumbar epidural anaesthesia with 1% or 2% lidocaine **718**
Repeated transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine **471**
Upper airway reactivity and upper respiratory tract infection: effect of nebulized lignocaine: *abstract*, **279P**
anaesthetics local, mepivacaine, Differential onset of median nerve block: randomized, double-blind comparison of mepivacaine and bupivacaine in healthy volunteers **515**
Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
Transient radicular irritation after spinal anaesthesia with 2% isobaric mepivacaine **622**
anaesthetics local, prilocaine, Methaemoglobinaemia after supraclavicular block with prilocaine in patients with renal failure: *abstract*, **632P**
anaesthetics local, ropivacaine, Comparison of ropivacaine with bupivacaine for paediatric caudal block **247**
Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine **887**
Effect of infiltration with ropivacaine on blood loss during reduction mammoplasty **974**
Neonatal outcome and mode of delivery after epidural analgesia for labour with ropivacaine and bupivacaine: a prospective meta-analysis **713**
Patient-controlled interscalene analgesia with ropivacaine after major shoulder surgery: PCIA *vs* PCA **603**
anaesthetics local, tetracaine, Topical anaesthesia of intact skin: liposome-encapsulated tetracaine *vs* EMLA **972**
anaesthetics volatile, Assessment of upper airway reactivity following TIVA or inhalation anaesthesia: *abstract*, **278P**
Concentration and second-gas effects in the water analogue **835**
Volatile anaesthetics have differential effects on recombinant m1 and m3 muscarinic acetylcholine receptor function **569**
anaesthetics volatile, desflurane, Comparison of the myocardial effects of desflurane and isoflurane in healthy patients: assessment by continuous oesophageal aortic blood flow echo-Doppler **844**
Effects of 1 MAC desflurane on cerebral metabolism, blood flow and carbon dioxide reactivity in humans **155**
Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
anaesthetics volatile, enflurane, Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
anaesthetics volatile, halothane, Comparison of the effects of halothane, isoflurane and methoxyflurane on the electroencephalogram of the horse **748**
Differential effects of halothane on cardiac potassium channels: *abstract*, **286P**
Early and late post-ischaemic recovery of contractile function is affected to different degrees by isoflurane and halothane in the anaesthetized rabbit model **224**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
Steady state halothane anaesthesia oscillates between two states of electrocortical arousal: *abstract*, **633P**
The effects of glycinergic block on sensory transmission and on the action of halothane in the urethane anaesthetized rat: *abstract*, **632P**
anaesthetics volatile, isoflurane, A comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation: *abstract*, **278P**
A qualitative investigation into the physical stability of polyethylene in isoflurane and sevoflurane: *abstract*, **281P**
Comparison of the effects of halothane, isoflurane and methoxyflurane on the electroencephalogram of the horse **748**
Comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation **850**
Comparison of the myocardial effects of desflurane and isoflurane in healthy patients: assessment by continuous oesophageal aortic blood flow echo-Doppler **844**
Early and late post-ischaemic recovery of contractile function is affected to different degrees by isoflurane and halothane in the anaesthetized rabbit model **224**
Effects of a low concentration of isoflurane on contrast sensitivity in volunteers **176**
Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**
Isoflurane inhibition of K^+ evoked noradrenaline release from SH-SY5Y human neuroblastoma cells: *abstract*, **289P**
Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
Use of remifentanil in a patient with chronic hepatic failure **265**
Vascular properties of isoflurane: comparison between normal and cirrhotic rats **968**
anaesthetics volatile, sevoflurane, A comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation: *abstract*, **278P**
A qualitative investigation into the physical stability of polyethylene in isoflurane and sevoflurane: *abstract*, **281P**
Comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation **850**
Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Induction of anaesthesia with sevoflurane and low-dose remifentanil: asystole following laryngoscopy: *correspondence*, **994**
Leucocyte distribution during sevoflurane anaesthesia: *erratum*, **111**
Sevoflurane for difficult tracheal intubation: *correspondence*, **103**
Sevoflurane pharmacokinetics: effect of cardiac output **495**
anaesthetist, activity, Stature of anaesthetic personnel and positioning of patients: *correspondence*, **486**
anaesthetist, performance, A case made for automated anaesthetic record keeping?: *correspondence*, **482**
anaesthetist, training, Can cricoid force be maintained for five minutes?: *abstract*, **641P**
Correlating fibreoptic nasotracheal endoscopy performance and psychomotor aptitude **687**

Education and training in airway management: *editorial*, **305**
Evaluation of flexible (part-time) training in anaesthesia **268**
Flexible training and sex: *correspondence*, **994**
Technique training: endoscopic percutaneous tracheostomy **401**

analgesia, gynaecological, Tramadol or morphine administered during operation: a study of immediate postoperative effects after abdominal hysterectomy **737**

analgesia, obstetric, Comparison of epidural bolus administration of 0.25% bupivacaine and 0.1% bupivacaine with 0.0002% fentanyl for analgesia during labour **507**
Epidural pain relief in labour: potencies of levobupivacaine and racemic bupivacaine **899**
Epidural pain relief in labour: relative potencies of bupivacaine and levobupivacaine: *abstract*, **280P**
Local analgesia in early and late stages of labour: *correspondence*, **102**
Neonatal outcome and mode of delivery after epidural analgesia for labour with ropivacaine and bupivacaine: a prospective meta-analysis **713**
Postdural puncture headache after combined spinal–epidural analgesia and anaesthesis: *correspondence*, **658**
Walking extradurals: *correspondence*, **106**

analgesia, paediatric, I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study **870**

analgesia, patient-controlled, A comparison of PCA pethidine, nalbuphine and tramadol for anaesthesia-free extracorporeal shock wave lithotripsy: *abstract*, **96**
Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine **887**
High-dose ondansetron regimen *vs* droperidol for morphine patient-controlled analgesia **384**
Influence of timing of morphine administration on postoperative pain and analgesic consumption **373**
Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**
Patient-controlled interscalene analgesia with ropivacaine after major shoulder surgery: PCIA *vs* PCA **603**
Patient-maintained remifentanil target-controlled infusion for the transition to early postoperative analgesia **365**
Propofol and postoperative nausea and vomiting: *correspondence*, **653**

analgesia, perioperative, Perioperative pharmacokinetics of transdermal fentanyl in elderly and young adult patients **152**

analgesia, postoperative, Commentary **982**
Intrathecal diamorphine compared with morphine for postoperative analgesia after Caesarean section under spinal anaesthesia **135**
Intrathecal diamorphine for postoperative analgesia after Caesarean section: *correspondence*, **992**
Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**
Postoperative analgesia and lung function: A comparison of morphine with extradural block: *citation classic*, **984**
Tenoxicam and paracetamol–codeine combination after oral surgery: a prospective, randomized, double-blind, placebo-controlled study **875**

analgesia, pre-emptive, Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery **727**
Influence of timing of morphine administration on postoperative pain and analgesic consumption **373**
I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study **870**

analgesic techniques, epidural, Adverse effects of extradural and intrathecal opiates: report of a nationwide survey in Sweden: *citation classic*, **86**
Commentary **85**
Comparison of epidural bolus administration of 0.25% bupivacaine and 0.1% bupivacaine with 0.0002% fentanyl for analgesia during labour **507**
Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine **887**
Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees **348**
Epidural analgesia with bupivacaine does not improve splanchnic tissue perfusion after aortic reconstruction surgery **893**
Epidural pain relief in labour: potencies of levobupivacaine and racemic bupivacaine **899**
Epidural pain relief in labour: relative potencies of bupivacaine and levobupivacaine: *abstract*, **280P**
Neonatal outcome and mode of delivery after epidural analgesia for labour with ropivacaine and bupivacaine: a prospective meta-analysis **713**
Pain after amputation: *correspondence*, **486**
Postdural puncture headache after combined spinal–epidural analgesia and anaesthesis: *correspondence*, **658**
Postoperative hypoxaemia: *correspondence*, **826**
Walking extradurals: *correspondence*, **106**

analgesic techniques, infusion, Patient-maintained remifentanil target-controlled infusion for the transition to early postoperative analgesia **365**

analgesic techniques, i.v., Antioxidant potential of intravenous anaesthetic and analgesic agents: *abstract*, **284P**

analgesic techniques, regional, Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**

analgesic techniques, subarachnoid, Pharmacological evidence for different alpha$_2$-adrenergic receptor sites mediating analgesia and sedation in the rat **208**
Postdural puncture headache after combined spinal–epidural analgesia and anaesthesis: *correspondence*, **658**

analgesics non-opioid, clonidine, Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**

analgesics non-opioid, diclofenac, Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**

analgesics non-opioid, ketoprofen, I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study **870**
Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**

analgesics non-opioid, ketorolac, Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**
Ketorolac does not increase the risk of renal dysfunction after lung surgery: *correspondence*, **484**
Local anaesthetic infiltration for surgical exodontia of third molar teeth: a double-blind study comparing bupivacaine infiltration with i.v. ketorolac **511**

analgesics non-opioid, paracetamol, Tenoxicam and paracetamol–codeine combination after oral surgery: a prospective, randomized, double-blind, placebo-controlled study **875**

analgesics non-opioid, tenoxicam, Tenoxicam and paracetamol–codeine combination after oral surgery: a prospective, randomized, double-blind, placebo-controlled study **875**

analgesics non-opioid, tramadol, Tramadol or morphine administered during operation: a study of immediate postoperative effects after abdominal hysterectomy **737**

analgesics opioid, A comparison of PCA pethidine, nalbuphine and tramadol for anaesthesia-free extracorporeal shock wave lithotripsy: *abstract*, **96**
Adverse effects of extradural and intrathecal opiates: report of a nationwide survey in Sweden: *citation classic*, **86**
Commentary **85**
Molecular mechanisms of opioid receptor signal transduction **12**
Novel routes of opioid administration **3**
Opioid requirement during surgery for Crohn's disease: *abstract*, **94**
Opioid tolerance: the clinical perspective **58**
Opioids and the immune system: *editorial*, **834**
Recent advances and developments in the clinical use of i.v. opioids during the peroperative period **38**
Recent advances in opioid pharmacology: *editorial*, **1**
Stimulatory effects of opioids **20**
The orphanin FQ system: an emerging target for the management of pain? **29**

analgesics opioid, alfentanil, An open, randomized comparison of alfentanil, remifentanil and alfentanil followed by remifentanil in anaesthesia for craniotomy **361**
Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery **727**
Haemodynamic stability and ketamine–alfentanil anaesthetic induction **702**

analgesics opioid, diamorphine, Intrathecal diamorphine compared with morphine for postoperative analgesia after Caesarean section under spinal anaesthesia **135**
Intrathecal diamorphine for postoperative analgesia after Caesarean section: *correspondence*, **992**

analgesics opioid, epibatidine, Epibatidine and pain **69**

analgesics opioid, fentanyl, Comparison of epidural bolus administration of 0.25% bupivacaine and 0.1% bupivacaine with 0.0002% fentanyl for analgesia during labour **507**
Effects of opioids on sensory bupivacaine spinal block: *abstract*, **634P**

The CYP 3A4 inhibitor itraconazole has no effect on the pharmacokinetics of i.v. fentanyl **598**
analgesics opioid, morphine, Commentary **982**
Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees **348**
Influence of timing of morphine administration on postoperative pain and analgesic consumption **373**
Intrathecal diamorphine compared with morphine for postoperative analgesia after Caesarean section under spinal anaesthesia **135**
Intrathecal diamorphine for postoperative analgesia after Caesarean section: *correspondence*, **992**
Opioid receptor independent effects of morphine on membrane currents in single cardiac myocytes **925**
Patient controlled morphine analgesia (PCA morphine) in cadaveric renal transplant recipients: does morphine-6-glucuronide accumulate?: *abstract*, **630P**
Postoperative analgesia and lung function: A comparison of morphine with extradural block: *citation classic*, **984**
Postoperative hypoxaemia: *correspondence*, **826**
Pre-operative versus postoperative administration of morphine: impact on the neuroendocrine, behavioural, and metastatic-enhancing effects of surgery **216**
Propofol and postoperative nausea and vomiting: *correspondence*, **653**
Tramadol or morphine administered during operation: a study of immediate postoperative effects after abdominal hysterectomy **737**
analgesics opioid, nicomorphine, Patient-controlled interscalene analgesia with ropivacaine after major shoulder surgery: PCIA *vs* PCA **603**
analgesics opioid, remifentanil, An open, randomized comparison of alfentanil, remifentanil and alfentanil followed by remifentanil in anaesthesia for craniotomy **361**
Assessment of intubating conditions in adults after induction with propofol and varying doses of remifentanil **540**
Comparison of different dose regiments of remifentanil on the cardiovascular response to orotracheal intubation: *abstract*, **637P**
Effect of remifentanil on the auditory evoked response and haemodynamic changes after intubation and surgical incision **785**
Induction of anaesthesia with sevoflurane and low-dose remifentanil: asystole following laryngoscopy: *correspondence*, **994**
Metabolism of remifentanil during liver transplantation **881**
Patient-maintained remifentanil target-controlled infusion for the transition to early postoperative analgesia **365**
Remifentanil and tramadol **51**
Remifentanil prevents an increase in intraocular pressure after succinylcholine and tracheal intubation **606**
The cardiovascular response to tracheal extubation: effect of a remifentanil bolus: *abstract*, **281P**
The effect of remifentanil upon the hypertensive response to orotracheal intubation: *abstract*, **97**
Use of remifentanil in a patient with chronic hepatic failure **265**
Use of remifentanil in the transfer of the critically ill: *abstract*, **651P**
analgesics opioid, tramadol, Remifentanil and tramadol **51**
anatomy, epidural space, Thoracic and lumbar extradural structure examined by extraduroscope **121**
antagonists, neuromuscular block, neostigmine, Neostigmine with glycopyrrolate does not increase the incidence or severity of postoperative nausea and vomiting in outpatients undergoing gynaecological laparoscopy **757**
antibiotics, ceftazidime, Altered ceftazidime pharmacokinetics in critically ill patients: *abstract*, **649P**
antibiotics, gentamicin, Dosing regimens for nebulized gentamicin in intensive care: *abstract*, **648P**

blood, antioxidants, Changes in plasma antioxidant potential in aortic aneurysm surgery: *abstract*, **646P**
blood, coagulation, Aprotinin therapy and disseminated intravascular coagulation after hip replacement: *correspondence*, **995**
Effects of gelatin-based resuscitation fluids on platelet aggregation **198**
Is tranexamic acid as effective as α2 antiplasmin at correcting coagulopathy in liver transplantation?: *abstract*, **282P**
Methods for reduction of perioperative bleeding: *supplement*, **62**
Not all crystalloid solutions are equal: *correspondence*, **989**
Perioperative reliability of an on-site prothrombin time assay under different haemostatic conditions **533**
blood, colloid osmotic pressure, Serum albumin and colloid osmotic pressure in survivors and non-survivors of critical illness: *abstract*, **646P**
blood, erythropoiesis, Erythropoietic response to acute and chronic anaemia: focus on postoperative anaemia: *supplement*, **2**
blood, erythropoietin, Controversies in autologous blood procurement: *supplement*, **67**
blood, extracorporeal circulation, Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery: *supplement*, **38**
blood, flow, *In vitro* study of the effect of vessel compliance on the estimated resistance using Doppler indices: *abstract*, **635P**
Non-invasive aortic blood flow measurement in infants during repair of craniosynostosis **696**
blood, glucose, β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**
blood, haemodilution, Controversies in autologous blood procurement: *supplement*, **67**
Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**
Effects of resuscitation fluids on T cell immune responses **242**
Hyperoxaemia in extreme haemodilution: *supplement*, **79**
Monitoring normovolaemic haemodilution: *supplement*, **73**
Myocardial ischaemia in anaemic patients: *supplement*, **10**
Not all crystalloid solutions are equal: *correspondence*, **989**
blood, haemoglobin, Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**
Haemoglobin therapy in clinical practice: use and characteristics of DCLHb: *supplement*, **34**
Immune response and iron metabolism: *supplement*, **6**
Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery: *supplement*, **38**
Perioperative management of anaemia: *supplement*, **20**
Preoperative packed cell volume necessary for patients undergoing elective surgery: *supplement*, **50**
blood, haemostasis, Effects of gelatin-based resuscitation fluids on platelet aggregation **198**
Perioperative reliability of an on-site prothrombin time assay under different haemostatic conditions **533**
blood, leucocytes, Leucocyte distribution during sevoflurane anaesthesia: *erratum*, **111**
blood, loss, Methods for reduction of perioperative bleeding: *supplement*, **62**
blood, lymphocytes, Leucocyte distribution during sevoflurane anaesthesia: *erratum*, **111**
blood, neutrophils, Leucocyte distribution during sevoflurane anaesthesia: *erratum*, **111**
Neutrophil activation and ischaemia–reperfusion syndrome in liver transplantation: evidence for: *abstract*, **279P**
Neutrophil activation following reperfusion in orthotopic liver transplantation: the argument against: *abstract*, **279P**
blood, PCV, Preoperative packed cell volume necessary for patients undergoing elective surgery: *supplement*, **50**
blood, replacement, Blood transfusion for Caesarean section: *correspondence*, **825**
Controversies in autologous blood procurement: *supplement*, **67**
Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**
Haemoglobin therapy in clinical practice: use and characteristics of DCLHb: *supplement*, **34**
Not all crystalloid solutions are equal: *correspondence*, **989**
blood, salvage, Blood transfusion for Caesarean section: *correspondence*, **825**
blood, T cells, Effects of resuscitation fluids on T cell immune responses **242**
blood, transfusion, Blood transfusion for Caesarean section: *correspondence*, **825**
Controversies in autologous blood procurement: *supplement*, **67**
Foreword: *supplement*, **1**
Haemoglobin therapy in clinical practice: use and characteristics of DCLHb: *supplement*, **34**
Hyperoxaemia in extreme haemodilution: *supplement*, **79**
Management of preoperative anaemia: *supplement*, **56**
Perioperative care of a Jehovah's Witness with a leaking abdominal aortic aneurysm **256**
Perioperative management of anaemia: *supplement*, **20**
Risk of allogeneic transfusions: *supplement*, **16**
Transfusion requirements in critical care (TRICC): a multicentre, randomized, controlled clinical study: *supplement*, **25**
blood, vessels, Vascular properties of isoflurane: comparison between normal and cirrhotic rats **968**

blood, volume, High predictive value of red cell volume measurement using carboxy-haemoglobin in a rabbit model of haemorrhage **940**
Book Reviews
A Short History of the Section of Anaesthetics of the Royal Society of Medicine and the Society of Anaesthetists: **833**
Advanced Cardiac Life Support. The Practical Approach, 2nd Edn: **302**
Alternate-site Anaesthesia (Clinical Practice Outside the Operating Room): **110**
An Evidence-based Resource for Pain Relief: **830**
Anaesthesia. Essays on its History: **997**
Anesthesia Equipment Manual: **998**
Anesthesiology Pocket Guide: **660**
Baillière's Clinical Anaesthesiology (Vol. 10, No. 4). Paediatric Anaesthesia: **109**
Brain Edema X (Acta Neurochirugica Supplement 70): **109**
Clinical and Resuscitative Data, A Compendium of Acute Medical Data, 5th Edn: **999**
Clinical Anesthesia, 3rd Edn: **833**
Clinical Anesthesia Procedures of the Massachusetts General Hospital, 5th Edn: **301**
Clinical Pediatric Anesthesia: **301**
Drugs, Diseases and Anaesthesia: **829**
FRCA Survival Guide: **998**
Fundamentals of Anaesthesia and Acute Medicine. Paediatric Intensive Care: **831**
Getting Ahead in Medicine: A Guide to Personal Skills for Doctors: **832**
Handbook of Clinical Anesthesia, 3rd Edn: **830**
Handbooks of Drug Interactions: **998**
Injury in the Young: **999**
Interactive Anesthesia Library on CD-ROM version 2.0: **832**
International Anesthesiology Clinics: Endocrine Disorders and Anaesthesia: **488**
International Anesthesiology Clinics. Management of the Operating Room, Vol. 36: **660**
International Practice of Anaesthesia: **109**
Key Topics in Chronic Pain: **110**
Measurement of Pain in Infants and Children. Progress in Pain Research and Management, vol. 10: **302**
Methods in Molecular Biology, vol. 100: Nitric Oxide Protocols: **303**
Neural Blockade, 3rd Edn: **489**
Obstetric Anaesthesia and Uncommon Disorders: **829**
Post-operative Recovery and Pain Relief: **489**
Principles and Practice of Total Intravenous Anaesthesia: **661**
Problems in Anaesthesia. Pre-operative Evaluation in an Era of Cost Containment, vol. 9, No. 2: **488**
Problems in Anesthesia. Management of Acute Paine, Vol. 10, No. 1: **997**
Progress in Pain Research and Management, Vol. 9, Molecular Neurobiology of Pain: **831**
Respiratory Measurement: **997**
Sickle Cell Pain. Progress in Pain Research and Management, Vol. 11: **830**
Simulators in Anesthesiology Education: **660**
Textbook of Intravenous Anesthesia: **301**
The Genesis of Surgical Anesthesia: **302**
The Laryngeal Mask Airway: A Review and Practical Guide: **488**
The Pathophysiology of Pneumoperitoneum: **830**
Who Cares? The Great British Health Debate: **832**
brain, blood flow, Effects of 1 MAC desflurane on cerebral metabolism, blood flow and carbon dioxide reactivity in humans **155**
Factors affecting assessment of cerebral autoregulation using the transient hyperaemic response test **317**
brain, carbon dioxide reactivity, Effects of 1 MAC desflurane on cerebral metabolism, blood flow and carbon dioxide reactivity in humans **155**
brain, electroconvulsive therapy, Atropine premedication and the cardiovascular response to electroconvulsive therapy **466**
brain, evoked potentials, Differential effects of nitrous oxide and propofol on myogenic motor-evoked responses: *correspondence*, **296**
Effect of remifentanil on the auditory evoked response and haemodynamic changes after intubation and surgical incision **785**
Evoked responses in anaesthesia **771**
"On line" monitoring of cerebral evoked responses: *abstract*, **640P**
The auditory evoked response in cerebral malaria: *abstract*, **815P**
The effect of nitrous oxide on transmission in the dorsal column pathway in the urethane anaesthetized rat: *abstract*, **634P**
brain, GABA, Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
brain, injury, Acute brain injury and the ECG: QT dispersion is increased: *abstract*, **819P**
Acute brain injury: quantifying neuro-metabolic changes using chemical shift magnetic resonance imaging: *abstract*, **818P**
Hypoxic brain injury and neurone specific enolase: *abstract*, **824P**
brain, intracranial pressure, Agreement and artefact: measuring ICP during MR imaging: *abstract*, **819P**
Commentary **797**
Rapid intraoperative reduction of intracranial pressure with thiopentone: *citation classic*, **798**
brain, metabolism, Effects of 1 MAC desflurane on cerebral metabolism, blood flow and carbon dioxide reactivity in humans **155**
brain, monitoring, contrast sensitivity, Effects of a low concentration of isoflurane on contrast sensitivity in volunteers **176**
British Journal of Anaesthesia, The Intensive Care Society and the *British Journal of Anaesthesia*: *editorial*, **494**

calcium channel block, Effects of nicardipine on ventriculo-arterial coupling in humans **180**
calcium channel block, nimodipine, Effect of nimodipine on regression of spinal analgesia **358**
cancer, Opioid tolerance: the clinical perspective **58**
carbon dioxide, elimination, Effect of graft reperfusion on haemodynamics and gas exchange during liver transplantation **311**
carbon dioxide, insufflation, Hazards of carbon dioxide insufflation during thoracoscopy: *correspondence*, **100**
carbon dioxide, measurement, Characteristics of time-dependent P_{CO_2} tonometry in the normal human stomach **669**
carbon dioxide, partial pressure, Changes in blood-gas tensions during apnoeic oxygenation in paediatric patients **338**
Determination of gastric mucosal P_{CO_2}: arterial P_{CO_2} difference (CO_2 gap) needed to produce a mucosal pH (pHi) of 7.32 in the presence of normal systemic pH: *abstract*, **822P**
Gastrointestinal tonometry come of age?: *editorial*, **667**
Tracheal gas insufflation: performance of a phase-specific device and quantification of changes in functional residual capacity in pigs: *abstract*, **644P**
cardiorespiratory system, effects, Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
Observation and purpose: are ventilatory periodicities fine tuning or accidents of physiology?: *correspondence*, **107**
Pulmonary artery catheterization in anaesthesia and intensive care **945**
cardiovascular system, effects, Does optimizing oxygen transport improve outcome in intensive care patients?: *supplement*, **46**
Effect of graft reperfusion on haemodynamics and gas exchange during liver transplantation **311**
Effect of remifentanil on the auditory evoked response and haemodynamic changes after intubation and surgical incision **785**
Haemodynamic and electroencephalographic response to insertion of a cuffed oropharyngeal airway: comparison with the laryngeal mask airway **393**
Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *erratum*, **661**
Haemodynamic stability and ketamine–alfentanil anaesthetic induction **702**
The cardiovascular response to tracheal extubation: effect of a remifentanil bolus: *abstract*, **281P**
cardiovascular system, responses, Atropine premedication and the cardiovascular response to electroconvulsive therapy **466**
β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**
cerebrospinal fluid, Cerebrospinal fluid concentrations of propofol during anaesthesia in humans **957**
First identification of nociceptin in human cerebrospinal fluid: *abstract*, **98**
children, Caring for critically ill children in an adult intensive care unit: *abstract*, **807P**
Commentary **473**
Midazolam given as an intranasal spray in children: *correspondence*, **100**
Opioid tolerance: the clinical perspective **58**

Oral granisetron prevents postoperative vomiting in children **390**
Prolonged endotracheal intubation in infants and children: *citation classic*, **474**
Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
complications, Complications in the first 48 h after surgery: comparison between the general ward and HDU: *abstract*, **810P**
complications, achondroplasia, Epidural anaesthesia for Caesarean section in an achondroplastic dwarf **619**
complications, acute lung injury, Effect of inhaled nitric oxide therapy on inflammatory response within the lung in ALI: *abstract*, **645P**
Effect of inhaled nitric oxide therapy on oxidant stress during ALI: *abstract*, **645P**
complications, anaemia, Erythropoietic response to acute and chronic anaemia: focus on postoperative anaemia: *supplement*, **2**
Foreword: *supplement*, **1**
Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery: *supplement*, **38**
Management of preoperative anaemia: *supplement*, **56**
Methods for reduction of perioperative bleeding: *supplement*, **62**
Myocardial ischaemia in anaemic patients: *supplement*, **10**
Perioperative management of anaemia: *supplement*, **20**
Transfusion requirements in critical care (TRICC): a multicentre, randomized, controlled clinical study: *supplement*, **25**
complications, apnoea, Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block **793**
complications, arteriovenous malformation, Anaesthetic management of a woman who became paraplegic at 22 weeks' gestation after a spontaneous spinal cord haemorrhage secondary to a presumed arteriovenous malformation **976**
complications, asystole, Induction of anaesthesia with sevoflurane and low-dose remifentanil: asystole following laryngoscopy: *correspondence*, **994**
complications, bradycardia, Incidence of bradycardia during recovery from spinal anaesthesia: influence of patient position **723**
Pre-emptive glycopyrrolate and bradycardia during elective gynaecological laparoscopy: *abstract*, **287P**
complications, brain stem death, Brain stem death and multi-organ donor management: a telephone survey of North West practice: *abstract*, **806P**
complications, bronchospasm, Effects of thiopental on airway calibre in dogs: direct visualization method using a superfine fibreoptic bronchoscope **203**
complications, catheter misplacement, Portable ultrasound for difficult central venous access: *abstract*, **821P**
complications, coma, The auditory evoked response in cerebral malaria: *abstract*, **815P**
complications, craniosynostosis, Non-invasive aortic blood flow measurement in infants during repair of craniosynostosis **696**
complications, Crohn's disease, Opioid requirement during surgery for Crohn's disease: *abstract*, **94**
complications, dementia, Postoperative cognitive deficit in the elderly surgical patient **449**
complications, disseminated intravascular coagulation, Aprotinin therapy and disseminated intravascular coagulation after hip replacement: *correspondence*, **995**
complications, Eisenmenger's syndrome, Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome: *correspondence*, **296**
complications, endotoxaemia, Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
Ratio of indocyanine green and glucose dilutions detects capillary protein leakage following endotoxin injection in dogs **193**
complications, exophthalmos, A complication of peribulbar block in a patient with exophthalmos **615**
complications, haematological, Prognosis of patients admitted to the intensive care with life threatening medical complications of haematological malignancy: has it changed?: *abstract*, **813P**
complications, hepatic encephalopathy, Use of remifentanil in a patient with chronic hepatic failure **265**
complications, hypoadrenalism, Hypoadrenalism in children with septic shock: *abstract*, **644P**
complications, hypotension, Peripheral blocks of the lower limb for repair of fractured neck of femur: *correspondence*, **483**
Postoperative cognitive deficit in the elderly surgical patient **449**
complications, hypothermia, Methods for reduction of perioperative bleeding: *supplement*, **62**
complications, hypoxaemia, Postoperative hypoxaemia: *correspondence*, **826**
complications, iron deficiency, Functional iron deficiency in critical illness: *abstract*, **817P**
complications, ischaemia, Myocardial ischaemia in anaemic patients: *supplement*, **10**
complications, laryngotracheal separation, Laryngotracheal separation after attempted hanging **612**
complications, malaria, The auditory evoked response in cerebral malaria: *abstract*, **815P**
complications, meningococcal disease, Microvascular changes in children with meningococcal disease: *abstract*, **815P**
complications, methaemoglobinaemia, Methaemoglobinaemia after supraclavicular block with prilocaine in patients with renal failure: *abstract*, **632P**
complications, morbidity, Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery: *supplement*, **38**
Morbidity after day-case tonsillectomy in children: *correspondence*, **295**
complications, mortality, Agreement between ante-mortem clinical diagnosis, death certificate and post-mortem causes of death in critically ill patients: *abstract*, **643P**
APACHE II, data accuracy and outcome prediction: *abstract*, **811P**
Are deaths on hospital wards potentially preventable?: *abstract*, **811P**
Does optimizing oxygen transport improve outcome in intensive care patients?: *supplement*, **46**
Does transferring patients between hospitals for intensive care alter outcome?: *abstract*, **809P**
Patients admitted to the ICU from the ward: effect of the patient at risk team: *abstract*, **812P**
Procalcitonin and mortality in children with septic shock: *abstract*, **815P**
The patient at risk team: identifying and managing critically ill ward patients: *abstract*, **812P**
complications, neurological, A survey of neurosurgical transfers to a neurointensive care unit: *abstract*, **807P**
complications, opioid tolerance, Opioid tolerance: the clinical perspective **58**
complications, phantom limb pain, Pain after amputation: *correspondence*, **486**
complications, post-dural puncture headache, Postdural puncture headache after combined spinal–epidural analgesia and anaesthesis: *correspondence*, **658**
complications, primary pulmonary hypertension, Anaesthesia for Caesarean section in the presence of severe primary pulmonary hypertension **790**
complications, putuitary apoplexy, Pituitary apoplexy after spinal anaesthesia **616**
complications, sepsis, Catheter related sepsis (CRS) surveillance in an ICU: *abstract*, **816P**
Effect of lipoteichoic acid infusion on the pulmonary circulation in the anaesthetized pig: *abstract*, **648P**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
Long-term outcome of patients treated in a district general hospital intensive care unit after severe sepsis or SIRS: *abstract*, **651P**
Quality of albumin from sepsis patients: *abstract*, **647P**
Urine and plasma cytokine concentrations in the critically ill: *abstract*, **647P**
complications, septic shock, Effects of the selective inducible nitric oxide synthase inhibitor L-NIL on circulatory failure and multiple organ injury caused by endotoxaemia in the rat: *abstract*, **645P**
Hypoadrenalism in children with septic shock: *abstract*, **644P**
Plasma antioxidant activity towards phospholipid hydroperoxide is reduced in septic shock: *abstract*, **817P**
Procalcitonin and mortality in children with septic shock: *abstract*, **815P**
complications, sexual dysfunction, Sexual dysfunction after intensive care: *abstract*, **809P**
complications, shivering, I.v. clonidine prevents post-extradural shivering **145**
complications, transient radicular irritation, Repeated transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine **471**

Transient radicular irritation after spinal anaesthesia with 2% isobaric mepivacaine **622**
computers, fuzzy logic, Development of a self learning fuzzy controller for mivacurium induced neuromuscular block: *abstract*, **636P**
computers, simulation, A case made for automated anaesthetic record keeping?: *correspondence*, **482**
A physiology simulator: validation of its respiratory components and its ability to predict the patient's response to changes in mechanical ventilation **327**

dog, Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**
Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
drug delivery, inhalation, Novel routes of opioid administration **3**
drug delivery, intranasal, Novel routes of opioid administration **3**
drug delivery, iontophoresis, Novel routes of opioid administration **3**

embolism, air, Venous air embolism and PEEP: a clinical research blind-spot: *correspondence*, **105**
enzymes, cholinesterase, Mivacurium compared with succinylcholine in children with liver disease **463**
The influence of metoclopramide on the duration of action of mivacurium: *abstract*, **636P**
enzymes, cytochrome 3A, The CYP 3A4 inhibitor itraconazole has no effect on the pharmacokinetics of i.v. fentanyl **598**
enzymes, gluthathione, Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance **584**
enzymes, neurone specific enolase, Hypoxic brain injury and neurone specific enolase: *abstract*, **824P**
equipment, breathing systems, A comparative study of the incidence of nosocomial colonization in patients with closed suction catheter changes at 24 *vs* 48 h: *abstract*, **823P**
A qualitative investigation into the physical stability of polyethylene in isoflurane and sevoflurane: *abstract*, **281P**
Model for the administration of low-flow anaesthesia **161**
Performance of proportional and continuous nitric oxide delivery systems during pressure- and volume-controlled ventilation **544**
Sevoflurane pharmacokinetics: effect of cardiac output **495**
equipment, catheters, Audit of pulmonary artery catheter insertion and use in the first 24 h: *abstract*, **651P**
equipment, catheters extradural, Extradural catheterization: *correspondence*, **298**
equipment, catheters pulmonary artery, Pulmonary artery catheterization in anaesthesia and intensive care **945**
equipment, catheters subarachnoid, Continuous spinal anaesthesia **590**
equipment, catheters transtracheal, Complication of the transtracheal catheter: *correspondence*, **825**
equipment, deep-tissue thermometer, Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
equipment, defibrillators, Paddle size in defibrillation: *correspondence*, **657**
equipment, face mask, Vital capacity and tidal volume preoxygenation with a mouthpiece **787**
equipment, fibreoptic bronchoscope, Effects of thiopental on airway calibre in dogs: direct visualization method using a superfine fibreoptic bronchoscope **203**
equipment, fibreoptic laryngoscope, Correlating fibreoptic nasotracheal endoscopy performance and psychomotor aptitude **687**
equipment, filters, Using breathing system filters as oxygen delivery devices: *abstract*, **288P**
equipment, guidewire, A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *correspondence*, **103**
A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *erratum*, **828**
equipment, infusion systems, Propofol and asepsis: is it safer to use the TCI technique?: *correspondence*, **484**
equipment, masks anaesthesia, Airway control during percutaneous dilatational tracheostomy: pilot study with the intubating layrngeal mask airway **608**
Appropriate size of the laryngeal mask airway in adults: *correspondence*, **656**
Autocolaving impairs the connector-tube bond of the laryngeal mask airway but not its airtightness **795**
Haemodynamic and electroencephalographic response to insertion of a cuffed oropharyngeal airway: comparison with the laryngeal mask airway **393**
Influence of cuff volume on oropharyngeal leak pressure and fibreoptic position with the laryngeal mask airway **186**
Large goitre causing difficult intubation and failure to intubate using the intubating laryngeal mask airway: lessons for next time **979**
Laryngeal mask airway and incidence of gastro-oesophageal reflux in paralysed patients undergoing ventilation for elective orthopaedic surgery **537**
Laryngeal mask and tonsillectomy: *correspondence*, **996**
Saline as an alternative to air for filling the laryngeal mask airway cuff **398**
The intubating laryngeal mask airway (ILMA): initial experience in Singapore **610**
Use of laryngeal mask during tonsillectomy: *correspondence*, **298**
equipment, microdialysis, Use of a microdialysis system under hyberbaric conditions: *abstract*, **639P**
equipment, mouthpiece, Vital capacity and tidal volume preoxygenation with a mouthpiece **787**
equipment, scavenging devices, Evaluation of nitrogen dioxide scavengers during delivery of inhaled nitric oxide **404**
equipment, tubes nasogastric, Change of nasogastric tube via Seldinger technique: *correspondence*, **107**
equipment, tubes tracheal, Haemodynamic and electroencephalographic response to insertion of a cuffed oropharyngeal airway: comparison with the laryngeal mask airway **393**
Method for reinserting the connector after cutting paediatric tubes: *correspondence*, **299**
The pressure limited tracheal tube cuff: prevention of aspiration of oropharyngeal fluid to the lungs: *abstract*, **823P**
Errata, A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *erratum*, **828**
Does speed of intrathecal injection affect the distribution of 0.5% hyperbaric bupivacaine: *erratum*, **1001**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *erratum*, **661**
Leucocyte distribution during sevoflurane anaesthesia: *erratum*, **111**
Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *erratum*, **1001**
Myocardial ischaemia after coronary artery bypass grafting: early *vs* late extubation: *erratum*, **111**
eye, intraocular pressure, Remifentanil prevents an increase in intraocular pressure after succinylcholine and tracheal intubation **606**

fluids, colloidal resuscitation, Effects of resuscitation fluids on T cell immune responses **242**
fluids i.v., Binding of calcium to albumin and gelatin solutions: *abstract*, **816P**
Not all crystalloid solutions are equal: *correspondence*, **989**
formulations, concentration, Antibacterial activity of lidocaine in mixtures with Diprivan **444**
formulations, propofol, Antibacterial activity of lidocaine in mixtures with Diprivan **444**

gases non-anaesthetic, nitric oxide, Evaluation of nitrogen dioxide scavengers during delivery of inhaled nitric oxide **404**
gases non-anaesthetic, nitrogen dioxide, Evaluation of nitrogen dioxide scavengers during delivery of inhaled nitric oxide **404**
gastrointesinal tract, reflux, Laryngeal mask airway and incidence of gastro-oesophageal reflux in paralysed patients undergoing ventilation for elective orthopaedic surgery **537**
gastrointestinal tract, blood flow, Epidural analgesia with bupivacaine does not improve splanchnic tissue perfusion after aortic reconstruction surgery **893**
gastrointestinal tract, bowel function, Influence of dopexamine on the duration of postoperative colonic inhibition in patients undergoing planned colorectal surgery: *abstract*, **823P**
gastrointestinal tract, emptying, Effect of anxiety on the rate of gastric emptying of liquids **522**
Effects of methylnaltrexone on chronic opioid-induced gut motility and transit time changes: *abstract*, **94**
gastrointestinal tract, mucosal perfusion, Gastric tonometry: *in vivo* comparison of saline and air tonometry in patients with cardiogenic shock **676**
gastrointestinal tract, pH, Characteristics of time-dependent P_{CO_2} tonometry in the normal human stomach **669**
Determination of gastric mucosal P_{CO_2}: arterial P_{CO_2} difference (CO_2 gap) needed to produce a mucosal pH

(pHi) of 7.32 in the presence of normal systemic pH: *abstract*, **822P**
Gastric tonometry: *in vivo* comparison of saline and air tonometry in patients with cardiogenic shock **676**
Laryngeal mask airway and incidence of gastro-oesophageal reflux in paralysed patients undergoing ventilation for elective orthopaedic surgery **537**
genetic factors, Epidural anaesthesia for Caesarean section in an achondroplastic dwarf **619**
Use of transcriptional control of a reporter gene as a measure of δ opioid receptor activation: *abstract*, **96**
genetic factors, hyperthermia, Genetic linkage analysis in malignant hyperthermia using a quantitative phenotype approach: *abstract*, **291P**

hamster, Effects of dantrolene on the diaphragm muscle of the normal and myopathic hamster **553**
The effects of endomorphin-1 on cAMP formation and $[Ca^{2+}]_i$ in Chinese hamster ovary cells expressing recombinant μ-opioid receptors and SH-SY5Y cells: *abstract*, **290P**
heart, arrhythmia, fibrillation, Paddle size in defibrillation: *correspondence*, **657**
The CardioPump: CEPOD guidelines and validation of new techniques: *correspondence*, **101**
heart, cardiac output, Use of transoesophageal Doppler to derive cardiac output in ventilated children: *abstract*, **822P**
heart, cardiopulmonary bypass, A single dose of milrinone facilitates separation from cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction **782**
Comparison of plasma and urinary pro- and anti-inflammatory cytokine changes during cardiac surgery: *abstract*, **639P**
Improved performance with single dose phosphodiesterase inhibitor?: *editorial*, **663**
heart, coronary artery bypass grafting, Myocardial ischaemia after coronary artery bypass grafting: early *vs* late extubation: *erratum*, **111**
heart, heart rate, Incidence of bradycardia during recovery from spinal anaesthesia: influence of patient position **723**
Loss of heart rate variability in critically ill patients: *abstract*, **283P**
Respiratory sinus arrhythmia and clinical signs of anaesthesia in children **333**
heart, ischaemia, Early and late post-ischaemic recovery of contractile function is affected to different degrees by isoflurane and halothane in the anaesthetized rabbit model **224**
Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Myocardial ischaemia after coronary artery bypass grafting: early *vs* late extubation: *erratum*, **111**
Myocardial ischaemia in anaemic patients: *supplement*, **10**
heart, milrinone, A single dose of milrinone facilitates separation from cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction **782**
heart, myocardial function, A single dose of milrinone facilitates separation from cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction **782**
An observational study of the incidence of myocardial injury in the ICU using daily estimations of troponin I, CK MB, myoglobin and daily ECG: *abstract*, **820P**
Comparison of the myocardial effects of desflurane and isoflurane in healthy patients: assessment by continuous oesophageal aortic blood flow echo-Doppler **844**
Dynamic hyperinflation—the anaesthetist applying a tourniquet to the right heart: *editorial*, **116**
Effect of endotoxin on mechanical function and triacylglycerol metabolism in rat myocardium: *abstract*, **287P**
Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Improved performance with single dose phosphodiesterase inhibitor?: *editorial*, **663**
Pulmonary artery catheterization in anaesthesia and intensive care **945**
heart, phosphodiesterase inhibitors, Improved performance with single dose phosphodiesterase inhibitor?: *editorial*, **663**
heart, resuscitation, As seen on TV: cardiopulmonary resuscitation and television dramas: *abstract*, **650P**
Employment of a resuscitation training officer improves delivery of cardiopulmonary resuscitation in a district general hospital: *abstract*, **650P**
Paddle size in defibrillation: *correspondence*, **657**
The CardioPump: CEPOD guidelines and validation of new techniques: *correspondence*, **101**
heart, stroke work, Effects of nicardipine on ventriculo-arterial coupling in humans **180**
heart, ventrico-arterial coupling, Effects of nicardipine on ventriculo-arterial coupling in humans **180**
histamine, Effects of thiopental on airway calibre in dogs: direct visualization method using a superfine fibreoptic bronchoscope **203**
history, anaesthesia, Adverse effects of extradural and intrathecal opiates: report of a nationwide survey in Sweden: *citation classic*, **86**
Commentary **271**
Commentary **625**
Commentary **797**
Commentary **473**
Commentary **982**
Commentary **85**
Control of the malignant hyperpyrexic syndrome in MHS swine by dantrolene sodium: *citation classic*, **626**
Postoperative analgesia and lung function: A comparison of morphine with extradural block: *citation classic*, **984**
Prolonged endotracheal intubation in infants and children: *citation classic*, **474**
Rapid intraoperative reduction of intracranial pressure with thiopentone: *citation classic*, **798**
Some effects of anaesthesia and surgery on carbohydrate and fat metabolism: *citation classic*, **273**
hormones, adrenal, Adrenal failure in the critically ill **468**
Adrenocortical function in critical illness: *editorial*, **308**
horse, Comparison of the effects of halothane, isoflurane and methoxyflurane on the electroencephalogram of the horse **748**
hypnotics barbiturate, pentobarbital, Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
hypnotics barbiturate, phenobarbital, Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
hypnotics benzodiazepine, midazolam, Intranasal midazolam for premedication of children undergoing day-case anaesthesia: comparison of two delivery systems with assessment of intra-observer variability **865**
Midazolam given as an intranasal spray in children: *correspondence*, **100**
Sedation depends on the level of sensory block induced by spinal anaesthesia **970**
hypothermia, Pharmacological vasodilatation improves efficiency of rewarming from hypothermic cardiopulmonary bypass **147**
hypoxaemia, Evaluation of routine tracheal extubation in children: inflating or suctioning technique? **692**
hypoxia, Effects of posture on blood flow diversion by hypoxic pulmonary vasoconstriction in dogs **425**
Influence of dose of domperidone on the acute ventilatory response to hypoxia in humans **322**
Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
Postoperative cognitive deficit in the elderly surgical patient **449**

immune response, Comparison of plasma and urinary pro- and anti-inflammatory cytokine changes during cardiac surgery: *abstract*, **639P**
Immune response and iron metabolism: *supplement*, **6**
Opioids and the immune system: *editorial*, **834**
Risk of allogeneic transfusions: *supplement*, **16**
TH1/TH2 cell ratios in spinal and general anaesthesia: *abstract*, **286P**
immune response, natual killer cells, Pre-operative versus postoperative administration of morphine: impact on the neuroendocrine, behavioural, and metastatic-enhancing effects of surgery **216**
immune response, suppression, Effects of resuscitation fluids on T cell immune responses **242**
infants, Commentary **473**
Prolonged endotracheal intubation in infants and children: *citation classic*, **474**
infection, bacterial, A comparative study of the incidence of nosocomial colonization in patients with closed suction catheter changes at 24 *vs* 48 h: *abstract*, **823P**
A comparison of the antibacterial activity of levobupivacaine versus bupivacaine: an *in vitro* study: *abstract*, **284P**
Antibacterial activity of lidocaine in mixtures with Diprivan **444**

Clinical associations with bacterial translocation: *abstract*, **816P**
Peptidoglycan derived from the cell wall of a non-pathogenic gram-positive bacterium synergises with endotoxin to cause organ injury/dysfunction in the rat: *abstract*, **814P**
intensive care, Adrenal failure in the critically ill **468**
Adrenocortical function in critical illness: *editorial*, **308**
Agreement between ante-mortem clinical diagnosis, death certificate and post-mortem causes of death in critically ill patients: *abstract*, **643P**
Altered ceftazidime pharmacokinetics in critically ill patients: *abstract*, **649P**
Complications in the first 48 h after surgery: comparison between the general ward and HDU: *abstract*, **810P**
Does optimizing oxygen transport improve outcome in intensive care patients?: *supplement*, **46**
Dosing regimens for nebulized gentamicin in intensive care: *abstract*, **648P**
Hypoadrenalism in children with septic shock: *abstract*, **644P**
Impact of a high dependency unit on the workload of an intensive care unit: *abstract*, **649P**
Loss of heart rate variability in critically ill patients: *abstract*, **283P**
Nuclear factor κB activation in the critically ill: *abstract*, **285P**
Pulmonary artery catheterization in anaesthesia and intensive care **945**
Rapidly progressive loss of muscle mass in the critically ill: *abstract*, **646P**
Renal clearance of TNF-α and IL-13 in critically ill patients: *abstract*, **652P**
Serum albumin and colloid osmotic pressure in survivors and non-survivors of critical illness: *abstract*, **646P**
Transfusion requirements in critical care (TRICC): a multicentre, randomized, controlled clinical study: *supplement*, **25**
Use of pre-sedation GCS improves the performance of APACHE III when the GCS cannot be assessed: *abstract*, **643P**
Use of remifentanil in the transfer of the critically ill: *abstract*, **651P**
intensive care, audit, A critical care liaison service: *abstract*, **650P**
A multi-centre study of obstetric admissions to intensive care units in Southern England: *abstract*, **813P**
A survey of neurosurgical transfers to a neurointensive care unit: *abstract*, **807P**
Agreement between ante-mortem clinical diagnosis, death certificate and post-mortem causes of death in critically ill patients: *abstract*, **643P**
An audit of mortality for combined renal and respiratory failure in Scottish ICU: *abstract*, **820P**
Analysis of outcome of ICU patients with acute renal failure in the UK: *abstract*, **810P**
APACHE II, data accuracy and outcome prediction: *abstract*, **811P**
Are deaths on hospital wards potentially preventable?: *abstract*, **811P**
Audit of pulmonary artery catheter insertion and use in the first 24 h: *abstract*, **651P**
Brain stem death and multi-organ donor management: a telephone survey of North West practice: *abstract*, **806P**
Caring for critically ill children in an adult intensive care unit: *abstract*, **807P**
Catheter related sepsis (CRS) surveillance in an ICU: *abstract*, **816P**
Critical incident reporting in a district general hospital: *abstract*, **805P**
Does transferring patients between hospitals for intensive care alter outcome?: *abstract*, **809P**
Effect of inter-hospital transfer on the general intensive care patient: *abstract*, **649P**
Employment of a resuscitation training officer improves delivery of cardiopulmonary resuscitation in a district general hospital: *abstract*, **650P**
Evaluation of predicted and actual length of stay in 22 Scottish ITU using the acute physiology and chronic health evaluation III (APACHE III) system: *abstract*, **813P**
Functional iron deficiency in critical illness: *abstract*, **817P**
How different are critically ill medical patients in the ICU?: *abstract*, **809P**
Immediate impact of opening a high dependency unit on intensive care workload: *abstract*, **804P**
Impact of a high dependency unit on the workload of an intensive care unit: *abstract*, **649P**
Impact of consultant surgeon appointments on intensive care workload: *abstract*, **650P**
Impact of opening a high dependency unit on the relative cost of living on intensive care: *abstract*, **804P**
Implications of a change in operational policy: *abstract*, **805P**
Implications of methicillin-resistant *Staphylococcus aureus* in a general intensive care unit: *abstract*, **648P**
Increased cerebral venous oxyhaemoglobin saturation and poor outcome in acute brain injury: *abstract*, **810P**
Long-term outcome of patients treated in a district general hospital intensive care unit after severe sepsis or SIRS: *abstract*, **651P**
Outcome of mechanical ventilation for exacerbations of chronic airflow limitation: *abstract*, **647P**
Patients admitted to the ICU from the ward: effect of the patient at risk team: *abstract*, **812P**
Prognosis of patients admitted to the intensive care with life threatening medical complications of haematological malignancy: has it changed?: *abstract*, **813P**
Prognostic indices following emergency aortic aneurysm repair: *abstract*, **808P**
Secondary transport of critically ill obstetric patients: *abstract*, **805P**
Sexual dysfunction after intensive care: *abstract*, **809P**
The patient at risk team: identifying and managing critically ill ward patients: *abstract*, **812P**
Tracheostomy in the intensive care unit (ICU): things have changed: *abstract*, **822P**
Validation of outcome prediction in elderly patients: *abstract*, **808P**
Why is there increased demand for critical care?: *abstract*, **807P**
intensive care, infection, Dosing regimens for nebulized gentamicin in intensive care: *abstract*, **648P**
Implications of methicillin-resistant *Staphylococcus aureus* in a general intensive care unit: *abstract*, **648P**
intensive care, obstetric, A multi-centre study of obstetric admissions to intensive care units in Southern England: *abstract*, **813P**
intensive care, transfer, Effect of inter-hospital transfer on the general intensive care patient: *abstract*, **649P**
intensive care, workload, Impact of consultant surgeon appointments on intensive care workload: *abstract*, **650P**
intubation nasotracheal, Correlating fibreoptic nasotracheal endoscopy performance and psychomotor aptitude **687**
intubation nasotracheal, training, Correlating fibreoptic nasotracheal endoscopy performance and psychomotor aptitude **687**
intubation tracheal, A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *correspondence*, **103**
A guide for tube exchange using a fibrescope and the plastic sheath of a guidewire in small children: *erratum*, **828**
A proposed classification of stylo-hyoid ossification for anaesthetists: *abstract*, **288P**
Airway control during percutaneous dilatational tracheostomy: pilot study with the intubating layrngeal mask airway **608**
An updated two dimensional model for anatomical/blade interaction in tracheal intubation: *abstract*, **638P**
Appropriate size of the laryngeal mask airway in adults: *correspondence*, **656**
Assessment of intubating conditions in adults after induction with propofol and varying doses of remifentanil **540**
Commentary **473**
Comparison of different dose regiments of remifentanil on the cardiovascular response to orotracheal intubation: *abstract*, **637P**
Early vs late tracheal extubation after CABG surgery: *correspondence*, **105**
Education and training in airway management: *editorial*, **305**
Effect of remifentanil on the auditory evoked response and haemodynamic changes after intubation and surgical incision **785**
Effects of lightwand (Trachlight) compared with direct laryngoscopy on circulatory responses to tracheal intubation **253**
Haemodynamic and electroencephalographic response to insertion of a cuffed oropharyngeal airway: comparison with the laryngeal mask airway **393**
Large goitre causing difficult intubation and failure to intubate using the intubating laryngeal mask airway: lessons for next time **979**
Laryngotracheal separation after attempted hanging **612**
Modelling the posterior pharyngeal wall: *abstract*, **288P**
Myocardial ischaemia after coronary artery bypass grafting: early *vs* late extubation: *erratum*, **111**
Prolonged endotracheal intubation in infants and children: *citation classic*, **474**
Saline as an alternative to air for filling the laryngeal mask airway cuff **398**

Sevoflurane for difficult tracheal intubation: *correspondence*, **103**
The cardiovascular response to tracheal extubation: effect of a remifentanil bolus: *abstract*, **281P**
The effect of remifentanil upon the hypertensive response to orotracheal intubation: *abstract*, **97**
The intubating laryngeal mask airway (ILMA): initial experience in Singapore **610**
The pressure limited tracheal tube cuff: prevention of aspiration of oropharyngeal fluid to the lungs: *abstract*, **823P**
intubation tracheal, complications, Large goitre causing difficult intubation and failure to intubate using the intubating laryngeal mask airway: lessons for next time **979**
intubation tracheal, difficult, Practical airway assessment: *correspondence*, **655**
Submandibular duct stone and difficult tracheal intubation: *correspondence*, **101**
intubation tracheal, extubation, Evaluation of routine tracheal extubation in children: inflating or suctioning technique? **692**
intubation tracheal, technique, The intubating laryngeal mask airway (ILMA): initial experience in Singapore **610**
ions, calcium, Binding of calcium to albumin and gelatin solutions: *abstract*, **816P**
Changes in ionized calcium concentrations and acid–base status during abdominal aortic vascular surgery **965**
Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
Does high dose magnesium attenuate reperfusion rise in intracellular calcium in orthotopic liver transplantation?: *abstract*, **291P**
Effects of C-terminal truncation of the δ opioid receptor on [D-|Pen^{2,5}-enkephalin (DPDPE) stimulated increases in intracellular calcium: *abstract*, **95**
Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**
Opioid receptor independent effects of morphine on membrane currents in single cardiac myocytes **925**
ions, ion channels, Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**
Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
ions, ion channels, potassium, Differential effects of halothane on cardiac potassium channels: *abstract*, **286P**
ions, ion channels, voltage-gated, Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
ions, potassium, Differential effects of halothane on cardiac potassium channels: *abstract*, **286P**
Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
ions, sodium, Opioid receptor independent effects of morphine on membrane currents in single cardiac myocytes **925**

kidney, disease, Recent advances and developments in the clinical use of i.v. opioids during the peroperative period **38**
kidney, failure, Adrenal failure in the critically ill **468**
Adrenocortical function in critical illness: *editorial*, **308**
Analysis of outcome of ICU patients with acute renal failure in the UK: *abstract*, **810P**
Ketorolac does not increase the risk of renal dysfunction after lung surgery: *correspondence*, **484**
Propofol infusion for induction and maintenance of anaesthesia in patients with end-stage renal disease **854**
kidney, function, An audit of mortality for combined renal and respiratory failure in Scottish ICU: *abstract*, **820P**
kidney, transplantation, Patient controlled morphine analgesia (PCA morphine) in cadaveric renal transplant recipients: does morphine-6-glucuronide accumulate?: *abstract*, **630P**

larynx, anatomy, A proposed classification of stylo-hyoid ossification for anaesthetists: *abstract*, **288P**
larynx, cricoid pressure, Assessment of the 50 ml syringe as a simple training aid in the application of cricoid pressure: *abstract*, **292P**
Can cricoid force be maintained for five minutes?: *abstract*, **641P**
larynx, laryngoscopy, A comparison of video imaging and cuff pressure change at the larynx: *abstract*, **285P**
liver, cirrhosis, Use of remifentanil in a patient with chronic hepatic failure **265**
Vascular properties of isoflurane: comparison between normal and cirrhotic rats **968**
liver, disease, Mivacurium compared with succinylcholine in children with liver disease **463**
Recent advances and developments in the clinical use of i.v. opioids during the peroperative period **38**
liver, hepatocytes, Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance **584**
liver, transplantation, Does high dose magnesium attenuate reperfusion rise in intracellular calcium in orthotopic liver transplantation?: *abstract*, **291P**
Effect of graft reperfusion on haemodynamics and gas exchange during liver transplantation **311**
Is tranexamic acid as effective as α2 antiplasmin at correcting coagulopathy in liver transplantation?: *abstract*, **282P**
Metabolism of remifentanil during liver transplantation **881**
Neutrophil activation and ischaemia–reperfusion syndrome in liver transplantation: evidence for: *abstract*, **279P**
Neutrophil activation following reperfusion in orthotopic liver transplantation: the argument against: *abstract*, **279P**
lung, acute respiratory distress syndrome, Inhaled nitric oxide and the longitudinal distribution of PVR in ARDS: *correspondence*, **990**
Relationshp between mixed venous oxygen tension, oxyhaemoglobin saturation and arterial oxygen tension in acute respiratory distress syndrome (ARDS): *abstract*, **651P**
lung, adult respiratory distress syndrome, Extravascular lung water and ARDS – oxygenation and outcome: *abstract*, **640P**
Potent fibroproliferative growth factors are present in bronchoalveolar lavage fluid at the onset of the acute respiratory distress syndrome: *abstract*, **818P**
lung, atelectasis, Airway closure, atelectasis and gas exchange during general anaesthesia **681**
lung, blood flow, Effect of lipoteichoic acid infusion on the pulmonary circulation in the anaesthetized pig: *abstract*, **648P**
Effects of posture on blood flow diversion by hypoxic pulmonary vasoconstriction in dogs **425**
lung, chronic obstructive airways disease, Outcome of mechanical ventilation for exacerbations of chronic airflow limitation: *abstract*, **647P**
lung, function, An audit of mortality for combined renal and respiratory failure in Scottish ICU: *abstract*, **820P**
Commentary **982**
Postoperative analgesia and lung function: A comparison of morphine with extradural block: *citation classic*, **984**
lung, functional residual capacity, Tracheal gas insufflation: performance of a phase-specific device and quantification of changes in functional residual capacity in pigs: *abstract*, **644P**
lung, gas exchange, Airway closure, atelectasis and gas exchange during general anaesthesia **681**
lung, injury, Tracheal gas insufflation: performance of a phase-specific device and quantification of changes in functional residual capacity in pigs: *abstract*, **644P**
lung, intravascular pressures, Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
lung, lavage, Transoesophageal echocardiography in the management of whole lung lavage **262**
lung, metabolism, Metabolism of remifentanil during liver transplantation **881**
lung, shunting, Comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation **850**
lung, vasculature, Inhaled nitric oxide and the longitudinal distribution of PVR in ARDS: *correspondence*, **990**
Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
lung, volume, Evaluation of routine tracheal extubation in children: inflating or suctioning technique? **692**

malignant hyperthermia, Commentary **625**
Control of the malignant hyperpyrexic syndrome in MHS swine by dantrolene sodium: *citation classic*, **626**
Effects of dantrolene on the diaphragm muscle of the normal and myopathic hamster **553**
Genetic linkage analysis in malignant hyperthermia using a quantitative phenotype approach: *abstract*, **291P**
measurement techniques, blood flow, Comparison of the myocardial effects of desflurane and isoflurane in healthy patients: assessment by continuous oesophageal aortic blood flow echo-Doppler **844**

measurement techniques, blood volume, High predictive value of red cell volume measurement using carboxy-haemoglobin in a rabbit model of haemorrhage **940**
measurement techniques, coagulation, Perioperative reliability of an on-site prothrombin time assay under different haemostatic conditions **533**
measurement techniques, Doppler, *In vitro* study of the effect of vessel compliance on the estimated resistance using Doppler indices: *abstract*, **635P**
measurement techniques, Doppler ultrasonography, Factors affecting assessment of cerebral autoregulation using the transient hyperaemic response test **317**
measurement techniques, echo-Doppler, Comparison of the myocardial effects of desflurane and isoflurane in healthy patients: assessment by continuous oesophageal aortic blood flow echo-Doppler **844**
measurement techniques, elastance, Effects of nicardipine on ventriculo-arterial coupling in humans **180**
measurement techniques, electrocorticography, Steady state halothane anaesthesia oscillates between two states of electrocortical arousal: *abstract*, **633P**
measurement techniques, electromyography, Are changes in the evoked electromyogram during anaesthesia without neuromuscular blocking agents caused by failure of supramaximal nerve stimulation **902**
measurement techniques, extraduroscopy, Thoracic and lumbar extradural structure examined by extraduroscope **121**
measurement techniques, fibreoscopy, Influence of cuff volume on oropharyngeal leak pressure and fibreoptic position with the laryngeal mask airway **186**
measurement techniques, indocyanine green, Ratio of indocyanine green and glucose dilutions detects capillary protein leakage following endotoxin injection in dogs **193**
measurement techniques, magnetic resonance imaging, Magnetic resonance imaging of the vertebral canal before and after central nerve block: is there any subclinical bleeding?: *abstract*, **635P**
measurement techniques, neuromuscular block, Are changes in the evoked electromyogram during anaesthesia without neuromuscular blocking agents caused by failure of supramaximal nerve stimulation **902**
measurement techniques, oxygraphy, Vital capacity and tidal volume preoxygenation with a mouthpiece **787**
measurement techniques, spectral analysis, Respiratory sinus arrhythmia and clinical signs of anaesthesia in children **333**
measurement techniques, tonometry, Characteristics of time-dependent P_{CO_2} tonometry in the normal human stomach **669**
Gastric tonometry: *in vivo* comparison of saline and air tonometry in patients with cardiogenic shock **676**
Gastrointestinal tonometry come of age?: *editorial*, **667**
measurement techniques, transoesophageal Doppler, Use of transoesophageal Doppler to derive cardiac output in ventilated children: *abstract*, **822P**
measurement techniques, transoesophageal echocardiography, Transoesophageal echocardiography in the management of whole lung lavage **262**
measurement techniques, transthoracic echocardiography, Discovery of left-sided superior vena cava during central venous catheterization **260**
measurement techniques, ultrasound, Non-invasive aortic blood flow measurement in infants during repair of craniosynostosis **696**
Portable ultrasound before percutaneous tracheostomy: *abstract*, **821P**
Portable ultrasound for difficult central venous access: *abstract*, **821P**
memory, Evoked responses in anaesthesia **771**
metabolism, glucose, Commentary **271**
Ratio of indocyanine green and glucose dilutions detects capillary protein leakage following endotoxin injection in dogs **193**
Some effects of anaesthesia and surgery on carbohydrate and fat metabolism: *citation classic*, **273**
metabolism, iron, Immune response and iron metabolism: *supplement*, **6**
metabolism, lipid, Commentary **271**
Effect of endotoxin on mechanical function and triacylglycerol metabolism in rat myocardium: *abstract*, **287P**
Effects of inhaled oxygen concentration on fat metabolism during propofol infusion in rabbits **761**
Some effects of anaesthesia and surgery on carbohydrate and fat metabolism: *citation classic*, **273**
metabolism, oxygen consumption, Effect of clonidine on changes in plasma catecholamine concentrations and oxygen consumption caused by the cold pressor test **140**
Nitric oxide synthase inhibition prevents endotoxin impairing hepatocyte mitochondrial function: *abstract*, **644P**
model, computer, Closed loop computer controlled sedation with propofol: *abstract*, **631P**
model, computer simulation, A case made for automated anaesthetic record keeping?: *correspondence*, **482**
model, dog, Effects of posture on blood flow diversion by hypoxic pulmonary vasoconstriction in dogs **425**
model, guinea pig, Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
model, heart, Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Opioid receptor independent effects of morphine on membrane currents in single cardiac myocytes **925**
model, inflammatory disease, Peripheral and central mechanisms of pain **8**
model, lung, Concentration and second-gas effects in the water analogue **835**
model, mathematical, An updated two dimensional model for anatomical/blade interaction in tracheal intubation: *abstract*, **638P**
Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *editorial*, **118**
Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *erratum*, **1001**
Modelling the posterior pharyngeal wall: *abstract*, **288P**
model, neuroblastoma cells, Isoflurane inhibition of K^+ evoked noradrenaline release from SH-SY5Y human neuroblastoma cells: *abstract*, **289P**
model, numerical, Model for the administration of low-flow anaesthesia **161**
model, physiological, A physiology simulator: validation of its respiratory components and its ability to predict the patient's response to changes in mechanical ventilation **327**
model, rabbit, Early and late post-ischaemic recovery of contractile function is affected to different degrees by isoflurane and halothane in the anaesthetized rabbit model **224**
High predictive value of red cell volume measurement using carboxy-haemoglobin in a rabbit model of haemorrhage **940**
model, rat, Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
Primary afferent-evoked release of immunoreactive galanin in the spinal cord of the neuropathic rat **436**
The effect of conduction block on spinal ir-galanin release in the neuropathic rat: *abstract*, **633P**
model, sheep, Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
model, simulation, Technique training: endoscopic percutaneous tracheostomy **401**
model, water analogue, Concentration and second-gas effects in the water analogue **835**
monitoring, bispectral index, Haemodynamic and electroencephalographic response to insertion of a cuffed oropharyngeal airway: comparison with the laryngeal mask airway **393**
monitoring, electrocardiography, Acute brain injury and the ECG: QT dispersion is increased: *abstract*, **819P**
monitoring, electroencephalography, An observational study of the incidence of myocardial injury in the ICU using daily estimations of troponin I, CK MB, myoglobin and daily ECG: *abstract*, **820P**
Comparison of the effects of halothane, isoflurane and methoxyflurane on the electroencephalogram of the horse **748**
I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
monitoring, evoked potentials, Evoked responses in anaesthesia **771**
monitoring, fresh-gas flow, Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
monitoring, magnetic resonance imaging, Acute brain injury: quantifying neuro-metabolic changes using chemical shift magnetic resonance imaging: *abstract*, **818P**
Agreement and artefact: measuring ICP during MR imaging: *abstract*, **819P**
monitoring, oximetry, Jugular venous desaturation following cardiac surgery **239**
monitoring, oxygen, Monitoring normovolaemic haemodilution: *supplement*, **73**
monitoring, oxygen saturation, Jugular venous desaturation following cardiac surgery **239**

monitoring, transoesophageal echocardiography, Effects of nicardipine on ventriculo-arterial coupling in humans **180**
muscle cardiac, action potential, Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
muscle cardiac, contractility, Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
muscle cardiac, rapid cooling contracture, Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
muscle cardiac, sarcoplasmic reticulum, Mechanical and electrophysiological effects of mepivacaine on direct myocardial depression *in vitro* **244**
muscle skeletal, diaphragm, Effects of dantrolene on the diaphragm muscle of the normal and myopathic hamster **553**
Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
muscle skeletal, loss, Rapidly progressive loss of muscle mass in the critically ill: *abstract*, **646P**
muscle vascular, pharmacology, Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**
muscle vascular, responses, Thiopental attenuates relaxation and cyclic GMP production in vascular smooth muscle of endotoxin-treated rat aorta, independent of nitric oxide production **601**

nerve, differential block, Differential onset of median nerve block: randomized, double-blind comparison of mepivacaine and bupivacaine in healthy volunteers **515**
nerve, neurotransmitters, Peripheral and central mechanisms of pain **8**
nerve, neurotransmitters, GABA, Aging decreases the sensitivity of the GABA carrier to propofol and etomidate **249**
nerve, second-messenger systems, Molecular mechanisms of opioid receptor signal transduction **12**
nerve, second messengers, Stimulatory effects of opioids **20**
nerve, signal transduction, Molecular mechanisms of opioid receptor signal transduction **12**
nerve, transmission, Differential onset of median nerve block: randomized, double-blind comparison of mepivacaine and bupivacaine in healthy volunteers **515**
Quantitative and selective assessment of sensory block during lumbar epidural anaesthesia with 1% or 2% lidocaine **718**
The effect of conduction block on spinal ir-galanin release in the neuropathic rat: *abstract*, **633P**
The effects of glycinergic block on sensory transmission and on the action of halothane in the urethane anaesthetized rat: *abstract*, **632P**
neuromuscular block, Effect of steroidal neuromuscular blocking drugs on norepinephrine uptake in SH-SY5Y cells: *abstract*, **641P**
neuromuscular block, atracurium, *In vitro* degradation of atracurium and cisatracurium at pH 7.4 and 37°C depends on the composition of the incubating solutions **409**
neuromuscular block, cisatracurium, *In vitro* degradation of atracurium and cisatracurium at pH 7.4 and 37°C depends on the composition of the incubating solutions **409**
Pharmacodynamics of cisatracurium in children and adults: a comparative study: *abstract*, **642P**
neuromuscular block, measurement of response, Are changes in the evoked electromyogram during anaesthesia without neuromuscular blocking agents caused by failure of supramaximal nerve stimulation **902**
neuromuscular block, mivacurium, Development of a self learning fuzzy controller for mivacurium induced neuromuscular block: *abstract*, **636P**
Duration of the pharmacodynamic interaction between pancuronium and mivacurium **251**
Mivacurium compared with succinylcholine in children with liver disease **463**
The influence of metoclopramide on the duration of action of mivacurium: *abstract*, **636P**
neuromuscular block, Org 9487, Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *erratum*, **661**
neuromuscular block, pancuronium, Duration of the pharmacodynamic interaction between pancuronium and mivacurium **251**
Pancuronium reverses methacholine inhibition of cAMP formation in Chinese hamster ovary cells expressing recombinant human muscarinic m2 receptors (CHOm2): *abstract*, **292P**
Residual neuromuscular blockade from pancuronium after cardiac anaesthesia: *abstract*, **637P**
neuromuscular block, rocuronium, Vecuronium, like rocuronium, causes pain on injection: *correspondence*, **487**
neuromuscular block, succinylcholine, Mivacurium compared with succinylcholine in children with liver disease **463**
Remifentanil prevents an increase in intraocular pressure after succinylcholine and tracheal intubation **606**
neuromuscular block, vecuronium, Vecuronium, like rocuronium, causes pain on injection: *correspondence*, **487**
non-steroidal anti-inflammatory drugs, Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery **727**
Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**
Ketorolac does not increase the risk of renal dysfunction after lung surgery: *correspondence*, **484**
Local anaesthetic infiltration for surgical exodontia of third molar teeth: a double-blind study comparing bupivacaine infiltration with i.v. ketorolac **511**
Tenoxicam and paracetamol–codeine combination after oral surgery: a prospective, randomized, double-blind, placebo-controlled study **875**

operating rooms, personnel, Stature of anaesthetic personnel and positioning of patients: *correspondence*, **486**
organizations, Intensive Care Society, The Intensive Care Society and the *British Journal of Anaesthesia*: *editorial*, **494**
organizations, Jehovah's Witnesses, Perioperative care of a Jehovah's Witness with a leaking abdominal aortic aneurysm **256**
oxygen, consumption, Does optimizing oxygen transport improve outcome in intensive care patients?: *supplement*, **46**
Effect of graft reperfusion on haemodynamics and gas exchange during liver transplantation **311**
Effects of nicardipine on ventriculo-arterial coupling in humans **180**
Hyperoxaemia in extreme haemodilution: *supplement*, **79**
Nitric oxide synthase inhibition prevents endotoxin impairing hepatocyte mitochondrial function: *abstract*, **644P**
oxygen, delivery, Does optimizing oxygen transport improve outcome in intensive care patients?: *supplement*, **46**
Hyperoxaemia in extreme haemodilution: *supplement*, **79**
Monitoring normovolaemic haemodilution: *supplement*, **73**
Preoperative packed cell volume necessary for patients undergoing elective surgery: *supplement*, **50**
Using breathing system filters as oxygen delivery devices: *abstract*, **288P**
oxygen, partial pressure, Changes in blood-gas tensions during apnoeic oxygenation in paediatric patients **338**
Comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation **850**
oxygen, saturation, Changes in blood-gas tensions during apnoeic oxygenation in paediatric patients **338**
Changes in nocturnal oxygen saturation and ventilatory patterns in patients who have undergone prolonged mechanical ventilation: *abstract*, **643P**
Increased cerebral venous oxyhaemoglobin saturation and poor outcome in acute brain injury: *abstract*, **810P**
Relationshp between mixed venous oxygen tension, oxyhaemoglobin saturation and arterial oxygen tension in acute respiratory distress syndrome (ARDS): *abstract*, **651P**
oxygen, tension, Effects of inhaled oxygen concentration on fat metabolism during propofol infusion in rabbits **761**
Relationshp between mixed venous oxygen tension, oxyhaemoglobin saturation and arterial oxygen tension in acute respiratory distress syndrome (ARDS): *abstract*, **651P**
oxygen, transport, Critical haemoglobin concentration in anaesthetized dogs: comparison of two plasma substitutes **556**

pain, acute, Pharmacology and potential therapeutic uses of cannabis **77**
pain, chronic, Opioid tolerance: the clinical perspective **58**
Pharmacology and potential therapeutic uses of cannabis **77**
pain, experimental, Comparison of the analgesic potency of xenon and nitrous oxide in humans evaluated by experimental pain **742**
Epibatidine and pain **69**
Primary afferent-evoked release of immunoreactive galanin in the spinal cord of the neuropathic rat **436**
The effect of conduction block on spinal ir-galanin release in the neuropathic rat: *abstract*, **633P**
pain, injection, Nafamostat mesilate, a kallikrein inhibitor, prevents pain on injection with propofol **963**

Vecuronium, like rocuronium, causes pain on injection: *correspondence*, **487**
pain, mechanism, Dextromethorphan and pain after total abdominal hysterectomy **731**
Peripheral and central mechanisms of pain **8**
The orphanin FQ system: an emerging target for the management of pain? **29**
pain, neuropathic, Primary afferent-evoked release of immunoreactive galanin in the spinal cord of the neuropathic rat **436**
pain, phantom limb, Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees **348**
pain, postoperative, A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations **377**
Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery **727**
Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine **887**
Dextromethorphan and pain after total abdominal hysterectomy **731**
Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
Influence of timing of morphine administration on postoperative pain and analgesic consumption **373**
I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study **870**
Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery **369**
Local anaesthetic infiltration for surgical exodontia of third molar teeth: a double-blind study comparing bupivacaine infiltration with i.v. ketorolac **511**
Meta-analysis of the efficacy of extradural clonidine to relieve postoperative pain: an impossible task **126**
Pain after amputation: *correspondence*, **486**
Patient-maintained remifentanil target-controlled infusion for the transition to early postoperative analgesia **365**
Thoracic paravertebral block **230**
Tramadol or morphine administered during operation: a study of immediate postoperative effects after abdominal hysterectomy **737**
Use of remifentanil in a patient with chronic hepatic failure **265**
parasympathetic nervous system, Suppression of parasympathetic reflex vasodilatation in the lower lip of the cat by isoflurane, propofol, ketamine and pentobarbital: implications for mechanisms underlying the production of anaesthesia **563**
parasympathetic nervous system, glycopyrrolate, Neostigmine with glycopyrrolate does not increase the incidence or severity of postoperative nausea and vomiting in outpatients undergoing gynaecological laparoscopy **757**
Pre-emptive glycopyrrolate and bradycardia during elective gynaecological laparoscopy: *abstract*, **287P**
partial pressure, carbon dioxide, Gastrointestinal tonometry come of age?: *editorial*, **667**
pharmacodynamics, Pharmacodynamics of cisatracurium in children and adults: a comparative study: *abstract*, **642P**
Recent advances and developments in the clinical use of i.v. opioids during the peroperative period **38**
Steady-state propofol brain:plasma and brain:blood partition coefficients and the effect-site equilibration paradox **422**
pharmacokinetics, alfentanil, An open, randomized comparison of alfentanil, remifentanil and alfentanil followed by remifentanil in anaesthesia for craniotomy **361**
pharmacokinetics, atracurium, *In vitro* degradation of atracurium and cisatracurium at pH 7.4 and 37°C depends on the composition of the incubating solutions **409**
pharmacokinetics, cisatracurium, *In vitro* degradation of atracurium and cisatracurium at pH 7.4 and 37°C depends on the composition of the incubating solutions **409**
pharmacokinetics, fentanyl, The CYP 3A4 inhibitor itraconazole has no effect on the pharmacokinetics of i.v. fentanyl **598**
pharmacokinetics, nitrous oxide, Concentration and second-gas effects in the water analogue **835**
pharmacokinetics, opioids, Recent advances and developments in the clinical use of i.v. opioids during the peroperative period **38**
The effect of nociceptin, nociceptin analogues and a novel hexapeptide agonist at the ORL-1 receptor in central and peripheral sites: *abstract*, **97**
pharmacokinetics, propofol, Pharmacokinetics of propofol during conscious sedation using target-controlled infusion: *correspondence*, **659**
Propofol infusion for induction and maintenance of anaesthesia in patients with end-stage renal disease **854**
pharmacokinetics, remifentanil, An open, randomized comparison of alfentanil, remifentanil and alfentanil followed by remifentanil in anaesthesia for craniotomy **361**
Metabolism of remifentanil during liver transplantation **881**
pharmacokinetics, sevoflurane, Sevoflurane pharmacokinetics: effect of cardiac output **495**
pharmacokinetics, stereoisomers, A comparison of vasoactivity between levobupivacaine and bupivacaine: *abstract*, **631P**
Epidural pain relief in labour: potencies of levobupivacaine and racemic bupivacaine **899**
pharmacokinetics, transdermal, Perioperative pharmacokinetics of transdermal fentanyl in elderly and young adult patients **152**
pharmacokinetics, uptake, Concentration and second-gas effects in the water analogue **835**
pharmacology, adenosine, Adenosine does not activate peripheral chemoreceptors in the rat: *abstract*, **285P**
pharmacology, alpha$_2$-agonists, Effect of clonidine on changes in plasma catecholamine concentrations and oxygen consumption caused by the cold pressor test **140**
pharmacology, cannabinoids, Pharmacology and potential therapeutic uses of cannabis **77**
pharmacology, clonidine, Effect of clonidine on changes in plasma catecholamine concentrations and oxygen consumption caused by the cold pressor test **140**
I.v. clonidine prevents post-extradural shivering **145**
pharmacology, cromakalim, Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
pharmacology, dantrolene, Effects of dantrolene on the diaphragm muscle of the normal and myopathic hamster **553**
pharmacology, dantrolene sodium, Commentary **625**
Control of the malignant hyperpyrexic syndrome in MHS swine by dantrolene sodium: *citation classic*, **626**
pharmacology, dextromethorphan, Dextromethorphan and pain after total abdominal hysterectomy **731**
pharmacology, domperidone, Influence of dose of domperidone on the acute ventilatory response to hypoxia in humans **322**
pharmacology, dopexamine, Effects of low dose dopexamine in hemihepatectomy patients: *abstract*, **290P**
pharmacology, droperidol, Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**
High-dose ondansetron regimen *vs* droperidol for morphine patient-controlled analgesia **384**
pharmacology, fentanyl, Perioperative pharmacokinetics of transdermal fentanyl in elderly and young adult patients **152**
pharmacology, granisetron, Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**
Oral granisetron prevents postoperative vomiting in children **390**
Prophylactic antiemetic therapy with granisetron in women undergoing thyroidectomy **526**
pharmacology, itraconazole, The CYP 3A4 inhibitor itraconazole has no effect on the pharmacokinetics of i.v. fentanyl **598**
pharmacology, methylnaltrexone, Effects of methylnaltrexone on chronic opioid-induced gut motility and transit time changes: *abstract*, **94**
pharmacology, metoclopramide, The influence of metoclopramide on the duration of action of mivacurium: *abstract*, **636P**
pharmacology, milrinone, A single dose of milrinone facilitates separation from cardiopulmonary bypass in patients with pre-existing left ventricular dysfunction **782**
Milrinone decreases both pulmonary arterial and venous resistances in the hypoxic dog **920**
pharmacology, nafamostat, Nafamostat mesilate, a kallikrein inhibitor, prevents pain on injection with propofol **963**
pharmacology, nitric oxide, Effect of inhaled nitric oxide therapy on inflammatory response within the lung in ALI: *abstract*, **645P**
Effect of inhaled nitric oxide therapy on oxidant stress during ALI: *abstract*, **645P**
Evaluation of nitrogen dioxide scavengers during delivery of inhaled nitric oxide **404**
Inhaled nitric oxide and the longitudinal distribution of PVR in ARDS: *correspondence*, **990**
Nitric oxide synthase inhibition prevents endotoxin impairing hepatocyte mitochondrial function: *abstract*, **644P**
Performance of proportional and continuous nitric oxide

delivery systems during pressure- and volume-controlled ventilation **544**
Thiopental attenuates relaxation and cyclic GMP production in vascular smooth muscle of endotoxin-treated rat aorta, independent of nitric oxide production **601**
pharmacology, ondansetron, An extrapyramidal reaction to ondansetron: *correspondence*, **658**
High-dose ondansetron regimen *vs* droperidol for morphine patient-controlled analgesia **384**
pharmacology, Org 9487, Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *abstract*, **282P**
pharmacology, phosphodiesterase inhibitors, Improved performance with single dose phosphodiesterase inhibitor?: *editorial*, **663**
pharmacology, pinacidil, Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
pharmacology, receptors, Comparison of endogenous and recombinant human ORL-1 receptors expressed in SH-SY5Y and Chinese hamster ovary cells: *abstract*, **98**
pharmacology, sodium nitroprusside, Pharmacological vasodilatation improves efficiency of rewarming from hypothermic cardiopulmonary bypass **147**
pharmacology, tranexamic acid, Is tranexamic acid as effective as α2 antiplasmin at correcting coagulopathy in liver transplantation?: *abstract*, **282P**
physics, baricity, Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyberbaric bupivacaine **502**
pig, Commentary **625**
Control of the malignant hyperpyrexic syndrome in MHS swine by dantrolene sodium: *citation classic*, **626**
Effect of lipoteichoic acid infusion on the pulmonary circulation in the anaesthetized pig: *abstract*, **648P**
Tracheal gas insufflation: performance of a phase-specific device and quantification of changes in functional residual capacity in pigs: *abstract*, **644P**
polypeptides, cytokines, Comparison of plasma and urinary pro- and anti-inflammatory cytokine changes during cardiac surgery: *abstract*, **639P**
Nuclear factor κB activation in the critically ill: *abstract*, **285P**
Renal clearance of TNF-α and IL-13 in critically ill patients: *abstract*, **652P**
Urine and plasma cytokine concentrations in the critically ill: *abstract*, **647P**
position, effects, Effects of posture on blood flow diversion by hypoxic pulmonary vasoconstriction in dogs **425**
Incidence of bradycardia during recovery from spinal anaesthesia: influence of patient position **723**
pregnancy, Anaesthetic management of a woman who became paraplegic at 22 weeks' gestation after a spontaneous spinal cord haemorrhage secondary to a presumed arteriovenous malformation **976**
Secondary transport of critically ill obstetric patients: *abstract*, **805P**
premedication, atropine, Atropine premedication and the cardiovascular response to electroconvulsive therapy **466**
premedication, midazolam, Intranasal midazolam for premedication of children undergoing day-case anaesthesia: comparison of two delivery systems with assessment of intra-observer variability **865**
protein, albumin, Quality of albumin from sepsis patients: *abstract*, **647P**
Serum albumin and colloid osmotic pressure in survivors and non-survivors of critical illness: *abstract*, **646P**
protein, amino acids, Muscle protein synthesis and glutamine concentrations after caecal ligation and puncture (CLP) in the rat: *abstract*, **647P**
protein, amino acids, L-arginine, Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
protein, amino acids, L-lysine, Effect of L-lysine on nitric oxide production in ovine endotoxaemia **188**
Effect of L-lysine on nitric oxide production in ovine endotoxaemia: *erratum*, **661**
protein, plasma, Ratio of indocyanine green and glucose dilutions detects capillary protein leakage following endotoxin injection in dogs **193**
protein, synthesis, Muscle protein synthesis and glutamine concentrations after caecal ligation and puncture (CLP) in the rat: *abstract*, **647P**
psychological responses, Effect of anxiety on the rate of gastric emptying of liquids **522**
psychological responses, postoperative, Postoperative cognitive deficit in the elderly surgical patient **449**
rabbit, Effects of enflurane, isoflurane, sevoflurane and desflurane on reperfusion injury after regional myocardial ischaemia in the rabbit in heart *in vivo* **905**
Effects of inhaled oxygen concentration on fat metabolism during propofol infusion in rabbits **761**
rat, A role for presynaptic NMDA receptors in central sensitization in the spinal cord dorsal horn?: *correspondence*, **294**
Adenosine does not activate peripheral chemoreceptors in the rat: *abstract*, **285P**
Effect of endotoxin on mechanical function and triacylglycerol metabolism in rat myocardium: *abstract*, **287P**
Effects of etomidate, propofol and thiopental anaesthesia on arteriolar tone in the rat diaphragm **430**
Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart **913**
Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**
Effects of nociceptin on cAMP formation in rat cerebrocortical, cerebellar and brainstem membranes: *abstract*, **98**
Effects of the selective inducible nitric oxide synthase inhibitor L-NIL on circulatory failure and multiple organ injury caused by endotoxaemia in the rat: *abstract*, **645P**
I.v. anaesthesia and EEG burst suppression in rats: bolus injections and closed-loop infusions **415**
Muscle protein synthesis and glutamine concentrations after caecal ligation and puncture (CLP) in the rat: *abstract*, **647P**
Peptidoglycan derived from the cell wall of a non-pathogenic gram-positive bacterium synergises with endotoxin to cause organ injury/dysfunction in the rat: *abstract*, **814P**
Pharmacological evidence for different alpha$_2$-adrenergic receptor sites mediating analgesia and sedation in the rat **208**
Pre-operative versus postoperative administration of morphine: impact on the neuroendocrine, behavioural, and metastatic-enhancing effects of surgery **216**
Primary afferent-evoked release of immunoreactive galanin in the spinal cord of the neuropathic rat **436**
The effect of nitrous oxide on transmission in the dorsal column pathway in the urethane anaesthetized rat: *abstract*, **634P**
Thiopental and propofol impair relaxation produced by ATP-sensitive potassium channel openers in the rat aorta **766**
Thiopental attenuates relaxation and cyclic GMP production in vascular smooth muscle of endotoxin-treated rat aorta, independent of nitric oxide production **601**
Vascular properties of isoflurane: comparison between normal and cirrhotic rats **968**
receptors, adrenergic, β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**
Pharmacological evidence for different alpha$_2$-adrenergic receptor sites mediating analgesia and sedation in the rat **208**
receptors, amino acid, A role for presynaptic NMDA receptors in central sensitization in the spinal cord dorsal horn?: *correspondence*, **294**
Differential inhibitory effects of thiopental, thiamylal and phenobarbital on both voltage-gated calcium channels and NMDA receptors in rat hippocampal slices **932**
receptors, CB1 and CB2, Pharmacology and potential therapeutic uses of cannabis **77**
receptors, chemoreceptors, Adenosine does not activate peripheral chemoreceptors in the rat: *abstract*, **285P**
receptors, cholinergic, Pancuronium reverses methacholine inhibition of cAMP formation in Chinese hamster ovary cells expressing recombinant human muscarinic m2 receptors (CHOm2): *abstract*, **292P**
receptors, muscarinic, Volatile anaesthetics have differential effects on recombinant m1 and m3 muscarinic acetylcholine receptor function **569**
receptors, nicotinic, Epibatidine and pain **69**
receptors, opioid, Comparison of endogenous and recombinant human ORL-1 receptors expressed in SH-SY5Y and Chinese hamster ovary cells: *abstract*, **98**
Effects of C-terminal truncation of the δ opioid receptor on [D-]Pen^{2,5}-enkephalin (DPDPE) stimulated increases in intracellular calcium: *abstract*, **95**
Effects of nociceptin on cAMP formation in rat cerebrocortical, cerebellar and brainstem membranes: *abstract*, **98**
First identification of nociceptin in human cerebrospinal fluid: *abstract*, **98**

Molecular mechanisms of opioid receptor signal transduction **12**
Opioid receptor independent effects of morphine on membrane currents in single cardiac myocytes **925**
Opioids and the immune system: *editorial*, **834**
Recent advances in opioid pharmacology: *editorial*, **1**
Stimulatory effects of opioids **20**
The effect of nociceptin, nociceptin analogues and a novel hexapeptide agonist at the ORL-1 receptor in central and peripheral sites: *abstract*, **97**
The effects of endomorphin-1 on cAMP formation and $[Ca^{2+}]_i$ in Chinese hamster ovary cells expressing recombinant μ-opioid receptors and SH-SY5Y cells: *abstract*, **290P**
The orphanin FQ system: an emerging target for the management of pain? **29**
The role of C-tail in opioid receptor down-regulation: *abstract*, **95**
Use of transcriptional control of a reporter gene as a measure of δ opioid receptor activation: *abstract*, **96**
records, anaesthesia, A case made for automated anaesthetic record keeping?: *correspondence*, **482**
recovery, Duration of the pharmacodynamic interaction between pancuronium and mivacurium **251**
recovery, postoperative, Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
research, medical, Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *editorial*, **118**
Mathematical coupling in medical research: lessons from studies of oxygen kinetics: *erratum*, **1001**
resuscitation fluids, Gelofusine, Effects of gelatin-based resuscitation fluids on platelet aggregation **198**
resuscitation fluids, Haemaccel, Effects of gelatin-based resuscitation fluids on platelet aggregation **198**

sedation, Sedation depends on the level of sensory block induced by spinal anaesthesia **970**
sheep, A puzzle in propofol loss rates from tissue samples in sheep: *abstract*, **630P**
skin, blood flow, A comparison of vasoactivity between levobupivacaine and bupivacaine: *abstract*, **631P**
sleep apnoea, Changes in nocturnal oxygen saturation and ventilatory patterns in patients who have undergone prolonged mechanical ventilation: *abstract*, **643P**
solubility, partition coefficients, Steady-state propofol brain:plasma and brain:blood partition coefficients and the effect-site equilibration paradox **422**
spinal cord, A role for presynaptic NMDA receptors in central sensitization in the spinal cord dorsal horn?: *correspondence*, **294**
spinal cord, galanin, Primary afferent-evoked release of immunoreactive galanin in the spinal cord of the neuropathic rat **436**
surgery, abdominal, β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**
Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine **887**
Prognostic indices following emergency aortic aneurysm repair: *abstract*, **808P**
surgery, adrenergic response, β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**
surgery, amputation, Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees **348**
surgery, breast, Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**
surgery, bronchoscopy, Anaesthesia for telescopic procedures in the thorax: *correspondence*, **482**
Anaesthetic for telescopic procedures in the thorax: *correspondence*, **655**
surgery, cardiopulmonary bypass, Pharmacological vasodilatation improves efficiency of rewarming from hypothermic cardiopulmonary bypass **147**
surgery, cardiovascular, Early vs late tracheal extubation after CABG surgery: *correspondence*, **105**
Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *abstract*, **282P**
Haemodynamic effects of Org 9487 in patients undergoing coronary artery surgery: *erratum*, **661**
Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery: *supplement*, **38**
Jugular venous desaturation following cardiac surgery **239**
Residual neuromuscular blockade from pancuronium after cardiac anaesthesia: *abstract*, **637P**
surgery, colorectal, Influence of dopexamine on the duration of postoperative colonic inhibition in patients undergoing planned colorectal surgery: *abstract*, **823P**
surgery, craniotomy, Pituitary apoplexy after spinal anaesthesia **616**
surgery, dental, Balanced pre-emptive analgesia: does it work? A double-blind, controlled study in bilaterally symmetrical oral surgery **727**
Local anaesthetic infiltration for surgical exodontia of third molar teeth: a double-blind study comparing bupivacaine infiltration with i.v. ketorolac **511**
surgery, endoscopy, Anaesthesia for telescopic procedures in the thorax: *correspondence*, **482**
Anaesthetic for telescopic procedures in the thorax: *correspondence*, **655**
Technique training: endoscopic percutaneous tracheostomy **401**
surgery, general, Practical airway assessment: *correspondence*, **655**
surgery, hepatic, Effects of low dose dopexamine in hemihepatectomy patients: *abstract*, **290P**
surgery, herniotomy, A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations **377**
surgery, laparoscopy, Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome: *correspondence*, **296**
Neostigmine with glycopyrrolate does not increase the incidence or severity of postoperative nausea and vomiting in outpatients undergoing gynaecological laparoscopy **757**
Pre-emptive glycopyrrolate and bradycardia during elective gynaecological laparoscopy: *abstract*, **287P**
surgery, laparotomy, A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations **377**
Muscle protein synthesis and glutamine concentrations after caecal ligation and puncture (CLP) in the rat: *abstract*, **647P**
surgery, laser, Saline as an alternative to air for filling the laryngeal mask airway cuff **398**
surgery, neurological, An open, randomized comparison of alfentanil, remifentanil and alfentanil followed by remifentanil in anaesthesia for craniotomy **361**
Venous air embolism and PEEP: a clinical research blind-spot: *correspondence*, **105**
surgery, obstetric, Blood transfusion for Caesarean section: *correspondence*, **825**
Intrathecal diamorphine compared with morphine for postoperative analgesia after Caesarean section under spinal anaesthesia **135**
Intrathecal diamorphine for postoperative analgesia after Caesarean section: *correspondence*, **992**
surgery, ophthalmological, A complication of peribulbar block in a patient with exophthalmos **615**
Current practice of local anaesthesia for ocular surgery: *correspondence*, **654**
Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block **793**
Laser stimulation of acupuncture point P6 reduces postoperative vomiting in children undergoing strabismus surgery **529**
Local anaesthesia for routine ocular surgery: *correspondence*, **485**
surgery, orthopaedic, Aprotinin therapy and disseminated intravascular coagulation after hip replacement: *correspondence*, **995**
Laryngeal mask airway and incidence of gastro-oesophageal reflux in paralysed patients undergoing ventilation for elective orthopaedic surgery **537**
Patient-controlled interscalene analgesia with ropivacaine after major shoulder surgery: PCIA *vs* PCA **603**
Peripheral blocks of the lower limb for repair of fractured neck of femur: *correspondence*, **483**
surgery, otolaryngological, I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study **870**
Laryngeal mask and tonsillectomy: *correspondence*, **996**
Morbidity after day-case tonsillectomy in children: *correspondence*, **295**
Morbidity after day-case tonsillectomy in children: *correspondence*, **989**
Practical airway assessment: *correspondence*, **655**
Prophylactic antiemetic therapy with a combination of granisetron and dexamethasone in patients undergoing middle ear surgery **754**
Use of laryngeal mask during tonsillectomy: *correspondence*, **298**

surgery, paediatric, Recovery after halothane anaesthesia induced with thiopental, propofol–alfentanil or halothane for day-case adenoidectomy in small children **960**
surgery, plastic, Effect of infiltration with ropivacaine on blood loss during reduction mammoplasty **974**
surgery, thoracic, Hazards of carbon dioxide insufflation during thoracoscopy: *correspondence*, **100**
surgery, thoracoscopy, Anaesthesia for telescopic procedures in the thorax: *correspondence*, **482**
Anasesthetic for telescopic procedures in the thorax: *correspondence*, **655**
surgery, thyroidectomy, Prophylactic antiemetic therapy with granisetron in women undergoing thyroidectomy **526**
surgery, tracheostomy, Airway control during percutaneous dilatational tracheostomy: pilot study with the intubating layrngeal mask airway **608**
Portable ultrasound before percutaneous tracheostomy: *abstract*, **821P**
Technique training: endoscopic percutaneous tracheostomy **401**
Tracheostomy in the intensive care unit (ICU): things have changed: *abstract*, **822P**
surgery, urological, Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery **707**
surgery, vascular, Changes in ionized calcium concentrations and acid–base status during abdominal aortic vascular surgery **965**
Changes in plasma antioxidant potential in aortic aneurysm surgery: *abstract*, **646P**
Epidural analgesia with bupivacaine does not improve splanchnic tissue perfusion after aortic reconstruction surgery **893**
Perioperative care of a Jehovah's Witness with a leaking abdominal aortic aneurysm **256**
sympathetic nervous system, clonidine, Pharmacological evidence for different alpha$_2$-adrenergic receptor sites mediating analgesia and sedation in the rat **208**
sympathetic nervous system, cold pressor test, Effect of clonidine on changes in plasma catecholamine concentrations and oxygen consumption caused by the cold pressor test **140**
sympathetic nervous system, epinephrine, β_2-adrenergic responsiveness *in vivo* during abdominal surgery **343**
sympathetic nervous system, norepinephrine, Effect of steroidal neuromuscular blocking drugs on norepinephrine uptake in SH-SY5Y cells: *abstract*, **641P**
sympathetic nervous system, phenylephrine, Effects of isoflurane on receptor-operated Ca^{2+} channels in rat aortic smooth muscle **578**

temperature, core, Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
Changes in core temperature compartment size on induction of general anaesthesia **861**
temperature, deep, Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
temperature, effects, Temperature changes in patients undergoing secondary transport: *abstract*, **814P**
temperature, measurement, Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
temperature, periphery, Changes in core temperature compartment size on induction of general anaesthesia **861**
temperature, tracheal, Accuracy and precision of "deep sternal" and tracheal temperatures at high- and low-fresh-gas flows **171**
theories of anaesthetic action, molecular, Molecular mechanisms of anaesthesia: light at the end of the channel?: *editorial*, **491**
Volatile anaesthetics have differential effects on recombinant m1 and m3 muscarinic acetylcholine receptor function **569**
toxicity, local anaesthetics, Accidental i.v. injection of local anaesthetic: *correspondence*, **827**
trauma, Effects of gelatin-based resuscitation fluids on platelet aggregation **198**

veins, catheterization, Discovery of left-sided superior vena cava during central venous catheterization **260**
veins, complications, Discovery of left-sided superior vena cava during central venous catheterization **260**
ventilation, apnoea, Changes in blood-gas tensions during apnoeic oxygenation in paediatric patients **338**
Changes in nocturnal oxygen saturation and ventilatory patterns in patients who have undergone prolonged mechanical ventilation: *abstract*, **643P**
ventilation, carbon dioxide, Capnography during ventilation in intensive care: *abstract*, **638P**
ventilation, hypoxic response, Effects of posture on blood flow diversion by hypoxic pulmonary vasoconstriction in dogs **425**
Influence of dose of domperidone on the acute ventilatory response to hypoxia in humans **322**
ventilation, intermittent positive pressure, Dynamic hyperinflation—the anaesthetist applying a tourniquet to the right heart: *editorial*, **116**
ventilation, mechanical, A physiology simulator: validation of its respiratory components and its ability to predict the patient's response to changes in mechanical ventilation **327**
Evaluation of nitrogen dioxide scavengers during delivery of inhaled nitric oxide **404**
Outcome of mechanical ventilation for exacerbations of chronic airflow limitation: *abstract*, **647P**
ventilation, one-lung, A comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation: *abstract*, **278P**
Comparison of the effects of sevoflurane and isoflurane on arterial oxygenation during one lung ventilation **850**
ventilation, ventilation–perfusion, Airway closure, atelectasis and gas exchange during general anaesthesia **681**
vomiting, antiemetics, An extrapyramidal reaction to ondansetron: *correspondence*, **658**
Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**
High-dose ondansetron regimen *vs* droperidol for morphine patient-controlled analgesia **384**
Oral granisetron prevents postoperative vomiting in children **390**
Prophylactic antiemetic therapy with granisetron in women undergoing thyroidectomy **526**
vomiting, antiemetics, dexamethasone, Prophylactic antiemetic therapy with a combination of granisetron and dexamethasone in patients undergoing middle ear surgery **754**
vomiting, antiemetics, granisetron, Prophylactic antiemetic therapy with a combination of granisetron and dexamethasone in patients undergoing middle ear surgery **754**
vomiting, incidence, Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**
High-dose ondansetron regimen *vs* droperidol for morphine patient-controlled analgesia **384**
Laser stimulation of acupuncture point P6 reduces postoperative vomiting in children undergoing strabismus surgery **529**
Morbidity after day-case tonsillectomy in children: *correspondence*, **989**
Oral granisetron prevents postoperative vomiting in children **390**
Treatment of postoperative nausea and vomiting by acupressure: *correspondence*, **102**
vomiting, nausea, Granisetron–droperidol combination for the prevention of postoperative nausea and vomiting in female patients undergoing breast surgery **387**
Morbidity after day-case tonsillectomy in children: *correspondence*, **989**
Neostigmine with glycopyrrolate does not increase the incidence or severity of postoperative nausea and vomiting in outpatients undergoing gynaecological laparoscopy **757**
Prophylactic antiemetic therapy with a combination of granisetron and dexamethasone in patients undergoing middle ear surgery **754**
Prophylactic antiemetic therapy with granisetron in women undergoing thyroidectomy **526**
Propofol and postoperative nausea and vomiting: *correspondence*, **653**
Treatment of postoperative nausea and vomiting by acupressure: *correspondence*, **102**
vomiting, nausea, surgical factors, Laser stimulation of acupuncture point P6 reduces postoperative vomiting in children undergoing strabismus surgery **529**
Prophylactic antiemetic therapy with granisetron in women undergoing thyroidectomy **526**
vomiting, postoperative, Propofol and postoperative nausea and vomiting: *correspondence*, **653**